

SCHIEFER SIGNAAL & SPECIAALLAMPEN B.V.

We export many types of lamps to industrial, wholesale and OEM clients to more than 25 countries.

ABOUT US

Founded in 1995 and with 30 years of experience prior, Schiefer is one of the leading companies in the Netherlands, dedicated to providing the best possible experience to our customers.

The core business of Schiefer is supplying the widest possible range of light sources, specialized in lamps which are produced for Schiefer under our own specifications and brand label. In this new catalogue you will mainly find our own production lamps.

Besides our own production, we are able to supply most well known brands like Osram, Philips, Sylvania, GE, Fischer and Radium. We refer to their catalogues for the cross references.

We sell all kinds of lamps, and we are always expanding. If there is a lamp that we do not stock, our team is dedicated to helping you find exactly what you are looking for.

Contact us today for a free no-obligation quote.



Karin Schiefer
Co-founder and Managing Director
Schiefer Signaal & Speciaallampen B.V.



ADDITIONAL SERVICE AND SPECIALTIES OF SCHIEFER


We can supply lamps in a box design provided by the customer. Schiefer already works with different kind of boxes (see below).

Our bulbs can be custom coloured in a multitude of colours like transparent red, blue, yellow, green, orange, amber and violet. This applies to lamp types ranging from sub miniature to fire flame lamp. Our in-house colouring capacity can cater for a throughput of several thousand lamps per month.

Our company also offer to re-base and re-assemble lamps on a limited production, to all of our clients. Adding to this, we even stock traditional wire-ended (filament) lamps.

As an added bonus, we also offer to reseal and design custom labels, in addition to wholesale repackaging of larger packages.

Black / Red Box




For marine lamps, RC lamps and projectlighting.

Black / Green Box



SPL is the registered trademark of Schiefer for saving lamps.

Red / Yellow Box



Eco Halogen (old generation is red / blue)

ball
gls
candle

softone white
softone peach
decorative
top-mirror
daylight

krypton mushroom

G4 / G9 Halogen (frosted & clear)


SIGNAL LAMPS	SUBMINIATURE	6
	MINIATURE	28
	FLASHLIGHT	76
	SIGNAL	86
	NEON	110
GENERAL LIGHTING	TUBULAR	136
	PIGMY	154
	BALL	164
	GLS	172
	CANDLE	180
	COLORENTA	190
	DECORATIVE	194
	DAYLIGHT	204
	FIRE GLOW	206
	REFLECTOR	210
	OVENLAMP	214
	TOPMIRROR	222
	KRYPTON MUSHROOM	226
HALOGEN LAMPS	HALOGEN	228
	ECO HALOGEN	260
SHIP & NAVIGATION	TUBULAR	310
	CURRENT INDICATOR	316
	SPECIAL ITEMS	322
AUTO & FORKLIFT	GENERAL	338
	HALOGEN	352
LED LAMPS	LED LAMPS	360
CFL LAMPS	CFL LAMPS	424
PROJECTOR LAMPS	PROJECTOR / BEAMER LAMPS	436
VARIOUS	LAMP HOLDERS	438
	LAMP PULLERS	444

T $\frac{3}{4}$ Wire Ended 2.5 x 6.5mm	07
T1 Wire Ended 3.17 x 6.35mm	08
T1 $\frac{1}{4}$ Wire Ended 4.5 x 11.7mm	09
T1 $\frac{1}{2}$ Wire Ended 4.9 x 13mm	10
T1 $\frac{3}{4}$ Wire Ended 5.7 x 13.2mm	11
T $\frac{3}{4}$ Midget Flanged 2.5 x 9.5mm	12
T1 Midget Flanged USA 3.17 x 9.5mm	13
T1 Midget Flanged France 3.17 x 14mm	14
T1 $\frac{1}{4}$ Midget Flanged 4.12 x 15.87mm	15
T1 $\frac{3}{4}$ Midget Flanged 5.7 x 15.87mm	16
T1 $\frac{3}{4}$ Midget Grooved 5.7 x 16mm	17
T1 Bi Pin 3.2 x 9.5mm Pin-distance 1.27mm	18
T1 Bi Pin 3.2 x 9.5mm Pin-distance 2.54mm	19
T1 Bi Pin 3.2 x 9.5mm Pin-distance 3.17mm	20
T1 $\frac{1}{4}$ Bi Pin 4.5 x 16mm Pin-distance 2.54mm	21
T1 $\frac{3}{4}$ Bi Pin 5.7 x 16mm Pin-distance 3.17mm	22
T1 $\frac{3}{4}$ E5/8 5.7 x 16mm	23
T1 $\frac{3}{4}$ Ba5s 5.7 x 16mm	24
T1 $\frac{3}{4}$ Midget Based 5.7 x 16mm	25
Pisello Wire Ended	26

Type No.	Int.Code	Volt	mA	Watt	∅	Length	Filament	Life
000501200		1.5	40	0.06	2.5	6.5	C-2R	25.000
010518300	6833	5	60	0.30	2.5	6.5	C-2R	25.000
010518900	8666	5	80	0.40	2.5	6.5	C-2R	15.000
010519300	7102	5	115	0.58	2.5	6.5	C-2R	5.000
010530000		12	50	0.60	2.5	6.5	C-2V	15.000
010538100		24	20	0.48	2.5	6.5	CC-2V	5.000

SUBMINIATURE

T^{3/4}
Wire Ended
2.5 x 6.5mm



07

SCHIEFER

SIGNAL LAMPS


SUBMINIATURE

TI
Wire Ended
3.17 x 6.35mm

08

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
010600200		1.2	13	0.02	3.17	6.35	C-2R	1.000
010603123	<i>Lens end</i>	2	120	0.24	3.17	6.35	C-2R	100
010608000		3	15	0.05	3.17	6.35	C-2R	1.000
010609500		3	40	0.12	3.17	6.35	C-2R	10.000
010617500	6022	5	21	0.11	3.17	6.35	C-2R	10.000
010617700	7210	5	30	0.15	3.17	6.35	C-2R	25.000
010618300	683	5	60	0.30	3.17	6.35	C-2R	25.000
010618323	<i>Lens end</i>	5	60	0.30	3.17	6.35	C-2R	25.000
010618400	680	5	60	0.30	3.17	6.35	C-2R	60.000
010618700	713	5	75	0.38	3.17	6.35	C-2R	25.000
010618900		5	80	0.40	3.17	6.35	C-2R	15.000
010619300	715	5	115	0.58	3.17	6.35	C-2R	40.000
010619500	7216	5	125	0.63	3.17	6.35	C-2R	5.000
010621400		6	50	0.30	3.17	6.35	C-2V	10.000
010621600		6	70	0.42	3.17	6.35	C-2R	10.000
010626700		8	25	0.20	3.17	6.35	C-2V	5.000
010627900	7218	10	27	0.27	3.17	6.35	C-2V	10.000
010629700		12	30	0.36	3.17	6.35	C-2V	5.000
010630000		12	50	0.60	3.17	6.35	C-2V	10.000
010630100	7219	12	60	0.72	3.17	6.35	C-2V	16.000
010633300	871	14	40	0.56	3.17	6.35	C-2F	10.000
010633500	8111	14	65	0.91	3.17	6.35	C-2F	16.000
010635400	7220	18	26	0.47	3.17	6.35	C-2F	16.000
010638000		24	24	0.58	3.17	6.35	CC-2F	10.000
010642600		28	28	0.56	3.17	6.35	CC-2F	10.000
010642700	6838	28	24	0.67	3.17	6.35	CC-2F	16.000
Special								
010619332		5	115	0.58	3.00	8.00	C-2R	15.000
010642732		28	24	0.67	3.00	10.00	CC-2F	15.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
010701500	749	1.5	70	0.11	4.5	11.7	C-2R	25.000
010703023	<i>Lens end</i>	2	100	0.20	4.5	11.7	C-2R	1.000
010703100		2	120	0.24	4.5	11.7	C-2R	1.000
010706823	<i>Lens end</i>	2.5	350	0.88	4.5	11.7	C-2R	1.000
010708600	324	3	190	0.57	4.5	11.7	C-2R	350
010715200		4.5	40	0.18	4.5	11.7	C-2R	10.000
010718400	583	5	60	0.30	4.5	11.7	C-2R	25.000
010719300	515	5	115	0.58	4.5	11.7	C-2R	40.000
010721200	8661	6	40	0.24	4.5	11.7	C-2V	10.000
010721500	2114	6	60	0.36	4.5	11.7	C-2R	3.000
000721600		6	70	0.42	4.5	11.7	C-2R	1.000
010721700		6	100	0.60	4.5	11.7	C-2R	1.000
010722200	634	6	200	1.20	4.5	11.7	C-2R	1.000
000725200		6.3	250	1.58	4.5	11.7	C-2R	1.000
000727000		8	80	0.64	4.5	11.7	C-2R	1.000
000727100		8	90	0.72	4.5	11.7	C-2R	1.000
010727800	8608	10	15	0.15	4.5	11.7	C-2F	10.000
000728000		10	30	0.30	4.5	11.7	C-2R	1.000
000728100		10	40	0.40	4.5	11.7	C-2R	1.000
000728200		10	50	0.50	4.5	11.7	C-2R	1.000
010729700		12	30	0.36	4.5	11.7	C-2R	1.000
010729800	772	12	35	0.42	4.5	11.7	C-2F	25.000
010729900		12	40	0.48	4.5	11.7	C-2V	10.000
010730100	753	12	60	0.72	4.5	11.7	C-2F	15.000
010730300	754	12	80	0.96	4.5	11.7	C-2V	1.000
010730400		12	100	1.20	4.5	11.7	C-2V	1.000
010762500		13.5	30	0.41	4.5	11.7	C-2R	5.000
010733400		14	50	0.70	4.5	11.7	C-2V	2.000
010733500		14	65	0.91	4.5	11.7	C-2F	1.000
010733600	8640	14	80	1.12	4.5	11.7	C-2F	1.000
010734300		16	30	0.48	4.5	11.7	C-2F	1.000
010741400		24	35	0.84	4.5	11.7	C-2F	5.000
010741500		24	35	0.84	4.5	11.7	C-2F	25.000
010738600		24	50	1.20	4.5	11.7	C-2F	1.000
010742800		28	25	0.70	4.5	11.7	C-2F	5.000
010743100	8627	28	40	1.12	4.5	11.7	C-2R	1.000
010747300		36	20	0.72	4.5	11.7	C-2F	1.000
010753100		48	25	1.20	4.5	11.7	CC-2F	1000

SUBMINIATURE

T1¼
Wire Ended
4,5 x 11,7mm




09

SCHIEFER

SIGNAL LAMPS

SUBMINIATURE

T1 1/2
Wire Ended
4.9 x 13mm



Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
010800700		1.35	60	0.08	4.9	13	C-2R	100
010815400		4.5	60	0.27	4.9	13	C-2R	2.000
010821200		6	40	0.24	4.9	13	C-2R	10.000
000821500		6	60	0.36	4.9	13	C-2R	2.000
010820800		6	80	0.48	4.9	13	C-2R	5.000
010822200	192	6	200	1.20	4.9	13	C-2R	2.000
010825100		6.3	200	1.26	4.9	13	C-2R	50.000
000826800		8	50	0.40	4.9	13	C-2R	2.000
010828100		10	40	0.40	4.9	13	C-2F	4.000
010829700		12	30	0.36	4.9	13	C-2F	1.000
010828600		12	40	0.48	4.9	13	C-2F	10.000
010830000		12	50	0.60	4.9	13	C-2F	1.000
010830300		12	80	0.96	4.9	13	C-2F	5.000
010830400		12	100	1.20	4.9	13	C-2F	5.000
010841300		24	35	0.84	4.9	13	C-2F	8.000
010843400		28	60	1.68	4.9	13	C-2F	5.000
010844300	194	28	40	1.12	4.9	13	C-2F	4.000
010844500		28	40	1.12	4.9	13	C-2F	7.000

10


SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	∅	Length	Filament	Life
010906800	2169	2.5	350	0.88	5.7	13.2	C-2R	10.000
010908000	2158	3	15	0.05	5.7	13.2	C-2R	10.000
010918300	2200	5	60	0.30	5.7	13.2	C-2R	25.000
010921700		6	100	0.60	5.7	13.2	C-2F	10.000
010922200	1784	6	200	1.20	5.7	13.2	C-2F	1.000
010924600	2180	6.3	40	0.25	5.7	13.2	C-2F	10.000
010924800	1739	6.3	75	0.47	5.7	13.2	C-2R	500
010925500	2181	6.3	200	1.26	5.7	13.2	C-2F	20.000
000926900		8	150	1.20	5.7	13.2	C-2F	1.000
010927800	1869	10	15	0.15	5.7	13.2	C-2F	10.000
010928600	2174	12	40	0.48	5.7	13.2	C-2F	10.000
010930100		12	60	0.72	5.7	13.2	C-2V	10.000
010930500		12	120	1.44	5.7	13.2	C-2V	2.000
010933600	1705	14	80	1.12	5.7	13.2	C-2F	2.500
010933700		14	100	1.40	5.7	13.2	C-2F	5.000
010934100	2182	14	80	1.12	5.7	13.2	C-2F	15.000
010935500		18	40	0.72	5.7	13.2	C-2F	5.000
010938500		24	40	0.96	5.7	13.2	C-2F	5.000
010938600	2176	24	50	1.20	5.7	13.2	C-2F	2.000
010942618		28	20	0.56	5.7	13.2	C-2F	2.000
010943100	2127	28	40	1.12	5.7	13.2	C-2F	4.000
010944500	2187	28	40	1.12	5.7	13.2	C-2F	7.000
010944600	2185	28	40	1.12	5.7	13.2	C-2F	10.000
010943400	1764	28	60	1.68	5.7	13.2	C-2F	25.000
010956400		60	20	1.20	5.7	13.2	CC-2F	5.000

SUBMINIATURE

T1^{3/4}
Wire Ended
5.7 x 13.2mm



II

SCHIEFER


SIGNAL LAMPS

SUBMINIATURE

T^{3/4}

Midget Flanged

2.5 x 9.5mm



Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
800502500		2	50	0.10	2.5	9.5	C-2R	1.000
800518300		5	60	0.30	2.5	9.5	C-2R	25.000
800519300		5	115	0.58	2.5	9.5	C-2R	40.000
800521400		6	50	0.30	2.5	9.5	C-2V	5.000
800529400		12	50	0.60	2.5	9.5	C-2F	5.000
800529500		12	50	0.60	2.5	9.5	C-2F	15.000
800533200		14	30	0.42	2.5	9.5	C-2F	15.000
800534300		16	30	0.48	2.5	9.5	CC-2V	15.000
800534400		16	35	0.56	2.5	9.5	CC-2V	15.000
800538100		24	20	0.48	2.5	9.5	CC-2V	5.000
800538200		24	25	0.60	2.5	9.5	CC-2V	5.000
800542600		28	20	0.56	2.5	9.5	CC-2V	5.000

12


SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	∅	Length	Filament	Life
810617500		5	21	0.11	3.17	9.5	C-2R	10.000
810618300	685	5	60	0.30	3.17	9.5	C-2R	25.000
810618700	714	5	75	0.38	3.17	9.5	C-2R	25.000
810619300	718	5	115	0.58	3.17	9.5	C-2R	40.000
810621200		6	40	0.24	3.17	9.5	C-2R	25.000
810621600		6	70	0.42	3.17	9.5	C-2R	16.000
810629700		12	30	0.36	3.17	9.5	C-2F	15.000
810630100	32	12	60	0.72	3.17	9.5	C-2F	16.000
810633300		14	40	0.56	3.17	9.5	C-2F	16.000
810633500	8112	14	65	0.91	3.17	9.5	C-2F	16.000
810635400	7241	18	26	0.47	3.17	9.5	C-2F	16.000
810638100		24	20	0.48	3.17	9.5	CC-2F	20.000
810642600	3092	28	20	0.56	3.17	9.5	CC-2F	7.000
810642700	6839	28	24	0.67	3.17	9.5	CC-2F	16.000
810643100		28	40	1.12	3.17	9.5	CC-2F	1.000
810647300		36	20	0.72	3.17	9.5	CC-2F	1.000

SUBMINIATURE

TI
Midget Flanged USA
3.17 x 9,5mm




13

SCHIEFER

SIGNAL LAMPS

SUBMINIATURE

TI
Midget Flanged France
3.17 x 14mm



Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
820618300	172	5	60	0.30	3.17	14	C-2R	25.000
820619300	173	5	115	0.58	3.17	14	C-2R	10.000
820621600	174	6	70	0.42	3.17	14	C-2R	5.000
820622200	175	6	200	1.20	3.17	14	C-2R	1.000
820628500		12	40	0.48	3.17	14	C-2F	2.000
820629600	194	12	20	0.24	3.17	14	C-2F	2.000
820630100	177	12	60	0.72	3.17	14	C-2F	5.000
820630400	178	12	100	1.20	3.17	14	C-2F	1.000
820638100	179	24	20	0.48	3.17	14	CC-2F	10.000
820642600		28	20	0.56	3.17	14	CC-2F	5.000
820642700	180	28	24	0.67	3.17	14	CC-2F	5.000
820642800		28	25	0.70	3.17	14	CC-2F	5.000
820643100	181	28	40	1.12	3.17	14	CC-2F	1.000

14


SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
860700700	8636	1.35	60	0.08	4.12	15.87	C-2R	1.000
860708600	8637	3	190	0.57	4.12	15.87	C-2R	500
860718300	3585	5	60	0.30	4.12	15.87	C-2R	25.000
860719300	3518	5	115	0.58	4.12	15.87	C-2R	15.000
860721200	8660	6	40	0.24	4.12	15.87	C-2V	5.000
860722200	8628	6	200	1.20	4.12	15.87	C-2R	2.000
860725100	8551	6.3	200	1.26	4.12	15.87	C-2R	5.000
860727800	8609	10	15	0.15	4.12	15.87	C-2F	30.000
860733600	8646	14	80	1.12	4.12	15.87	C-2F	1.000
860742700		28	24	0.67	4.12	15.87	C-2F	1.000
860743100	8632	28	40	1.12	4.12	15.87	C-2F	1.000

SUBMINIATURE

T1¼
Midget Flanged
4.12 x 15.87mm




15

SCHIEFER

SIGNAL LAMPS

SUBMINIATURE

T1 3/4
Midget Flanged
5.7 x 15.87mm



16

SCHIEFER


SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
940900700	331	1.35	60	0.08	5.7	15.87	C-2R	500
940906800	268	2.5	350	0.88	5.7	15.87	C-2R	10.000
940908600		3	190	0.57	5.7	15.87	C-6	500
940917300		5	15	0.08	5.7	15.87	C-2R	10.000
940917700		5	30	0.15	5.7	15.87	C-2R	10.000
940918300	7333	5	60	0.30	5.7	15.87	C-2R	25.000
940919300	7335	5	115	0.58	5.7	15.87	C-2R	40.000
940921200	345	6	40	0.24	5.7	15.87	C-2R	10.000
940921600		6	70	0.42	5.7	15.87	C-2R	15.000
940921700		6	100	0.60	5.7	15.87	C-2R	10.000
940922200		6	200	1.20	5.7	15.87	C-2R	10.000
940924600	380	6.3	40	0.25	5.7	15.87	C-2V	10.000
940924800	377	6.3	75	0.47	5.7	15.87	C-2R	500
940925100	349	6.3	200	1.26	5.7	15.87	C-2R	5.000
940925500	381	6.3	200	1.26	5.7	15.87	C-2F	20.000
940927800		10	15	0.15	5.7	15.87	C-2V	10.000
940928100	367	10	40	0.40	5.7	15.87	C-2F	5.000
940928500		12	40	0.48	5.7	15.87	C-2F	5.000
940928600		12	40	0.48	5.7	15.87	C-2F	10.000
940930100		12	60	0.72	5.7	15.87	C-2F	10.000
940930200		12	75	0.90	5.7	15.87	C-2F	10.000
940930400		12	100	1.20	5.7	15.87	C-2F	25.000
940933300		14	40	0.56	5.7	15.87	C-2F	5.000
940933600	330	14	80	1.12	5.7	15.87	C-2F	2.500
940934100	382	14	80	1.12	5.7	15.87	C-2F	15.000
940933700		14	100	1.40	5.7	15.87	C-2F	3.000
940935500		18	40	0.72	5.7	15.87	C-2F	5.000
940938400		24	35	0.84	5.7	15.87	C-2F	3.000
940938500		24	40	0.96	5.7	15.87	C-2F	1.000
940938700		24	60	1.44	5.7	15.87	C-2F	1.000
940942800		28	25	0.70	5.7	15.87	C-2F	15.000
940944200	327	28	40	1.12	5.7	15.87	C-2F	4.000
940944500	387	28	40	1.12	5.7	15.87	C-2F	7.000
940944600	385	28	40	1.12	5.7	15.87	C-2F	10.000
940943400	376	28	60	1.68	5.7	15.87	C-2F	25.000
940943600		28	80	2.24	5.7	15.87	C-2F	10.000
940947000		32	33	1.06	5.7	15.87	C-2F	3.000
940947300		36	20	0.72	5.7	15.87	C-2F	10.000
940947800		36	40	1.44	5.7	15.87	C-2F	2.000
940948800		36	30	1.08	5.7	15.87	C-2F	3.000
940953100		48	25	1.20	5.7	15.87	CC-2F	5.000
940953200		48	30	1.44	5.7	15.87	CC-2F	5.000
940953400		48	40	1.92	5.7	15.87	CC-2F	5.000
940956400		60	20	1.20	5.7	15.87	CC-2F	5.000
940956600		60	30	1.80	5.7	15.87	CC-2F	1.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
950900700	698	1.35	60	0.08	5.7	16	C-2R	500
950906800		2.5	350	0.88	5.7	16	C-2R	10.000
950908000		3	15	0.45	5.7	16	C-2R	10.000
950908600		3	190	0.57	5.7	16	C-2R	350
950917300		5	15	0.08	5.7	16	C-2R	10.000
950917700		5	30	0.15	5.7	16	C-2R	10.000
950918300	7347	5	60	0.30	5.7	16	C-2R	25.000
950911200		6	30	0.18	5.7	16	C-2R	10.000
950921200	8705	6	40	0.24	5.7	16	C-2R	10.000
950921800		6	125	0.75	5.7	16	C-2R	10.000
950922200		6	200	1.20	5.7	16	C-2R	2.000
950924600	7351	6.3	40	0.25	5.7	16	C-2V	10.000
950924800	8708	6.3	75	0.47	5.7	16	C-2R	500
950925100	398	6.3	200	1.26	5.7	16	C-2R	5.000
950925500	379	6.3	200	1.26	5.7	16	C-2F	20.000
950927800	709	10	15	0.15	5.7	16	C-2V	10.000
950928100	397	10	40	0.40	5.7	16	C-2F	5.000
950928500		12	40	0.48	5.7	16	C-2F	5.000
950928600	7254	12	40	0.48	5.7	16	C-2F	10.000
950930100		12	60	0.72	5.7	16	C-2F	10.000
950930200		12	75	0.90	5.7	16	C-2F	10.000
950930400		12	100	1.20	5.7	16	C-2F	25.000
950933600	336	14	80	1.12	5.7	16	C-2F	2.500
950934100	386	14	80	1.12	5.7	16	C-2F	15.000
950935500	346	18	40	0.72	5.7	16	C-2F	10.000
950938200		24	25	0.60	5.7	16	C-2F	10.000
950938400		24	35	0.84	5.7	16	C-2F	10.000
950938600		24	50	1.20	5.7	16	C-2F	10.000
950942800		28	25	0.70	5.7	16	C-2F	15.000
950942900		28	30	0.84	5.7	16	C-2F	5.000
950944200	334	28	40	1.12	5.7	16	C-2F	4.000
950944500	388	28	40	1.12	5.7	16	C-2F	7.000
950944600	7355	28	40	1.12	5.7	16	C-2F	10.000
950943400		28	60	1.68	5.7	16	C-2F	25.000
950947300		36	20	0.72	5.7	16	C-2F	10.000
950948800		36	30	1.08	5.7	16	C-2F	2.000
950953000		48	20	0.96	5.7	16	CC-2F	5.000
950953100		48	25	1.20	5.7	16	CC-2F	5.000
950956400		60	20	1.20	5.7	16	CC-2F	5.000
950956600		60	30	1.80	5.7	16	CC-2F	1.000



SUBMINIATURE

T1 3/4
Midget Grooved
5.7 x 16mm



SUBMINIATURE

T1 Bi Pin
3.2 x 9.5mm
Pin-distance 1.27mm



Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
830606400		2.5	200	0.50	3.2	9.5	C-2R	25.000
830618300	7685	5	60	0.30	3.2	9.5	C-2R	25.000
830618700	7713	5	75	0.38	3.2	9.5	C-2R	25.000
830619300	7715	5	115	0.58	3.2	9.5	C-2R	40.000
830630100	8097	12	60	0.72	3.2	9.5	C-2F	16.000
830633500		14	65	0.91	3.2	9.5	C-2F	16.000
830642700	7839	28	24	0.67	3.2	9.5	CC-2F	16.000
830643100		28	40	1.12	3.2	9.5	CC-2F	5.000

18


SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	∅	Length	Filament	Life
840618300	7683	5	60	0.30	3.2	9.5	C-2R	25.000
840618700		5	75	0.38	3.2	9.5	C-2R	25.000
840619300		5	115	0.58	3.2	9.5	C-2R	25.000
840620900		6	115	0.69	3.2	9.5	C-2R	40.000
840629500		12	50	0.60	3.2	9.5	C-2F	16.000
840630100	8097	12	60	0.72	3.2	9.5	C-2F	16.000
840633300		14	40	0.56	3.2	9.5	C-2F	16.000
840633500		14	65	0.91	3.2	9.5	C-2F	16.000
840634300		16	30	0.48	3.2	9.5	C-2F	10.000
840635400	8099	18	26	0.47	3.2	9.5	C-2F	16.000
840638000		24	24	0.58	3.2	9.5	CC-2F	5.000
840642700	7839	28	24	0.67	3.2	9.5	CC-2F	16.000
840643100		28	40	1.12	3.2	9.5	CC-2F	7.000
840647300		36	20	0.72	3.2	9.5	CC-2F	5.000

SUBMINIATURE



TI Bi Pin
3.2 x 9.5mm
Pin-distance 2.54mm



SUBMINIATURE

T1 Bi Pin
3.2 x 9.5mm
Pin-distance 3.17mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
850618300		5	60	0.30	3.2	9.5	C-2R	25.000
850618700		5	75	0.38	3.2	9.5	C-2R	25.000
850628600		12	40	0.48	3.2	9.5	C-2F	10.000
850630100		12	60	0.72	3.2	9.5	C-2F	10.000
850635400		18	26	0.47	3.2	9.5	C-2F	16.000
850638100		24	20	0.48	3.2	9.5	CC-2F	5.000
850642700		28	24	0.67	3.2	9.5	CC-2F	16.000



20

SCHIEFER

SIGNAL LAMPS



Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
870718400		5	60	0.30	4.5	16	C-2R	60.000
870721500	4015	6	60	0.36	4.5	16	C-2R	25.000
870725100		6.3	200	1.26	4.5	16	C-2R	5.000
870729900		12	40	0.48	4.5	16	C-2V	1.000
870728600	4032	12	40	0.48	4.5	16	C-2F	10.000
870730000		12	50	0.60	4.5	16	C-2F	16.000
870733600	7646	14	80	1.12	4.5	16	C-2F	1.000
870734300		16	30	0.48	4.5	16	C-2F	25.000
870738400	4060	24	35	0.84	4.5	16	C-2F	25.000
870742700		28	24	0.67	4.5	16	CC-2F	7.000
870742800	619	28	25	0.70	4.5	16	C-2F	10.000
870743100	632	28	40	1.12	4.5	16	C-2F	4.000
870747300		36	20	0.72	4.5	16	CC-2F	5.000
870753100	7590	48	25	1.20	4.5	16	CC-2F	5.000
870756300	7692	60	20	1.20	4.5	16	CC-2F	5.000

Special / Pin-distance 3.17mm

870721533	6	60	0.36	4.5	16	C-2R	25.000
870743133	28	40	1.12	4.5	16	C-2F	4.000

SUBMINIATURE

T1¼ Bi Pin
4.5 x 16mm
Pin-distance 2.54mm



21

SCHIEFER

SIGNAL LAMPS

SUBMINIATURE

T1 3/4 Bi Pin



5.7 x 16mm

Pin-distance 3.17mm

22

SCHIEFER

SIGNAL LAMPS



Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
970906400	7968	2.5	200	0.50	5.7	16	C-2R	3.000
970906600		2.5	300	0.75	5.7	16	C-2R	3.000
970908000	7375	3	15	0.05	5.7	16	C-6	10.000
970908600		3	190	0.57	5.7	16	C-2R	350
970913600		4	460	1.84	5.7	16	C-2R	500
970918300	7361	5	60	0.30	5.7	16	C-2R	25.000
970921200	7945	6	40	0.24	5.7	16	C-2R	10.000
970922200	7328	6	200	1.20	5.7	16	C-2R	1.000
970924600	7380	6.3	40	0.25	5.7	16	C-2R	10.000
970924800	7377	6.3	75	0.47	5.7	16	C-2R	3.000
970925000		6.3	150	0.95	5.7	16	C-2R	5.000
970925100		6.3	200	1.26	5.7	16	C-2R	5.000
970928100	7367	10	40	0.40	5.7	16	C-2F	5.000
970928600	7371	12	40	0.48	5.7	16	C-2F	10.000
970930100		12	60	0.72	5.7	16	C-2F	1.000
970933600		14	80	1.12	5.7	16	C-2F	5.000
970934100	7382	14	80	1.12	5.7	16	C-2F	15.000
970935500	7370	18	40	0.72	5.7	16	C-2F	10.000
970938600		24	50	1.20	5.7	16	C-2F	1.000
970942700		28	24	0.67	5.7	16	C-2F	16.000
970943000		28	35	0.98	5.7	16	C-2F	30.000
970943100	7327	28	40	1.12	5.7	16	C-2F	4.000
970944500	7387	28	40	1.12	5.7	16	C-2F	7.000
970947000		32	33	1.06	5.7	16	C-2F	10.000
970953100		48	25	1.20	5.7	16	CC-2F	5.000
970956400		60	20	1.20	5.7	16	CC-2F	5.000


Special

971928688	2-Parts	12	40	0.48	5.7	16	C-2F	10.000
971944588	2-Parts	28	40	1.12	5.7	16	C-2F	7.000
971947088	2-Parts	32	33	1.06	5.7	16	C-2F	10.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
080901500		1.50	110	0.17	5.7	16	C-6	1.000
080900700	8669	1.35	60	0.08	5.7	16	C-6	500
080906400		2.50	200	0.50	5.7	16	C-6	1.000
080906700		2.5	300	0.75	5.7	16	C-6	1.000
080906800	7312	2.50	350	0.88	5.7	16	C-2R	15.000
080908000	7313	3	15	0.05	5.7	16	C-6	10.000
080908723	<i>Lens</i>	3	250	0.75	5.7	16	C-2R	10.000
080909600		3.5	200	0.70	5.7	16	C-2R	10.000
080918300	7318	5	60	0.30	5.7	16	C-2R	25.000
080919300	7319	5	115	0.58	5.7	16	C-2R	40.000
080921500		6	60	0.36	5.7	16	C-2R	5.000
080921700		6	100	0.60	5.7	16	C-2V	10.000
080922200	1768	6	200	1.20	5.7	16	C-2R	1.000
080925100	7323	6.3	200	1.26	5.7	16	C-2R	5.000
080925500	378	6.3	200	1.26	5.7	16	C-2F	20.000
080925700		6.5	100	0.65	5.7	16	C-2R	1.000
080926100		6.5	150	0.98	5.7	16	C-2R	5.000
080926900		8	150	1.20	5.7	16	C-2V	2.000
080927800	8691	10	15	0.15	5.7	16	C-2F	10.000
080928600		12	40	0.48	5.7	16	C-2F	10.000
080930100		12	60	0.72	5.7	16	C-2F	10.000
080930300		12	80	0.96	5.7	16	C-2F	2.000
080930400		12	100	1.20	5.7	16	C-2F	2.000
080930500		12	120	1.44	5.7	16	C-2F	1000
080933300		14	40	0.56	5.7	16	C-2F	10.000
080933600	373	14	80	1.12	5.7	16	C-2F	2.500
080938500		24	40	0.96	5.7	16	C-2F	2.000
080938900		24	80	1.92	5.7	16	C-2F	2.000
080940000		24	35	0.84	5.7	16	C-2F	25.000
080943100	335	28	40	1.12	5.7	16	C-2F	4.000
080944500	399	28	40	1.12	5.7	16	C-2F	7.000
080956400		60	20	1.20	5.7	16	CC-2F	5.000

SUBMINIATURE

T1 3/4
E5/8
5.7 x 16mm



23

SCHIEFER

SIGNAL LAMPS

SUBMINIATURE

T1 3/4


Ba5s

5.7 x 16mm

24

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
050934100		14	80	1.12	5.7	16	C-2F	15.000
050934188		14	88	1.23	5.7	16	C-2F	5.000
050934500		15	37	0.56	5.7	16	C-2F	5.000
050938600		24	50	1.2	5.7	16	C-2F	1.000
050943100		28	40	1.12	5.7	16	C-2F	4.000
050945500		28	40	1.12	5.7	16	C-2F	7.000
050945502	Red	28	40	1.12	5.7	16	C-2F	7.000
050945503	Green	28	40	1.12	5.7	16	C-2F	7.000
050947000		32	33	1.06	5.7	16	C-2F	5.000
050947002	Red	32	33	1.06	5.7	16	C-2F	5.000
050947003	Green	32	33	1.06	5.7	16	C-2F	5.000
050956400		60	20	1.20	5.7	16	C-2F	5.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
650921718		6	100	0.6	5.7	16	C-2F	2.000
650925500		6.3	200	1.26	5.7	16	C-2F	20.000
650930018		12	50	0.6	5.7	16	C-2F	2.000
650933400		14	50	0.70	5.7	16	C-2F	5.000
650934100		14	80	1.12	5.7	16	C-2F	15.000
650935418		18	33	0.6	5.7	16	C-2F	2.000
650935600		18	50	0.90	5.7	16	C-2F	5.000
650938218		24	25	0.6	5.7	16	C-2F	2.000
650938600		24	50	1.20	5.7	16	C-2F	2.000
650942600		28	20	0.56	5.7	16	C-2F	10.000
650942618		28	21	0.6	5.7	16	C-2F	2.000
650944500		28	40	1.12	5.7	16	C-2F	7.000
650956400		60	20	1.20	5.7	16	CC-2F	5.000

SUBMINIATURE

T1^{3/4}
Midget Based
5.7 x 16mm



25


SCHIEFER

SIGNAL LAMPS

SUBMINIATURE

Pisello
Wire Ended

Type No.	Color	Volt	mA	Watt	Ø	Length	Filament	Life
010309600		3.5	200	0.7	5	23	C-2R	1.000
010322200		6/7	200	1.3	5	23	C-2R	1.000
010238600		24	50	1.2	4.5	12	C-2R	1.000




T5 W2 × 4.6d 5 × 20mm	30
T10 W2.1 × 9.5d 10 × 28mm	31
T15 W2.1 × 9.5d 15 × 38mm	32
Ba7s T6.8 × 20mm	33
Ba7s T6.8 × 23mm	34
T4.5 T4.5 × 16mm	35
T5.5K T5.4 × 22mm	36
T4.6 T4.6 × 22mm	37
T5.5 T5.5 × 30mm	38
T6.8G T6.8 × 45mm	39
T6.8F T6.5 × 44mm	40
T5.8 T5.8 × 42mm	41
T5.8B Bell-A T5.8 × 44mm	42
BPO No2 T7 × 44mm	43
T9 T9 × 65mm	44
ESB T7 × 23mm	45
PSB T7 × 28mm	46
Ba10s T10 × 28mm	47
Ba9s T9 × 23mm	48
Ba9s T9 × 23mm	49
Ba9s T10 × 28mm	50
Ba9s T10 × 28mm	51
Ba9s T10 × 28mm	52
Ba9s T10 × 40mm	53
Ba9s T10 × 50mm	54
Ba9s G11 × 24mm	55
Ba9s G15 × 29mm	56
Ba9s Xenon G17 × 30mm	57
Ba9s T16 × 30mm	58
Ba9s T16 × 48mm	59
Ba9s Midget Based T8 × 30mm	60
E10 T9 × 23mm	61
E10 T10 × 28mm	62
E10 T10 × 28mm	63
E10 T10 × 28mm	64
E10 T10 × 40mm	65
E10 T10 × 50mm	66
E10 G11 × 24mm	67

E10 G15 x 29mm	68
E10 Krypton G17 x 31mm	69
E10 Xenon G17 x 30mm	70
E10 T16 x 30mm	71
E10 T16 x 35mm	72
E10 T16 x 48mm	73
E10 Telewriter T6.6 x 35mm	74
E10 Beker 11 x 20mm	75

MINIATURE

T5
W2 x 4.6d
5 x 20mm



30

SCHIEFER


SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
032022200		6	200	1.20	5	20	C-2R	2.000
032025800		6/7	30	0.20	5	20	C-2R	2.000
032025900		6/7	80	0.52	5	20	C-2R	2.000
032026000		6/7	150	1.00	5	20	C-2F	2.000
032024600	84	6.3	40	0.25	5	20	C-2V	10.000
032030400		12	100	1.20	5	20	C-2F	10.000
032030402	Red	12	100	1.20	5	20	C-2F	10.000
032030600		12	17	2.00	5	20	C-2V	2.000
032030700		12	192	2.30	5	20	C-2V	2.000
032032900		12/15	30	0.40	5	20	C-2V	2.000
032033000		12/15	80	1.00	5	20	C-2V	2.000
032033700		14	100	1.40	5	20	C-2F	5.000
032034100	73	14	80	1.12	5	20	C-2F	15.000
032038500		24	40	0.96	5	20	C-2F	5.000
032038502	Red	24	40	0.96	5	20	C-2F	5.000
032038600		24	50	1.20	5	20	C-2F	2.000
032038602	Red	24	50	1.20	5	20	C-2F	2.000
032038900		24	80	1.92	5	20	C-2F	2.000
032038902	Red	24	80	1.92	5	20	C-2F	2.000
032042300		24/30	30	0.72	5	20	C-2F	2.000
032042400		24/30	40	1.00	5	20	C-2F	2.000
032042402	Red	24/30	40	1.00	5	20	C-2F	2.000
032044500	85	28	40	1.12	5	20	C-2F	7.000
032044502	85 / Red	28	40	1.12	5	20	C-2F	7.000
032048800		36	30	1.08	5	20	C-2F	7.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
042822200		6	200	1.20	10	28	C-2V	2.000
042822500		6	333	2.00	10	28	C-2V	2.000
500625614		6	500	3	10	28	C-2V	2.000
042825000		6.3	150	1.00	10	28	C-2R	5.000
042825200		6.3	250	1.58	10	28	C-2R	5.000
042830400		12	100	1.20	10	28	C-2V	5.000
042832500		12	183	2.20	10	28	C-2V	2.000
042836000		12/15	170	2.00	10	28	C-2V	2.000
042836100		12/15	250	3.00	10	28	C-2V	2.000
042836200		12/15	400	5.00	10	28	C-2V	2.000
042833900		14	240	3.36	10	28	C-2V	2.000
042834200		14	270	3.78	10	28	C-2F	2.000
042838300		24	30	0.72	10	28	C-2V	1.000
042838900		24	80	1.92	10	28	C-2F	5.000
042839300		24	208	5.00	10	28	C-2F	2.000
042843400		28	60	1.68	10	28	C-2F	2.500
042843600		28	100	2.80	10	28	C-2F	1.000
042844700		24/30	80	2.00	10	28	C-2F	2.000
042844800		24/30	125	3.00	10	28	C-2V	1.000
042855100		48/60	40	2.00	10	28	CC-2F	2.000

MINIATURE

T10
W2.1 x 9.5d
10 x 28mm




31

SCHIEFER

SIGNAL LAMPS

MINIATURE

T15
W2.1 x 9.5d
15 x 38mm





Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
064731000		12		5	15	38	C-2R	1.000
064731007		12		7	15	38	C-2R	1.000
064731100		12		10	15	38	C-2V	1.000
064731200		12		15	15	38	C-2V	1.000
064731202	<i>Red</i>	12		15	15	38	C-2V	1.000
064731300		12		20	15	38	C-2V	1.000
064739300		24		5	15	38	C-2V	1.000
064739400		24		7.2	15	38	C-2V	500
064746300		24		10	15	38	C-2V	1.000
064739800		24		21	15	38	C-2V	1.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
372021200		6	40	0.24	6.8	20	C-2V	5.000
372020800		6	80	0.48	6.8	20	C-2V	5.000
372021400		6	50	0.30	6.8	20	C-2V	5.000
372021700		6	100	0.60	6.8	20	C-2V	5.000
372022200		6	200	1.20	6.8	20	C-2R	5.000
372022500		6	333	2.00	6.8	20	C-2V	5.000
372026300		7	100	0.70	6.8	20	C-2V	5.000
372029400		12	50	0.60	6.8	20	C-2V	5.000
372030400		12	100	1.20	6.8	20	C-2V	5.000
372030700		12	170	2.04	6.8	20	C-2V	5.000
372030900		12	333	4.00	6.8	20	C-2V	5.000
372033600		14	80	1.12	6.8	20	C-2V	5.000
372033700		14	100	1.40	6.8	20	C-2V	5.000
372038100		24	20	0.48	6.8	20	C-2F	5.000
372038200		24	25	0.60	6.8	20	C-2F	5.000
372038500		24	40	0.96	6.8	20	C-2F	5.000
372038600		24	50	1.20	6.8	20	C-2F	5.000
372038900		24	80	1.92	6.8	20	C-2F	5.000
372039000		24	100	2.40	6.8	20	C-2F	5.000
372039100		24	125	3.00	6.8	20	C-2F	5.000
372042600		28	20	0.56	6.8	20	C-2F	5.000
372043500		28	71	2.00	6.8	20	C-2F	5.000
372044200		28	40	1.20	6.8	20	C-2F	5.000
372043400		28	60	1.68	6.8	20	C-2F	5.000
372043600		28	107	3.00	6.8	20	C-2F	5.000
372045100		30	20	0.60	6.8	20	C-2F	5.000
372045500		30	40	1.20	6.8	20	C-2F	5.000
372045700		30	50	1.50	6.8	20	C-2F	5.000
372045900		30	70	2.10	6.8	20	C-2F	5.000
372046000		30	100	3.00	6.8	20	C-2F	5.000
372047300		36	20	0.72	6.8	20	C-2F	5.000
372047800		36	40	1.44	6.8	20	C-2F	5.000
372047900		36	50	1.80	6.8	20	C-2F	5.000
372053100		48	25	1.20	6.8	20	C-2F	5.000
372053200		48	30	1.44	6.8	20	C-2F	5.000
372053400		48	40	1.92	6.8	20	CC-2F	5.000
372056400		60	20	1.20	6.8	20	CC-2F	5.000
372056500		60	25	1.50	6.8	20	CC-2F	5.000

MINIATURE

Ba7s
T6.8 x 20mm



MINIATURE



Ba7s

T6.8 x 23mm

34

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
372321000		6	20	0.12	6.8	23	C-2V	5.000
372321200		6	40	0.24	6.8	23	C-2V	5.000
372321400		6	50	0.30	6.8	23	C-2V	5.000
372321700		6	100	0.60	6.8	23	C-2V	5.000
372322200		6	200	1.20	6.8	23	C-2R	5.000
372329300		12	25	0.30	6.8	23	C-2F	5.000
372329400		12	50	0.60	6.8	23	C-2V	5.000
372330400		12	100	1.20	6.8	23	C-2V	5.000
372330700		12	170	2.04	6.8	23	C-2V	5.000
372338100		24	20	0.48	6.8	23	C-2F	5.000
372338200		24	25	0.60	6.8	23	C-2F	5.000
372338600		24	50	1.20	6.8	23	C-2F	5.000
372338900		24	80	1.92	6.8	23	C-2F	5.000
372339000		24	100	2.40	6.8	23	C-2F	5.000
372339100		24	125	3.00	6.8	23	C-2F	5.000
372342600		28	20	0.56	6.8	23	C-2F	5.000
372343400		28	60	1.68	6.8	23	C-2F	5.000
372343500		28	70	1.96	6.8	23	C-2F	5.000
372345500		30	40	1.20	6.8	23	C-2F	5.000
372345700		30	50	1.50	6.8	23	C-2F	5.000
372345900		30	70	2.10	6.8	23	C-2F	5.000
372347300		36	20	0.72	6.8	23	C-2F	5.000
372347600		36	33	1.20	6.8	23	C-2F	5.000
372347800		36	40	1.44	6.8	23	C-2F	5.000
372347900		36	50	1.80	6.8	23	C-2F	5.000
372353100		48	25	1.20	6.8	23	C-2F	5.000
372353600		48	50	2.40	6.8	23	CC-2F	5.000
372356400		60	20	1.20	6.8	23	CC-2F	5.000
372360500		70	20	1.40	6.8	23	CC-2F	5.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
451621000		6	20	0.12	4.5	16	C-2V	10.000
451621200		6	40	0.24	4.5	16	C-2V	10.000
451621400		6	50	0.30	4.5	16	C-2R	5.000
451622200		6	200	1.20	4.5	16	C-2R	5.000
451629600		12	20	0.24	4.5	16	C-2V	10.000
451629900		12	40	0.48	4.5	16	C-2V	10.000
451630000		12	50	0.60	4.5	16	C-2V	10.000
451630400		12	100	1.20	4.5	16	C-2V	5.000
451638100		24	20	0.48	4.5	16	C-2F	10.000
451638300		24	30	0.72	4.5	16	C-2F	10.000
451638500		24	40	0.96	4.5	16	C-2F	10.000
451638600		24	50	1.20	4.5	16	C-2F	10.000
451642700		28	25	0.70	4.5	16	C-2F	10.000
451645100		30	20	0.60	4.5	16	C-2F	10.000
451645500		30	40	1.20	4.5	16	C-2F	10.000
451647000		32	33	1.06	4.5	16	C-2F	15.000
451647300		36	20	0.72	4.5	16	CC-2F	10.000
451653000		48	20	0.96	4.5	16	CC-2F	5.000
451653400		48	40	1.92	4.5	16	CC-2F	5.000
451656400		60	20	1.20	4.5	16	CC-2F	5.000

MINIATURE

T4.5
T4.5 x 16mm



35

SCHIEFER

SIGNAL LAMPS

MINIATURE


T5.5K

T5.4 x 22mm

36

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
542221000		6	20	0.12	5.4	22	C-2V	10.000
542221200		6	40	0.24	5.4	22	C-2V	10.000
542222100		6	160	0.96	5.4	22	C-2R	5.000
542229600		12	20	0.24	5.4	22	C-2V	10.000
542229900		12	40	0.48	5.4	22	C-2V	10.000
542230000		12	50	0.60	5.4	22	C-2V	10.000
542230400		12	100	1.20	5.4	22	C-2V	10.000
542238100		24	20	0.48	5.4	22	C-2F	10.000
542238500		24	40	0.96	5.4	22	C-2F	10.000
542238600		24	50	1.20	5.4	22	C-2F	10.000
542243300		28	50	1.40	5.4	22	C-2F	10.000
542245100		30	20	0.60	5.4	22	C-2F	10.000
542245500		30	40	1.20	5.4	22	C-2F	10.000
542245700		30	50	1.50	5.4	22	C-2F	10.000
542247000		32	33	1.06	5.4	22	C-2F	15.000
542247300		36	20	0.72	5.4	22	C-2F	10.000
542253000		48	20	0.96	5.4	22	CC-2F	5.000
542253100		48	25	1.20	5.4	22	CC-2F	5.000
542253200		48	30	1.44	5.4	22	CC-2F	5.000
542256400		60	20	1.20	5.4	22	CC-2F	5.000
542260500		70	20	1.40	5.4	22	CC-2F	5.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
462221000		6	20	0.12	4.6	22	C-2V	10.000
462221200		6	40	0.24	4.6	22	C-2V	10.000
462221400		6	50	0.30	4.6	22	C-2V	5.000
462222200		6	200	1.20	4.6	22	C-2R	5.000
462229600		12	20	0.24	4.6	22	C-2V	10.000
462229900		12	40	0.48	4.6	22	C-2V	10.000
462230000		12	50	0.60	4.6	22	C-2V	10.000
462230400		12	100	1.20	4.6	22	C-2V	5.000
462238100		24	20	0.48	4.6	22	C-2F	10.000
462238300		24	30	0.72	4.6	22	C-2F	10.000
462238500		24	40	0.96	4.6	22	C-2F	10.000
462238600		24	50	1.20	4.6	22	C-2F	10.000
462243100		28	40	1.12	4.6	22	C-2F	5.000
462245100		30	20	0.60	4.6	22	C-2F	10.000
462245300		30	30	0.90	4.6	22	C-2F	5.000
462245400		30	40	1.20	4.6	22	C-2F	10.000
462247000		32	33	1.06	4.6	22	C-2F	15.000
462247300		36	20	0.72	4.6	22	C-2F	5.000
462253000		48	20	0.96	4.6	22	CC-2F	5.000
462253200		48	30	1.44	4.6	22	CC-2F	5.000
462253400		48	40	1.92	4.6	22	CC-2F	5.000
462256400		60	20	1.20	4.6	22	CC-2F	5.000

MINIATURE

T4.6
T4.6 x 22mm



37

SCHIEFER

SIGNAL LAMPS


MINIATURE

T5.5
T5.5 x 30mm

38

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
553021000		6	20	0.12	5.4	30	C-2V	10.000
553021200		6	40	0.24	5.4	30	C-2V	10.000
553021400		6	50	0.30	5.4	30	C-2V	5.000
553021700		6	100	0.60	5.4	30	C-2R	5.000
553022200		6	200	1.20	5.4	30	C-2R	7.000
553029600		12	20	0.24	5.4	30	C-2V	10.000
553029900		12	40	0.48	5.4	30	C-2V	10.000
553030000		12	50	0.60	5.4	30	C-2V	10.000
553030300		12	80	0.96	5.4	30	C-2V	5.000
553030400		12	100	1.20	5.4	30	C-2V	10.000
553033100		14	20	0.28	5.4	30	C-2F	5.000
553035300		18	25	0.45	5.4	30	C-2F	10.000
553035600		18	66	1.19	5.4	30	C-2F	5.000
553038100		24	20	0.48	5.4	30	C-2F	10.000
553038200		24	25	0.60	5.4	30	C-2F	10.000
553038300		24	30	0.72	5.4	30	C-2F	10.000
553038500		24	40	0.96	5.4	30	C-2F	10.000
553038600		24	50	1.20	5.4	30	C-2F	10.000
553038900		24	80	1.92	5.4	30	C-2F	5.000
553042600		28	20	0.56	5.4	30	C-2F	5.000
553043100		28	40	1.12	5.4	30	C-2F	10.000
553043300		28	50	1.40	5.4	30	C-2F	10.000
553045100		30	20	0.60	5.4	30	C-2F	10.000
553045300		30	30	0.90	5.4	30	C-2F	5.000
553045500		30	40	1.20	5.4	30	C-2F	10.000
553045700		30	50	1.50	5.4	30	C-2F	5.000
553047000		32	33	1.06	5.4	30	C-2F	10.000
553047300		36	20	0.72	5.4	30	C-2F	10.000
553047600		36	33	1.19	5.4	30	C-2F	5.000
553047800		36	40	1.44	5.4	30	C-2F	5.000
553047900		36	50	1.80	5.4	30	C-2F	5.000
553053000		48	20	0.96	5.4	30	CC-2F	5.000
553053100		48	25	1.20	5.4	30	CC-2F	5.000
553053200		48	30	1.44	5.4	30	CC-2F	5.000
553053400		48	40	1.92	5.4	30	CC-2F	5.000
553056400		60	20	1.20	5.4	30	CC-2F	5.000
553056600		60	30	1.80	5.4	30	CC-2F	5.000
553056800		60	40	2.40	5.4	30	CC-2F	5.000
553057000		60	50	3.00	5.4	30	CC-2F	5.000
553060500		70	20	1.40	5.4	30	CC-2F	5.000
553060900		70	40	2.80	5.4	30	CC-2F	5.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
684421000		6	20	0.12	6.8	45	C-2V	10.000
684421200		6	40	0.24	6.8	45	C-2V	5.000
684421400		6	50	0.30	6.8	45	C-2V	10.000
684422200		6	200	1.20	6.8	45	C-2V	10.000
684429600		12	20	0.24	6.8	45	C-2V	10.000
684429700		12	30	0.36	6.8	45	C-2V	5.000
684429900		12	40	0.48	6.8	45	C-2V	5.000
684430000		12	50	0.60	6.8	45	C-2V	10.000
684430400		12	100	1.20	6.8	45	C-2V	10.000
684435700		18	100	1.80	6.8	45	C-2F	5.000
684438100		24	20	0.48	6.8	45	C-2F	10.000
684438200		24	25	0.60	6.8	45	C-2F	5.000
684438400		24	35	0.84	6.8	45	C-2F	5.000
684438500		24	40	0.96	6.8	45	C-2F	10.000
684438600		24	50	1.20	6.8	45	C-2F	10.000
684438900		24	80	1.92	6.8	45	C-2F	5.000
684439000		24	100	2.40	6.8	45	C-2F	5.000
684442800		28	25	0.70	6.8	45	C-2F	5.000
684443100		28	40	1.12	6.8	45	C-2F	5.000
684443200		28	45	1.26	6.8	45	C-2F	5.000
684445100		30	20	0.60	6.8	45	C-2F	5.000
684445500		30	40	1.20	6.8	45	C-2F	10.000
684445700		30	50	1.50	6.8	45	C-2F	5.000
684446800		30	80	2.40	6.8	45	C-2F	5.000
684447300		36	20	0.72	6.8	45	C-2F	10.000
684447600		36	33	1.19	6.8	45	C-2F	5.000
684447800		36	40	1.44	6.8	45	C-2F	5.000
684447900		36	50	1.80	6.8	45	C-2F	5.000
684453000		48	20	0.96	6.8	45	CC-2F	5.000
684453100		48	25	1.20	6.8	45	CC-2F	5.000
684453400		48	40	1.92	6.8	45	CC-2F	5.000
684456400		60	20	1.20	6.8	45	CC-2F	5.000
684456800		60	40	2.40	6.8	45	CC-2F	5.000
684457000		60	50	3.00	6.8	45	CC-2F	5.000
684460500		70	20	1.40	6.8	45	CC-2F	5.000
684460900		70	40	2.80	6.8	45	CC-2F	5.000
684461700		80	20	1.60	6.8	45	CC-2F	3.000

MINIATURE

T6.8G

T6.8 x 45mm



MINIATURE


T6.8F

T6.5 x 44mm

40

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
694621000		6	20	0.12	6.5	44	C-2V	10.000
694621200		6	40	0.24	6.5	44	C-2V	5.000
694622200		6	200	1.20	6.5	44	C-2R	10.000
694629600		12	20	0.24	6.5	44	C-2V	10.000
694629900		12	40	0.48	6.5	44	C-2V	10.000
694630000		12	50	0.60	6.5	44	C-2V	10.000
694630400		12	100	1.20	6.5	44	C-2V	10.000
694635300		18	25	0.45	6.5	44	C-2F	10.000
694638100		24	20	0.48	6.5	44	C-2F	5.000
694638200		24	25	0.60	6.5	44	C-2F	5.000
694638500		24	40	0.96	6.5	44	C-2F	1.000
694638600		24	50	1.20	6.5	44	C-2F	10.000
694639000		24	100	2.40	6.5	44	C-2F	5.000
694643200		28	45	1.26	6.5	44	C-2F	10.000
694645100		30	20	0.60	6.5	44	C-2F	5.000
694645500		30	40	1.20	6.5	44	C-2F	10.000
694647300		36	20	0.72	6.5	44	C-2F	10.000
694653100		48	25	1.20	6.5	44	CC-2F	5.000
694653400		48	40	1.92	6.5	44	CC-2F	5.000
694653600		48	50	2.40	6.5	44	CC-2F	5.000
694656400		60	20	1.20	6.5	44	CC-2F	5.000
694656800		60	40	2.40	6.5	44	CC-2F	5.000
694660500		70	20	1.40	6.5	44	CC-2F	5.000

Type No.	Int.Code	Volt	mA	Watt	∅	Length	Filament	Life
584221200		6	40	0.24	5.8	42	C-2V	5.000
584229600		12	20	0.24	5.8	42	C-2V	10.000
584230000		12	50	0.60	5.8	42	C-2V	10.000
584238100		24	20	0.48	5.8	42	C-2F	10.000
584238500		24	40	0.96	5.8	42	C-2F	10.000
584238600		24	50	1.20	5.8	42	C-2F	5.000
584243200		28	45	1.26	5.8	42	C-2F	5.000
584247300		36	20	0.72	5.8	42	C-2F	10.000
584247700		36	35	1.26	5.8	42	C-2F	5.000
584247900		36	50	1.80	5.8	42	C-2F	5.000
584253000		48	20	0.96	5.8	42	CC-2F	5.000
584253200		48	30	1.44	5.8	42	CC-2F	5.000
584256400		60	20	1.20	5.8	42	CC-2F	5.000
584256800		60	40	2.40	5.8	42	CC-2F	5.000

MINIATURE

T5.8
T5.8 × 42mm



41

SCHIEFER


SIGNAL LAMPS

MINIATURE

T5.8B

Bell-A

T5.8 x 44mm




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
474429900		12	40	0.48	5.8	44	C-2F	5.000
474429902	Red	12	40	0.48	5.8	44	C-2F	5.000
474438500		24	40	0.96	5.8	44	C-2F	5.000
474438502	Red	24	40	0.96	5.8	44	C-2F	5.000
474438600		24	50	1.20	5.8	44	C-2F	5.000
474438602	Red	24	50	1.20	5.8	44	C-2F	5.000
474453400		48	40	1.92	5.8	44	CC-2F	5.000
474453402	Red	48	40	1.92	5.8	44	CC-2F	5.000
474456800		60	40	2.40	5.8	44	CC-2F	5.000
474456802	Red	60	40	2.40	5.8	44	CC-2F	5.000

Type No.	Int.Code	Volt	mA	Watt	∅	Length	Filament	Life
484621300		6	41	0.25	7	44	C-2F	7.000
484629500		12	20	0.24	7	44	C-2F	5.000
484635000		17	45	0.77	7	44	C-2F	5.000
484638600		24	55	1.32	7	44	C-2F	5.000
484639000		24	100	2.40	7	44	C-2F	5.000
484651700		45	37	1.67	7	44	CC-2F	5.000

MINIATURE

BPO No2
T7 x 44mm



MINIATURE


T9

T9 x 65mm

44

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
475338900		24	80	2.00	9	65	C-2F	2.000
475339100		24	125	3.00	9	65	C-2F	2.000
475343600		28	105	3.00	9	65	C-2F	2.000
475345900		30	67	2.00	9	65	C-2F	2.000
475346000		30	100	3.00	9	65	C-2F	2.000
475353500		48	45	2.00	9	65	CC-2F	2.000
475353900		48	65	3.00	9	65	CC-2F	2.000
475356700		60	35	2.00	9	65	CC-2F	2.000
475357000		60	50	3.00	9	65	CC-2F	2.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
566717900	5 ESB	5	40	0.20	7	23	C-6	8.000
566721200	6 ESB	6	40	0.24	7	23	C-2F	10.000
566729900	12 ESB	12	40	0.48	7	23	C-2V	10.000
566734500	16 ESB	16	40	0.64	7	23	C-2F	7.500
566735500	18 ESB	18	40	0.72	7	23	C-2V	5.000
566738500	24 ESB	24	40	0.96	7	23	C-2F	8.000
566744500	28 ESB	28	40	1.12	7	23	C-2F	6.000
566753400	48 ESB	48	40	1.92	7	23	CC-2F	5.000

MINIATURE

ESB
T7 x 23mm



45

SCHIEFER

SIGNAL LAMPS

MINIATURE


PSB

T7 x 28mm

46

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
576821900	6 PSB	6	140	0.84	7	28	C-2V	20.000
576830700	12 PSB	12	170	2.04	7	28	C-2F	12.000
576838800	24 PSB	24	73	1.75	7	28	C-2F	10.000
576844500	28 PSB	28	40	1.12	7	28	C-2F	5.000
576847300	35 PSB	35	40	1.40	7	28	C-2F	5.000
576853700	48 PSB	48	53	2.54	7	28	CC-2F	7.500
576857000	60 PSB	60	50	3.00	7	28	CC-2F	7.500
576865400	120 PSB	120	25	3.00	7	28	CC-2F	10.000
576868900	155 PSB	155	19	2.95	7	28	CC-3A	5.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
192820700		6	180	1.00	10	28	C-2F	5.000
192822400		6	300	1.80	10	28	C-2V	1.000
192830500		12	120	1.44	10	28	C-2F	5.000
192839100		24	125	3.00	10	28	C-2F	2.500
192845900		30	65	2.00	10	28	C-2F	5.000
192846000		30	100	3.00	10	28	C-2F	5.000
192853900		48	62	3.00	10	28	CC-2F	2.500
192856600		62	30	2.00	10	28	CC-2F	5.000
192858300		65	46	3.00	10	28	CC-2F	2.500
192858400		65	85	5.50	10	28	CC-2F	1.000
192888100		130	20	2.60	10	28	C-5A	2.000

MINIATURE

Ba 10s
T10 x 28mm




47

SCHIEFER

SIGNAL LAMPS

MINIATURE

Ba9s
T9 x 23mm



48

SCHIEFER


SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
092321200		6	40	0.24	9	23	C-2V	2.000
092321400		6	50	0.30	9	23	C-2V	1.000
092321700		6	100	0.60	9	23	C-2V	1.000
092320700		6	180	1.08	9	23	C-2R	1.000
092322200		6	200	1.20	9	23	C-2R	1.000
092322300		6	250	1.50	9	23	C-2R	1.000
092322500		6	333	2.00	9	23	C-2R	1.000
092322600		6	350	2.10	9	23	C-2R	1.000
092322700	Gas filled	6	500	3.00	9	23	C-2R	1.500
092322800	Gas filled	6	666	4.00	9	23	C-2R	1.500
092323100	Gas filled	6	1000	6.00	9	23	C-2R	1.500
092325000		6.3	150	1.00	9	23	C-2V	2.000
092325200		6.3	250	1.58	9	23	C-2V	2.000
092330000		12	50	0.60	9	23	C-2V	2.000
092330400		12	100	1.20	9	23	C-2V	2.000
092330500		12	120	1.44	9	23	C-2V	2.000
092330600		12	165	2.00	9	23	C-2V	2.000
092330627		12	165	2.00	9	23	C-2F	5.000
092330800		12	250	3.00	9	23	C-2R	2.000
092330900		12	333	4.00	9	23	C-2V	2.000
092331000		12	417	5.00	9	23	C-2V	2.000
092335700		18	100	1.80	9	23	C-2V	2.000
092338600		24	50	1.20	9	23	C-2F	2.000
092338627		24	50	1.20	9	23	C-2F	5.000
092338900		24	80	2.00	9	23	C-2F	2.000
092339000		24	100	2.40	9	23	C-2F	2.000
092339100		24	125	3.00	9	23	C-2F	2.000
092339200		24	165	4.00	9	23	C-2F	2.000
092339300		24	288	5.00	9	23	C-2F	2.000
092345000		26	38	1.00	9	23	C-2F	2.000
092343100		28	40	1.12	9	23	C-2F	2.000
092343127		28	40	1.12	9	23	C-2F	5.000
092343300		28	50	1.40	9	23	C-2F	2.000
092343400		28	60	1.68	9	23	C-2F	2.000
092343500		28	70	2.00	9	23	C-2F	2.000
092343700		28	80	2.20	9	23	C-2F	2.000
092345400		30	33	1.00	9	23	C-2F	2.000
092345500		30	40	1.20	9	23	C-2F	2.000
092345527		30	40	1.20	9	23	C-2F	5.000
092345700		30	50	1.50	9	23	C-2F	2.000
092345727		30	50	1.50	9	23	C-2F	2.000
092345900		30	65	2.00	9	23	C-2F	2.000
092346800		30	80	2.40	9	23	C-2F	5.000
092346000		30	100	3.00	9	23	C-2F	2.000
092347900		36	50	1.80	9	23	C-2F	2.000
092348300		36	80	2.88	9	23	C-3A	2.000
092349700		42	45	1.89	9	23	C-5A	2.000
092350100		42	70	3.00	9	23	CC-6A	2.000
092353000		48	20	1.00	9	23	C-5A	2.000
092353100		48	25	1.20	9	23	CC-6A	2.000
092353400		48	40	2.00	9	23	CC-7A	2.000
092353600		48	52	2.50	9	23	CC-7A	2.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
092353800		48	60	2.88	9	23	C-2F	2.000
092356300		60	20	1.20	9	23	C-2F	2.000
092356727		60	33/35	2.10	9	23	C-2F	5.000
092356800		60	40	2.40	9	23	C-2F	2.000
092357000		60	50	3.00	9	23	C-2F	2.000
092361700		80	20	1.60	9	23	C-3A	2.000
092387700		130	15	2.00	9	23	C-5A	2.000
092387900		130	15	2.00	9	23	CC-6A	2.000
092388100		130	20	2.60	9	23	C-5A	2.000
092388600		130	20	2.60	9	23	CC-6A	2.000
092393900		220	14	3.00	9	23	CC-7A	2.000
092394300		240	10	2.40	9	23	CC-7A	2.000


MINIATURE

Ba9s
T9 x 23mm



MINIATURE

Ba9s
T10 x 28mm



50

SCHIEFER

SIGNAL LAMPS


Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
092802100		1.5	50	0.75	10	28	C-2R	2.000
092802700		2	60	0.12	10	28	C-2V	2.000
092806600		2.5	300	0.75	10	28	C-2R	2.000
092807000		2.5	500	1.25	10	28	C-2R	2.000
092808400		3	650	2.00	10	28	C-2R	2.000
092809600		3.5	200	0.70	10	28	C-2R	2.000
092813000		4	250	1.00	10	28	C-2R	2.000
092813500		4	500	2.00	10	28	C-2R	2.000
092818800		5	85	0.43	10	28	C-2R	2.000
092819100		5	90	0.45	10	28	C-2R	2.000
092821400		6	50	0.30	10	28	C-2V	2.000
092821700		6	100	0.60	10	28	C-2V	2.000
092820800		6	180	1.00	10	28	C-2V	2.000
092822200		6	200	1.20	10	28	C-2V	2.000
092822227		6	200	1.20	10	28	C-2V	5.000
092822500		6	320	2.00	10	28	C-2V	2.000
092822700	Gas filled	6	500	3.00	10	28	C-2R	1.500
092822900	Gas filled	6	830	5.00	10	28	C-2R	1.500
092823100	Gas filled	6	1000	6.00	10	28	C-2R	1.500
092825000		6.3	150	1.00	10	28	C-2V	2.000
092825200		6.3	250	1.58	10	28	C-2R	2.000
092825400		6.3	320	2.00	10	28	C-2R	2.000
092826100		6.5	150	1.00	10	28	C-2R	2.000
092825265		6.5	250	1.63	10	28	C-2R	2.000
092825600		6.5	300	2.00	10	28	C-2R	2.000
092826300		7	100	0.70	10	28	C-2V	2.000
092826500		7	300	2.10	10	28	C-2R	2.000
092827700		7.5	220	1.60	10	28	C-2R	2.000
092827000		8	100	0.80	10	28	C-2V	2.000
092827200		8	300	2.40	10	28	C-2V	2.000
092830000		12	50	0.60	10	28	C-2V	2.000
092830400		12	100	1.20	10	28	C-2R	2.000
092830427		12	100	1.20	10	28	C-2R	5.000
092830500		12	120	1.44	10	28	C-2V	2.000
092832700		12	150	1.80	10	28	C-2V	2.000
092830600		12	165	2.00	10	28	C-2V	2.000
092828500		12	200	2.40	10	28	C-2V	2.000
092830800		12	250	3.00	10	28	C-2R	2.000
092830900		12	330	4.00	10	28	C-2V	2.000
092831000		12	416	5.00	10	28	C-2R	2.000
092833600		14	80	1.12	10	28	C-2V	2.000
092833900		14	240	3.40	10	28	C-2R	2.000
092836000		14.4	100	1.44	10	28	C-2R	2.000
092833000		15	100	1.50	10	28	C-2R	2.000
092835700		18	100	1.80	10	28	C-2V	2.000
092835900		18	170	3.00	10	28	C-2V	2.000
092838200		24	25	0.60	10	28	C-2F	2.000
092838500		24	40	1.00	10	28	C-2F	2.000
092838600		24	50	1.20	10	28	C-2F	2.000
092838627		24	50	1.20	10	28	C-2F	5.000
092838700		24	60	1.50	10	28	C-2F	2.000
092838900		24	80	2.00	10	28	C-2F	2.000

MINIATURE

Ba9s

T10 x 28mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
092838927		24	80	2.00	10	28	C-2F	5.000
092838928		24	80	2.00	10	28	C-2F	10.000
092839000		24	110	2.64	10	28	C-2F	2.000
092839100		24	125	3.00	10	28	C-2F	2.000
092839200		24	165	4.00	10	28	C-2F	2.000
092839300		24	208	5.00	10	28	C-2F	2.000
092844700	24/30	70	2.00	10	28	28	C-2F	2.000
092843100	28	40	1.12	10	28	28	C-2F	2.000
092843127	28	40	1.12	10	28	28	C-2F	5.000
092843300	28	50	1.40	10	28	28	C-2F	2.000
092843500	28	70	2.00	10	28	28	C-2F	2.000
092843200	28	80	2.24	10	28	28	C-2F	2.000
092843600	28	100	2.80	10	28	28	C-2F	2.000
092843800	28	170	5.00	10	28	28	C-2F	2.000
092844900	28	268	7.50	10	28	28	C-2F	2.000
092845100	30	20	0.60	10	28	28	C-2F	2.000
092845500	30	40	1.20	10	28	28	C-2F	2.000
092845700	30	50	1.50	10	28	28	C-2F	2.000
092845900	30	65	2.00	10	28	28	C-2F	2.000
092846800	30	80	2.40	10	28	28	C-2F	2.000
092846000	30	100	3.00	10	28	28	C-2F	2.000
092846200	30	167	5.00	10	28	28	C-2F	2.000
092847000	32	60	2.00	10	28	28	C-2F	2.000
092847100	32	90	3.00	10	28	28	C-2F	2.000
092847300	36	20	0.72	10	28	28	C-2F	2.000
092847900	36	50	1.80	10	28	28	C-2F	2.000
092848027	36	55	2.00	10	28	28	C-2F	2.000
092848300	36	85	3.00	10	28	28	C-2F	2.000
092848900	36	100	3.60	10	28	28	C-2F	2.000
092849300	42	25	1.00	10	28	28	C-2F	2.000
092849700	42	49	2.00	10	28	28	C-2F	2.000
092851400	42	85	3.60	10	28	28	C-2F	2.000
092853000	48	20	1.00	10	28	28	C-2F	1.000
092853100	48	25	1.20	10	28	28	C-2F	1.000
092853400	48	40	2.00	10	28	28	C-2F	2.000
092853600	48	50	2.40	10	28	28	C-2F	2.000
092853800	48	60	2.88	10	28	28	C-2F	2.000
092854000	48	83	4.00	10	28	28	C-2F	2.000
092854200	48	105	5.00	10	28	28	C-2F	2.000
092855000	48/60	83	4.00	10	28	28	C-2F	2.000
092855400	50	50	2.50	10	28	28	C-2F	2.000
092855327	55	50	2.75	10	28	28	C-2F	5.000
092856300	60	20	1.20	10	28	28	C-2F	2.000
092856427	60	20	1.20	10	28	28	C-2F	5.000
092856527	60	25	1.50	10	28	28	C-2F	5.000
092856600	60	30	1.80	10	28	28	C-2F	2.000
092856100	60	33	2.00	10	28	28	C-2F	2.000
092856800	60	40	2.40	10	28	28	C-2F	2.000
092857000	60	50	3.00	10	28	28	C-2F	2.000
092857100	60	60	3.60	10	28	28	C-2F	2.000
092857200	60	85	5.00	10	28	28	C-2F	2.000
092860500	70	20	1.40	10	28	28	CC-2F	2.000



51

SCHIEFER

SIGNAL LAMPS

MINIATURE


Ba9s

T10 x 28mm

52

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
092860900		70	42	3.00	10	28	CC-2F	2.000
092861800		80	25	2.00	10	28	C-3A	2.000
092863600		85	38	3.00	10	28	C-3A	2.000
092887500		110	22	2.50	10	28	CC-6A	2.000
092864400		110	45	5.00	10	28	C-5A	2.000
092887600		110/130	18	2.00	10	28	CC-6A	2.000
092887700		130	15	2.00	10	28	C-5A	2.000
092887800		130	15	2.00	10	28	C-6A	2.000
092887900		130	15	2.00	10	28	CC-6A	2.000
092888100		130	20	2.60	10	28	C-5A	1.000
092888400		130	20	2.60	10	28	C-7A	1.000
092888600		130	20	2.60	10	28	CC-6A	2.000
092893626		130	20	2.60	10	28	CC-6A	5.000
092893644		130	20	2.60	10	28	CC-6A	20.000
092894100		160	20	3.20	10	28	C-5A	2.000
092893800		220	14	3.00	10	28	C-7A	1.000
092893900		220	14	3.00	10	28	CC-7A	5.000
092894000		220	14	3.00	10	28	CC-6A	2.000
092894600		220	23	5.00	10	28	C-7A	2.000
092894700		220	23	5.00	10	28	CC-7A	5.000
092894300		240	10	2.40	10	28	CC-7A	2.000
092893500		220/240	10	2.00	10	28	CC-7A	2.000
092894500		220/240	10	2 / 3	10	28	CC-7A	2.000
092894900		220/260	14	3 / 4	10	28	CC-7A	5.000
092895100		240	14	3 / 4	10	28	C-7A	2.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
094039100		24	125	3.00	10	40	C-2F	1.000
094046000		30	100	3.00	10	40	C-2F	1.000
094057000		60	50	3.00	10	40	C-2F	1.000
094063600		85	35	3.00	10	40	C-3A	1.000
094063700		85	47	4.00	10	40	C-3A	1.000
094066100		130	23	3.00	10	40	C-5A	1.000
094070200		220	14	3.00	10	40	C-7A	1.000

MINIATURE

Ba9s
T10 x 40mm




MINIATURE

Ba9s

T10 x 50mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
095039100		24	125	3.00	10	50	C-2F	1.000
095046000		30	100	3.00	10	50	C-2F	1.000
095057000		60	50	3.00	10	50	C-2F	1.000
095066100		130	23	3.00	10	50	C-5A	1.000
095070200		220	14	3.00	10	50	C-7A	1.000



54


SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
092405800	<i>Gas filled</i>	2.4	1250	3.00	11	24	C-2R	500
092406400		2.5	200	0.50	11	24	C-2R	2.000
092406600		2.5	300	0.75	11	24	C-2R	2.000
092413000		4	300	1.20	11	24	C-2R	2.000
092413400		4	400	1.60	11	24	C-2R	2.000
092420700		6	180	1.00	11	24	C-2V	2.000
092421400		6	50	0.30	11	24	C-2V	2.000
092421700		6	100	0.60	11	24	C-2R	2.000
092422400		6	300	1.80	11	24	C-2R	2.000
092422600		6	350	2.10	11	24	C-2R	2.000
092422700		6	500	3.00	11	24	C-2R	2.000
092422900	<i>Gas filled</i>	6	831	5.00	11	24	C-2R	1.000
092423100	<i>Gas filled</i>	6	1000	6.00	11	24	C-2R	1.000
092425600		6.5	300	2.00	11	24	C-2R	1.000
092426500		7	300	2.10	11	24	C-2V	2.000
092427700		7.5	220	1.60	11	24	C-2V	2.000
092428200		10	50	0.50	11	24	C-2V	2.000
092430000		12	50	0.60	11	24	C-2V	2.000
092430400		12	100	1.20	11	24	C-2V	2.000
092430600		12	166	2.00	11	24	C-2V	2.000
092430700		12	185	2.20	11	24	C-2V	1.000
092430800		12	250	3.00	11	24	C-2R	2.000
092433600		14	800	1.12	11	24	C-2F	2.000
092438600		24	50	1.20	11	24	C-2F	2.000
092438900		24	80	2.00	11	24	C-2F	2.000
092439000		24	100	2.40	11	24	C-2F	1.000
092439100		24	125	3.00	11	24	C-2F	2.000
092443100		28	40	1.12	11	24	C-2F	2.000
092443600		28	100	2.80	11	24	C-2F	2.000
092443800		28	170	4.76	11	24	C-2F	2.000
092445500		30	40	1.20	11	24	C-2F	2.000
092446000		30	100	3.00	11	24	C-2F	2.000

MINIATURE

Ba9s
G11 x 24mm



55

SCHIEFER

SIGNAL LAMPS

MINIATURE


Ba9s

G15 x 29mm

56

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
092905200	Gas filled	2.4	500	1.20	15	29	C-2R	500
092905800	Gas filled	2.4	1250	3.00	15	29	C-2R	400
092906435		2.5	200	0.50	15	29	C-2R	500
092907000	Gas filled	2.5	500	1.25	15	29	C-2R	500
092907200	Gas filled	2.5	1000	2.50	15	29	C-2R	300
092922100		6	165	1.00	15	29	C-2V	2.000
092922600		6	335	2.00	15	29	C-2R	2.000
092922700	Gas filled	6	500	3.00	15	29	C-2R	2.000
092922800	Gas filled	6	665	4.00	15	29	C-2R	1.500
092922900	Gas filled	6	830	5.00	15	29	C-2R	1.000
092923100	Gas filled	6	1000	6.00	15	29	C-2R	1.000
092926600		7	410	2.87	15	29	C-2R	2.000
092930600		12	166	2.00	15	29	C-2R	2.000
092930800		12	250	3.00	15	29	C-2V	2.000
092931000		12	415	5.00	15	29	C-2R	2.000
092931100		12	833	10.00	15	29	C-2R	2.000
092932900	Gas filled	12	500	6.00	15	29	C-2V	1.000
092933900		14	240	3.40	15	29	C-2R	2.000
092934065		14	330	4.60	15	29	C-2F	7.500
092938500		24	40	1.00	15	29	C-2F	2.000
092938600		24	50	1.20	15	29	C-2F	2.000
092938900		24	80	2.00	15	29	C-2F	2.000
092939100		24	125	3.00	15	29	C-2F	2.000
092939200		24	165	4.00	15	29	C-2F	2.000
092939300		24	210	5.00	15	29	C-2F	2.000
092946200		30	165	5.00	15	29	C-2F	2.000
092954200		48	105	5.00	15	29	C-2F	2.000
092957200		60	85	5.00	15	29	C-2F	2.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Lumen	Life
093405653		2.4	1.00	2.40	17	30	195	100
093405853		2.4	1.25	3.00	17	30	26	100
093410653		3.6	0.25	0.90	17	30	8.25	500
093410753		3.6	0.45	1.62	17	30	14.5	100
093410953		3.6	0.6	2.16	17	30	20	100
093411153		3.6	1.00	3.60	17	30	40	100
093411653		3.75	0.90	3.40	17	30	31	500
093411753		3.75	1.50	5.60	17	30	49.50	500
093414553		4	0.80	3.20	17	30	30	500
093413753		4	0.55	2.20	17	30	19	500
093416753		4.8	0.60	2.90	17	30	31	100
093424153		6	0.45	2.70	17	30	30	100
093422753		6	0.50	3.00	17	30	25	500
093423053		6	0.90	5.40	17	30	62	500
093430953		12	0.33	4.00	17	30	30	100

MINIATURE

Ba9s
Xenon
G17 x 30mm



57

SCHIEFER


SIGNAL LAMPS

MINIATURE

Ba9s

T16 x 30mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
092632900		12	500	6.00	16	30	C-2V	1.000
092639400		24	250	6.00	16	30	C-2F	1.000
092656200		60	100	6.00	16	30	C-2F	1.000
092665600		120	50	6.00	16	30	C-5A	1.000
092675600		240	25	6.00	16	30	CC-5A	1.000



58

SCHIEFER


SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
094544900		24/30	285	6/10	16	48	C-2F	1.000
094559800		60/95	100	6/10	16	48	C-2F	1.000
094568600		110/140	66	6/10	16	48	C-5A	1.000
094580800		220/260	33	6/10	16	48	CC-5A	1.000

MINIATURE

Ba9s

T16 x 48mm



59


SCHIEFER

SIGNAL LAMPS

MINIATURE

Ba9s
Midget Based
T8 x 30mm


Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
093030700	12 MB	12	170	2.00	8	30	C-2V	2.000
093038800	24 MB	24	73	1.75	8	30	C-2F	2.000
093045500	28 MB	28	40	1.12	8	30	C-2F	2.000
093053700	48 MB	48	53	2.54	8	30	C-2F	2.000
093057000	60 MB	60	50	3.00	8	30	CC-2F	2.000
093062700	90 MB	90	30	2.70	8	30	CC-3A	2.000
093065400	120 MB	120	25	3.00	8	30	CC-3A	2.000
093069100	155 MB	155	25	3.88	8	30	CC-3A	2.000



MINIATURE

E10
T9 x 23mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
102300300		1.2	220	0.26	9	23	C-2R	1.000
102302300		1.5	350	0.53	9	23	C-2R	2.000
102303600		2.2	250	0.55	9	23	C-2R	1.000
102306400		2.5	200	0.50	9	23	C-2R	2.000
102306600		2.5	300	0.75	9	23	C-2R	2.000
102310100		3.5	300	1.05	9	23	C-2R	2.000
102311300		3.7	300	1.10	9	23	C-2R	2.000
102313000		4	250	1.00	9	23	C-2R	2.000
102321400		6	50	0.30	9	23	C-2V	2.000
102321700		6	100	0.60	9	23	C-2V	2.000
102320700		6	180	1.00	9	23	C-2V	2.000
102322200		6	200	1.20	9	23	C-2V	2.000
102322600		6	350	2.10	9	23	C-2R	2.000
102322700		6	500	3.00	9	23	C-2R	2.000
102329500		12	25	0.30	9	23	C-2V	2.000
102330000		12	50	0.60	9	23	C-2V	2.000
102330400		12	100	1.20	9	23	C-2V	2.000
102330500		12	120	1.44	9	23	C-2V	2.000
102330600		12	165	2.00	9	23	C-2V	2.000
102330627		12	165	2.00	9	23	C-2F	5.000
102330800		12	250	3.00	9	23	C-2R	2.000
102334700		15	140	2.10	9	23	C-2V	1.000
102335700		18	100	1.80	9	23	C-2V	2.000
102336500		12	200	2.40	9	23	C-2V	2.000
102338600		24	50	1.20	9	23	C-2F	2.000
102338627		24	50	1.20	9	23	C-2F	5.000
102338900		24	80	2.00	9	23	C-2F	2.000
102339300		24	120	5.00	9	23	C-2F	2.000
102339100		24	125	3.00	9	23	C-2F	2.000
102339200		24	167	4.00	9	23	C-2F	2.000
102343100		28	40	1.12	9	23	C-2F	2.000
102343500		28	60	1.68	9	23	C-2F	2.000
102345300		30	33	1.00	9	23	C-2F	2.000
102345500		30	40	1.20	9	23	C-2F	2.000
102345527		30	40	1.20	9	23	C-2F	5.000
102345900		30	66	2.00	9	23	C-2F	2.000
102346000		30	100	3.00	9	23	C-2F	2.000
102347900		36	50	1.80	9	23	C-2F	2.000
102348300		36	83	3.00	9	23	C-2F	2.000
102353400		48	40	2.00	9	23	C-2F	2.000
102353900		48	63	3.00	9	23	C-2F	2.000
102356400		60	20	1.20	9	23	C-2F	2.000
102356727		60	20	1.20	9	23	C-2F	5.000
102356700		60	33	2.00	9	23	C-2F	2.000
102357000		60	50	3.00	9	23	C-2F	2.000
102361700		80	20	1.60	9	23	C-2F	2.000
102388100		130	20	2.60	9	23	C-5A	2.000
102388600		130	20	2.60	9	23	CC-6A	2.000
102393800		220	14	3.00	9	23	C-7A	2.000
102393900		220	14	3.00	9	23	CC-7A	2.000
102394300		240	10	2.40	9	23	CC-7A	2.000



61

SCHIEFER

SIGNAL LAMPS


MINIATURE

E10
T10 x 28mm

62

SCHIEFER

SIGNAL LAMPS



Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
102802700		2	60	0.12	10	28	C-2V	2.000
102806600		2.5	300	0.75	10	28	C-2R	2.000
102807000		2.5	500	1.25	10	28	C-2R	2.000
102808400		3	65	0.20	10	28	C-2R	2.000
102809600		3.5	200	0.70	10	28	C-2R	2.000
102812800		4	100	0.40	10	28	C-2R	5.000
102813000		4	250	1.00	10	28	C-2R	2.000
102813300		4	300	1.20	10	28	C-2R	2.000
102813500		4	500	2.00	10	28	C-2R	2.000
102819100		5	90	0.45	10	28	C-2R	2.000
102821400		6	50	0.30	10	28	C-2V	2.000
102824300		6	75	0.45	10	28	C-2R	1.000
102821700		6	100	0.60	10	28	C-2R	2.000
102822000		6	150	0.90	10	28	C-2R	2.000
102820800		6	180	1.00	10	28	C-2V	2.000
102822200		6	200	1.20	10	28	C-2V	2.000
102822400		6	300	1.80	10	28	C-2R	1.000
102822500		6	350	2.00	10	28	C-2R	1.000
102822700	Gas filled	6	500	3.00	10	28	C-2R	1.500
102822900	Gas filled	6	830	5.00	10	28	C-2R	1.500
102823100	Gas filled	6	1000	6.00	10	28	C-2R	1.500
102824900		6.3	100	0.63	10	28	C-2V	2.000
102825000		6.3	150	1.00	10	28	C-2V	2.000
102825200		6.3	250	1.58	10	28	C-2R	2.000
102825227		6.3	250	1.58	10	28	C-2V	5.000
102825400		6.3	320	2.00	10	28	C-2R	2.000
102825265		6.5	250	1.58	10	28	C-2R	2.000
102825600		6.5	300	2.00	10	28	C-2R	2.000
102826300		7	100	0.70	10	28	C-2V	2.000
102826500		7	300	2.10	10	28	C-2R	2.000
102827000		8	100	0.80	10	28	C-2V	2.000
102826900		8	150	1.20	10	28	C-2V	2.000
102828200		10	50	0.50	10	28	C-2V	2.000
102828300		10	200	2.00	10	28	C-2V	2.000
102830000		12	50	0.60	10	28	C-2V	2.000
102830400		12	100	1.20	10	28	C-2V	2.000
102830427		12	100	1.20	10	28	C-2V	5.000
102830500		12	120	1.44	10	28	C-2V	2.000
102832700		12	150	1.80	10	28	C-2V	2.000
102830600		12	165	2.00	10	28	C-2V	2.000
102828500		12	200	2.40	10	28	C-2V	2.000
102830853 *	Xenon	12	250	3.00	10	28	C-2R	10.000
102830800		12	250	3.00	10	28	C-2R	2.000
102830827		12	250	3.00	10	28	C-2V	5.000
102830900		12	330	4.00	10	28	C-2R	2.000
102831000		12	415	5.00	10	28	C-2V	2.000
102833600		14	80	1.12	10	28	C-2V	2.000
102833900		14	240	3.36	10	28	C-2R	2.000
102835700		18	100	1.80	10	28	C-2V	2.000
102835200		18	110	2.00	10	28	C-2V	2.000
102835900		18	170	3.00	10	28	C-2V	2.000
102838200		24	25	0.60	10	28	C-2V	2.000


(*) 15 / 16 Lumen

MINIATURE

E10

T10 x 28mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
102838500		24	40	1.00	10	28	C-2F	2.000
102838600		24	50	1.20	10	28	C-2F	2.000
102838627		24	50	1.20	10	28	C-2F	5.000
102838628		24	50	1.20	10	28	C-2F	5.000
102838900		24	80	2.00	10	28	C-2F	2.000
102838927		24	80	2.00	10	28	C-2F	5.000
102838928		24	80	2.00	10	28	C-2F	10.000
102838985		24	85	2.04	10	28	C-2F	2.000
102839000		24	100	2.40	10	28	C-2F	2.000
102840000		24	110	2.60	10	28	C-2F	2.000
102839100		24	125	3.00	10	28	C-2F	2.000
102839127		24	125	3.00	10	28	C-2F	5.000
102839200		24	165	4.00	10	28	C-2F	2.000
102839300		24	208	5.00	10	28	C-2F	2.000
102843100		28	40	1.12	10	28	C-2F	2.000
102843127		28	40	1.12	10	28	C-2F	5.000
102843500		28	70	2.00	10	28	C-2F	2.000
102843600		28	100	2.80	10	28	C-2F	2.000
102843800		28	170	5.00	10	28	C-2F	2.000
102843822		28	170	5.00	10	28	C-2F	500
102843827		28	170	5.00	10	28	C-2F	5.000
102845500		30	40	1.20	10	28	C-2F	2.000
102845700		30	50	1.50	10	28	C-2F	2.000
102845900		30	65	2.00	10	28	C-2F	2.000
102846000		30	100	3.00	10	28	C-2F	2.000
102846200		30	166	5.00	10	28	C-2F	2.000
102847900		36	50	1.80	10	28	C-2F	2.000
102848027		36	55	2.00	10	28	CC-2F	5.000
102848300		36	85	3.00	10	28	C-2F	2.000
102848900		36	100	3.60	10	28	C-2F	2.000
102848400		36	138	5.00	10	28	C-2F	2.000
102849300		42	25	1.00	10	28	C-2F	2.000
102849700		42	49	2.00	10	28	C-2F	2.000
102850100		42	71	3.00	10	28	C-2F	2.000
102850300		42	120	5.00	10	28	C-2F	2.000
102853000		48	20	1.00	10	28	C-2F	2.000
102853400		48	40	2.00	10	28	C-2F	2.000
102853600		48	50	2.40	10	28	C-2F	2.000
102853800		48	60	2.88	10	28	C-2F	2.000
102855000	48/60	74	4.00	10	28	C-2F	2.000	
102854000		48	83	4.00	10	28	C-2F	2.000
102854200		48	105	5.00	10	28	C-2F	2.000
102855400		50	50	2.50	10	28	C-2F	2.000
102856300		60	20	1.20	10	28	C-2F	2.000
102856427		60	20	1.20	10	28	CC-2F	5.000
102856600		60	30	1.80	10	28	C-2F	2.000
102856700		60	33	2.00	10	28	C-2F	2.000
102856800		60	40	2.40	10	28	C-2F	2.000
102857000		60	50	3.00	10	28	C-2F	2.000
102857100		60	70	4.00	10	28	C-2F	2.000
102857200		60	85	5.00	10	28	C-2F	2.000
102860500		70	20	1.40	10	28	C-2F	2.000




MINIATURE

E10
T10 x 28mm

64

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
102861800		80	25	2.00	10	28	C-3A	2.000
102861900		80	30	2.40	10	28	C-3A	2.000
102887500		110	20	2.20	10	28	CC-6A	2.000
102864200		110	27	3.00	10	28	CC-3A	2.000
102887900		130	15	2.00	10	28	CC-6A	2.000
102866000		130	20	2.60	10	28	CC-3A	2.000
102888100		130	20	2.60	10	28	C-5A	1.000
102888600		130	20	2.60	10	28	CC-6A	2.000
102893626		130	20	2.60	10	28	CC-6A	5.000
102894100		160	20	3.20	10	28	C-6A	2.000
102894200		160	20	3.20	10	28	CC-6A	2.000
102894900		220/260	12	3.00	10	28	CC-7A	2.000
102893800		220	14	3.00	10	28	C-7A	2.000
102893900		220	14	3.00	10	28	CC-7A	2.000
102894600		220	23	5.00	10	28	C-7A	2.000
102894700		220	23	5.00	10	28	CC-7A	2.000
102894300		240	10	2.40	10	28	CC-7A	2.000
102895100		240	15	3/4	10	28	C-7A	2.000
102875400		240	17	4.00	10	28	C-7A	2.000

Type No.	Int.Code	Volt	mA	Watt	∅	Length	Filament	Life
104039100		24	125	3.00	10	40	C-2F	1.000
104046000		30	100	3.00	10	40	C-2F	1.000
104055300		52	58	3.00	10	40	C-3A	2.000
104057000		60	50	3.00	10	40	C-2F	1.000
104066100		130	23	3.00	10	40	C-5A	1.000
104066400		130	30	4.00	10	40	C-5A	1.000
104070200		220	14	3.00	10	40	C-7A	1.000
104070300		230	17	4.00	10	40	C-7A	1.000

MINIATURE

E10
T10 x 40mm



65

SCHIEFER


SIGNAL LAMPS

MINIATURE

E10

T10 x 50mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
105039100		24	125	3.00	10	50	C-2F	1.000
105046000		30	100	3.00	10	50	C-2F	1.000
105057000		60	50	3.00	10	50	C-2F	1.000
105066100		130	23	3.00	10	50	C-5A	1.000
105070200		220	14	3.00	10	50	C-7A	1.000



66

SCHIEFER


SIGNAL LAMPS

MINIATURE

E10


G11 x 24mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
102401700		1.5	90	0.14	11	24	C-2V	1.000
102402600		1.5	150	0.23	11	24	C-2R	2.000
102406200		2.5	100	0.25	11	24	C-2R	2.000
102406234	10p. box	2.5	100	0.25	11	24	C-2R	2.000
102406400		2.5	200	0.50	11	24	C-2R	2.000
102406600		2.5	300	0.75	11	24	C-2R	2.000
102406632	10p. box	2.5	300	0.75	11	24	C-2R	2.000
102409600		3.5	200	0.70	11	24	C-2R	2.000
102409634	10p. box	3.5	200	0.70	11	24	C-2R	2.000
102410100		3.5	300	1.05	11	24	C-2R	2.000
102411800		3.8	70	0.27	11	24	C-2R	2.000
102412200		3.8	300	1.14	11	24	C-2R	2.000
102412234	10p. box	3.8	300	1.14	11	24	C-2R	2.000
102413400		4	400	1.60	11	24	C-2R	2.000
102416400		4.8	300	1.44	11	24	C-2R	2.000
102421400		6	50	0.30	11	24	C-2R	2.000
102421434	10p. box	6	50	0.30	11	24	C-2R	2.000
102421500		6	60	0.36	11	24	C-2R	2.000
102421700		6	100	0.60	11	24	C-2V	2.000
102421734	10p. box	6	100	0.60	11	24	C-2V	2.000
102420700		6	180	1.00	11	24	C-2V	2.000
102422200		6	200	1.20	11	24	C-2V	2.000
102422600		6	350	2.10	11	24	C-2R	2.000
102422700	Gas filled	6	500	3.00	11	24	C-2R	1.000
102422900		6	830	5.00	11	24	C-2R	2.000
102425000		6.3	150	1.00	11	24	C-2V	2.000
102426100		6.5	150	1.00	11	24	C-2R	2.000
102425600		6.5	300	1.95	11	24	C-2V	2.000
102428200		10	50	0.50	11	24	C-2V	2.000
102428300		10	100	1.00	11	24	C-2V	3.000
102430000		12	50	0.60	11	24	C-2V	2.000
102430400		12	100	1.20	11	24	C-2V	2.000
102430434	10p. box	12	100	1.20	11	24	C-2V	2.000
102432500		12	183	2.20	11	24	C-2V	2.000
102436500		12	200	2.40	11	24	C-2V	2.000
102430800		12	250	3.00	11	24	C-2V	2.000
102430834	10p. box	12	250	3.00	11	24	C-2V	2.000
102431000		12	420	5.00	11	24	C-2R	2.000
102431034	10p. box	12	420	5.00	11	24	C-2R	2.000
102433500		14	60	0.84	11	24	C-2V	2.000
102435700		18	100	1.80	11	24	C-2R	2.000
102435200		18	110	2.00	11	24	C-2R	2.000
102438600		24	50	1.20	11	24	C-2F	2.000
102438900		24	80	2.00	11	24	C-2F	2.000
102439000		24	100	2.40	11	24	C-2F	2.000
102439100		24	125	3.00	11	24	C-2F	2.000
102439200		24	165	4.00	11	24	C-2F	1.500
102439300		24	210	5.00	11	24	C-2F	1.000



MINIATURE

E10
G15 x 29mm



68

SCHIEFER


SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
102905200	Gas filled	2.4	500	1.20	15	29	C-2R	1.000
102905600	Gas filled	2.4	1000	2.40	15	29	C-2R	500
102905800	Gas filled	2.4	1250	3.00	15	29	C-2R	500
102909600		3.5	200	0.70	15	29	C-2R	2.000
102910400		3.5	1000	3.50	15	29	C-2R	500
102912450	Krypton	3.95	800	3.16	15	29	C-2R	400
102913500	Gas filled	4	500	2.00	15	29	C-2R	2.000
102917000		4.9	300	1.47	15	29	C-2R	2.000
102919700		5	150	0.75	15	29	C-2R	2.000
102922400		6	300	1.80	15	29	C-2R	2.000
102924200		6	400	2.40	15	29	C-2R	1.000
102924100		6	450	2.70	15	29	C-2R	2.000
102922700	Gas filled	6	500	3.00	15	29	C-2R	2.000
102922734	10p. box	6	500	3.00	15	29	C-2R	2.000
102922900	Gas filled	6	830	5.00	15	29	C-2R	2.000
102923100	Gas filled	6	1000	6.00	15	29	C-2R	1.000
102923134	10p. box	6	1000	6.00	15	29	C-2R	1.000
102923394		6	1667	10.00	15	29	C-2R	500
102925200		6.3	250	1.58	15	29	C-2R	2.000
102927400		8	450	3.60	15	29	C-2R	2.000
102930800		12	250	3.00	15	29	C-2R	2.000
102931000		12	410	5.00	15	29	C-2R	1.000
102932900	Gas filled	12	500	6.00	15	29	C-2R	2.000
102932934	10p. box	12	500	6.00	15	29	C-2R	2.000
102936300		19	40	0.76	15	29	C-2V	2.000
102939100		24	125	3.00	15	29	C-2F	2.000
102939300		24	210	5.00	15	29	C-2F	2.000
102946200		30	165	5.00	15	29	C-2F	2.000
102950100		42	71	3.00	15	29	C-2F	2.000
102954200		48	104	5.00	15	29	C-2F	2.000
102957200		60	83	5.00	15	29	C-2F	2.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
101705650		2.4	1.000	2.40	17	31	C-2R	500
101707050		2.5	500	1.25	17	31	C-2R	500
101707250		2.5	1.000	2.50	17	31	C-2R	500
101714150		4	700	2.80	17	31	C-2R	750
101714550		4	800	3.20	17	31	C-2R	200
101714650		4	900	3.60	17	31	C-2R	250
101723150		6	1.000	6.00	17	31	C-2R	500
101729450		12	660	7.92	17	31	C-2R	500
101737950		24	330	7.92	17	31	C-2R	500


MINIATURE

E10
Krypton
G17 x 31mm



MINIATURE

E10
Xenon
G17 x 30mm



Type No.	Volt	mA	Watt	Ø	Length	Filament	Lumen	Life
103405653	2.4	1.00	2.40	17	30	C-2R	19.5	100
103405853	2.4	1.25	3.00	17	30	C-2R	26	100
103410653	3.6	0.25	0.90	17	30	C-2R	8.25	500
103410753	3.6	4.45	1.62	17	30	C-2R	14.5	100
103410953	3.6	0.60	2.16	17	30	C-2R	20	100
103411153	3.6	1.00	3.60	17	30	C-2R	40	100
103411653	3.75	0.90	3.40	17	30	C-2R	31	500
103411753	3.75	1.50	5.60	17	30	C-2R	49.50	500
103413753	4	0.55	2.20	17	30	C-2R	19	500
103414553	4	0.80	3.20	17	30	C-2R	30	500
103416753	4.8	0.30	2.90	17	30	C-2R	31	100
103422753	6	0.50	3.00	17	30	C-2R	25	500
103423053	6	0.90	5.40	17	30	C-2R	62	500
103424153	6	0.45	2.70	17	30	C-2R	30	100
103430953	12	0.33	4.00	17	30	C-2R	30	500

70


SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
102632900		12	500	6.00	16	30	C-2F	1.000
102639400		24	250	6.00	16	30	C-2F	1.000
102656200		60	100	6.00	16	30	C-2F	1.000
102665600		120	50	6.00	16	30	CC-3A	1.000
102675600		240	25	6.00	16	30	C-7A	1.000

MINIATURE

E10
T16 x 30mm



71


SCHIEFER

SIGNAL LAMPS

MINIATURE

E10
T16 x 35mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
103519400		6/8		4.00	16	35	C-2F	2.000
103534800		12/15		4.00	16	35	C-2F	2.000
103547200		24/30		4.00	16	35	C-2F	2.000
103555500		48/60		4.00	16	35	C-2F	2.000
103568600		110/130		6/10	16	35	C-5A	2.000
103575600		220/260		6/10	16	35	CC-7A	2.000



72


SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
104527300		8		3	16	48	C-2F	1.000
104535000		12/15		6/10	16	48	C-2F	1.000
104544900		24/30		6/10	16	48	C-2F	1.000
104559800		60/95		6/10	16	48	C-2F	1.000
104568600		110/140		6/10	16	48	C-5A	1.000
104580800		220/260		6/10	16	48	CC-5A	1.000

MINIATURE


E10
T16 x 48mm



MINIATURE

E10
Telewriter
T6.6 × 35mm

Type No.	Int.Code	Volt	mA	Watt	∅	Length	Filament	Life
106655385		50	55		6.6	35	CC-2F	1.000
106657185		60	60		6.6	35	CC-2F	1.000



74

SCHIEFER

SIGNAL LAMPS


Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
652222703		6		3	11	20	C-2V	1.000
652231203		12		3	11	20	C-2V	1.000
652232403		24		3	11	20	C-2F	1.000
652232803		28		3	11	20	C-2F	1.000
652233003		30		3	11	20	C-2F	1.000

MINIATURE

E10

Beker

11 x 20mm



75

SCHIEFER


SIGNAL LAMPS

E10 Lens End T9 x 23mm	77
E10 Lens End Brilliant T10 x 28mm	78
P13.5s Regular 11 x 30mm	79
P13.5s Krypton 11 x 30mm	80
P13.5s Xenon 11 x 30mm	81
P13.5s Brilliant Lens 11 x 30mm	82
P13.5s Halogen 11 x 30mm	83
H3 PK22s 9 x 42mm	84

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
102100318	112	1.2	220	0.26	9	23	S-2	5
102103418		2.2	180	0.40	9	23	C-2R	15
102103618	222	2.2	250	0.55	9	23	C-2R	5
102103818		2.2	300	0.66	9	23	C-2R	30
102104418	243	2.3	270	0.62	9	23	C-2R	10
102106418		2.5	200	0.50	9	23	C-2R	15
102106618		2.5	300	0.75	9	23	C-2R	10
102109618		3.5	200	0.70	9	23	C-2R	15
102111318		3.7	300	1.11	9	23	C-2R	15
102116400		4.8	300	1.44	9	23	C-2R	50

FLASHLIGHT

E10
Lens End
T9 x 23mm



77

SCHIEFER

SIGNAL LAMPS


FLASHLIGHT

E10

Lens End Brilliant

T10 x 28mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
102803420		2.2	400	0.88	10	28	C-2R	15
102803620		2.2	250	0.55	10	28	C-2R	15
102803820		2.2	300	0.66	10	28	C-2R	15
102805020		2.4	300	0.72	10	28	C-2R	15
102809020		3.3	300	0.99	10	28	C-2R	15
102811320		3.7	300	1.11	10	28	C-2R	15



78


SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
133102400	PR8	1.9	650	1.24	10	30	C-2R	10
133104400	PR4	2.3	270	0.62	10	30	C-2R	10
133104900	PR5	2.35	350	0.82	10	30	C-2R	35
133105200	PR2	2.4	500	1.20	10	30	C-2R	15
133106600	PR6	2.5	300	0.75	10	30	C-2R	10
133107700	PR9	2.7	150	0.41	10	30	C-2R	45
133109600	PR29	3.5	200	0.70	10	30	C-2R	15
133110800	PR3	3.6	500	1.80	10	30	C-2R	15
133110832	10p. box	3.6	500	1.80	10	30	C-2R	15
133112200	PR7	3.8	300	1.14	10	30	C-2R	30
133116200	PR13	4.75	500	2.38	10	30	C-2R	15
133116600	PR15	4.8	500	2.40	10	30	C-2R	30
133116632	10p. box	4.8	500	2.40	10	30	C-2R	30
133117000	PR17	4.9	300	1.47	10	30	C-2R	30
133122700	PR12	6	500	3.00	10	30	C-2R	15
133126200	PR18	7.2	500	3.60	10	30	C-2R	3
133127600	PR20	8.63	500	4.32	10	30	C-2R	15
133128500		9.5	500	4.75	10	30	C-2R	15
133132800	PR16	12.5	250	3.13	10	30	C-2R	50

FLASHLIGHT

PI3.5s
Regular
11 x 30mm



79

SCHIEFER

SIGNAL LAMPS

FLASHLIGHT

PI3.5s


Krypton

11 x 30mm

80

SCHIEFER

SIGNAL LAMPS




Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
134406000	KPR104	2.2	500	1.10	11	30	C-2R	15
134405220	KPR K1	2.4	500	1.20	11	30	C-2R	15
134405550	KPR102	2.4	700	1.68	11	30	C-2R	15
134405570	KPR801	2.4	1200	2.88	11	30	C-2R	15
134405660	KPR103	3.6	750	2.70	11	30	C-2R	20
134405670		3.6	1000	3.60	11	30	C-2R	15
134405770	KPR113	4.8	750	3.60	11	30	C-2R	20
134405870		6	500	3.00	11	30	C-2R	15
134405880	KPR112	6	750	4.50	11	30	C-2R	15
134405990	KPR118	7.2	750	5.40	11	30	C-2R	15
134428500		9.6	500	4.80	11	30	C-2R	15
134413350		12	700	8.40	11	30	C-2R	15
134414650		14.4	700	10.08	11	30	C-2R	15

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
135310020	HPX20	2.4	930	2.23	11	30	C-2R	15
135320021	HPX21	2.4	800	1.92	11	30	C-2R	15
135330030	HPX30	3.6	820	2.95	11	30	C-2R	15
135340040	HPX40	4.8	790	3.79	11	30	C-2R	15
135350041	HPX41	4.8	900	4.32	11	30	C-2R	15
135360050	HPX50	6.0	470	2.82	11	30	C-2R	15
135370051	HPX51	6.0	550	3.30	11	30	C-2R	15
135380060	HPX60	7.2	850	6.12	11	30	C-2R	15
135390018		18	600	10.80	11	30	C-2R	15
135395024		24	416	10	11	30	C-2R	15

FLASHLIGHT

PI3.5s
Xenon
11 x 30mm




81

SCHIEFER

SIGNAL LAMPS

FLASHLIGHT

P13.5s
Brilliant Lens
11 x 30mm



Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
132803620		2.2	250	0.55	11	30	C-2R	10
132803820		2.2	300	0.66	11	30	C-2R	10
132804020		2.2	400	0.88	11	30	C-2R	10
132805020		2.4	300	0.72	11	30	C-2R	10
132805120		2.4	400	0.96	11	30	C-2R	10
132805220		2.4	500	1.20	11	30	C-2R	10
132811320		3.7	300	1.11	11	30	C-2R	10

82


SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
641307588	HPR01	2.8	500	1.40	10	30	C-6	10
641307888	HPR52	2.8	850	2.38	10	30	C-6	10
641311188	HPR70	3.6	1000	3.60	10	30	C-6	52
641311588	HMP14	3.75	750	2.80	10	30	C-6	100
641314488	HPR53	4	850	3.40	10	30	C-6	100
641315588	HMP09/ HPR61	4	1000	4.00	10	30	C-6	600
641316688	HMP20	4.8	500	2.40	10	30	C-6	37
641319088	HPR55	5.2	500	2.60	10	30	C-6	15
641319588	HPR50	5.2	850	4.42	10	30	C-6	85
641320588	HPR36/ HMP15	5.5	1000	5.50	10	30	C-6	25
641321488	HMP08	6	400	2.40	10	30	C-6	100
641325188	HMP02	6	500	3.00	10	30	C-6	38
641325588	HMP04	6	670	4.02	10	30	C-6	50
641326688		6	1000	6.00	10	30	C-6	100
641327888		6	1666	10.00	10	30	C-6	100
641343588	HPR51	6.5	700	4.55	10	30	C-6	25
641346688		7.2	850	6.12	10	30	C-6	15
641363314		7.4	700	5.18	10	30	C-6	15
641371188		12	125	15.00	10	30	C-6	320

FLASHLIGHT

PI 3.5s
Halogen
11 x 30mm



83

SCHIEFER

SIGNAL LAMPS

FLASHLIGHT


H3 PK22s
9 x 42mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
644206015		6		15	9	42		100
644206025		6		25	9	42		100
644206035		6		35	9	42		100

84

SCHIEFER

SIGNAL LAMPS



E12 T13 x 33mm	87
E12 T16 x 45mm	88
E12 T16 x 54mm	89
E12 Candelabra S19 x 46mm	90
E14 T14 x 30mm	91
E14 T16 x 35mm	92
E14 T16 x 45mm	93
E14 T16 x 54mm	94
E14 G18 x 35mm	95
E14 G35 x 56mm	96
E14 G41 x 61mm	97
E17 T17 x 57mm	98
E17 T22 x 57mm	99
Ba15d T14 x 30mm	100
Ba15d T16 x 35mm	101
Ba15d T16 x 45mm	102
Ba15d T16 x 54mm	103
S6 T6 x 24-36mm	104
S7 T8 x 30-39mm	105
S8.5 T10-15 x 39-44mm	106
S8.5 T10-15 x 39-44mm	107
Festoon Xenon Ridged Loop 10 x 43mm	108

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
123325400		6.3	32	2	13	33	C-2V	2.000
123330600		12	165	2	13	33	C-2V	2.000
123331000		12	417	5	13	33	C-2V	2.000
123335700		18	110	2	13	33	C-2V	2.000
123338900		24	80	2	13	33	C-2F	2.000
123339000		24	110	2.6	13	33	C-2F	2.000
123339100		24	125	3	13	33	C-2V	2.000
123343500		28	72	2	13	33	C-2F	2.000
123343600		28	108	3	13	33	C-2F	2.000
123345900		30	65	2	13	33	C-2F	2.000
123346000		30	110	3.3	13	33	C-2F	2.000
123346200		30	165	5	13	33	C-2F	2.000
123353400		48	42	2	13	33	C-3A	2.000
123354200		48	104	5	13	33	C-3A	2.000
123356600		60	33	2	13	33	C-3A	2.000
123357000		60	50	3	13	33	C-3A	2.000
123388100		130	20	2.6	13	33	C-5A	2.000
123366500		130	38	5	13	33	C-5A	2.000
123393800		220	14	3	13	33	C-7A	2.000
123370400		220	23	5	13	33	C-7A	2.000
123375400		240	17	4	13	33	C-3A	2.000

SIGNAL

E12
T13 x 33mm



87

SCHIEFER

SIGNAL LAMPS

SIGNAL

E12
T16 x 45mm



Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
124522700		6		3	16	45	C-2R	2.000
124522900		6		5	16	45	C-2R	2.000
124530800		12		3	16	45	C-2R	2.000
124531000		12		5	16	45	C-2R	2.000
124539000		24	110	2.64	16	45	C-2F	2.000
124539300		24		5	16	45	C-3A	2.000
124546200		30		5	16	45	C-3A	2.000
124554200		48		5	16	45	C-3A	2.000
124557200		60		5	16	45	C-3A	2.000
124566500		130		5	16	45	C-5A	2.000
124568600		110/140		6/10	16	45	C-5A	2.000
124571000		220		10	16	45	C-7A	2.000
124580600		220/260		5/7	16	45	CC-5A	2.000
124580800		220/260		6/10	16	45	CC-5A	2.000

88

SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
125439300		24		5	16	54	C-2V	2.000
125444900		24/30		6/10	16	54	C-2V	2.000
125457200		60		5	16	54	C-3A	2.000
125468600		110/140		6/10	16	54	C-5A	2.000
125466500		130		5	16	54	C-5A	2.000
125468600		110/140		6/10	16	54	C-5A	2.000
125480600		220/260		5/7	16	54	CC-5A	2.000
125480800		220/260		6/10	16	54	CC-5A	2.000
125481000		220/260		10/15	16	54	CC-5A	2.000

SIGNAL

E12
T16 x 54mm



89

SCHIEFER

SIGNAL LAMPS

SIGNAL

E12
Candelabra
S19 x 46mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
124639400		24		6	19	46	C-2V	1.000
124665600		120		6	19	46	C-5A	1.000
124680800		220/260		6/10	19	46	C-7A	1.000



90

SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
143020700		6	180	1.00	14	30	C-2V	2.000
143022700		6	500	3.00	14	30	C-2R	2.000
143022900		6	833	5.00	14	30	C-2R	2.000
143030500		12	120	1.44	14	30	C-2V	2.000
143030600		12	165	2.00	14	30	C-2V	2.000
143030800		12	250	3.00	14	30	C-2V	2.000
143031000		12	416	5.00	14	30	C-2V	2.000
143038500		24	40	1.00	14	30	C-2F	2.000
143038900		24	80	2.00	14	30	C-2F	2.000
143039100		24	125	3.00	14	30	C-2F	2.000
143039300		24	210	5.00	14	30	C-2F	2.000
143045700		30	50	1.50	14	30	C-2F	2.000
143045900		30	67	2.00	14	30	C-2F	2.000
143046000		30	100	3.00	14	30	C-2F	2.000
143048000		36	56	2.00	14	30	C-2F	2.000
143048200		36	80	3.00	14	30	C-2F	2.000
143050300		42	119	5.00	14	30	C-2F	2.000
143053500		48	40	2.00	14	30	C-2F	2.000
143053800		48	60	3.00	14	30	C-2F	2.000
143054200		48	104	5.00	14	30	C-2F	2.000
143056300		60	20	1.20	14	30	C-2F	2.000
143057000		60	50	3.00	14	30	C-2F	2.000
143060800		70	35	2.45	14	30	C-3A	2.000
143088100		130	20	2.60	14	30	C-5A	2.000
143066000		130	20	2.60	14	30	CC-3A	2.000
143066500		130	40	5.00	14	30	C-5A	2.000
143070200		220	14	3.00	14	30	C-7A	2.000
143070400		220	23	5.00	14	30	C-7A	2.000
143080600		220/260	25	5/7	14	30	C-7A	2.000
143093800		220	14	3	14	30	C-7A	2.000

SIGNAL

E14
T14 x 30mm



91

SCHIEFER

SIGNAL LAMPS

SIGNAL

E14
T16 x 35mm



92

SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
143522900		6		5	16	35	C-2R	2.000
143522700		8		3	16	35	C-2R	2.000
143530600		12		2	16	35	C-2R	2.000
143530800		12		3	16	35	C-2R	2.000
143531000		12		5	16	35	C-2R	2.000
143538900		24		2	16	35	C-2V	2.000
143539100		24		3	16	35	C-2V	2.000
143539300		24		5	16	35	C-2V	2.000
143546000		30		3	16	35	C-2V	2.000
143546200		30		5	16	35	C-2V	2.000
143548200		36		3	16	35	C-2F	2.000
143550100		42		3	16	35	C-3A	2.000
143550300		42		5	16	35	C-3A	2.000
143553900		48		3	16	35	C-3A	2.000
143554200		48		5	16	35	C-3A	2.000
143556700		60		2	16	35	C-3A	2.000
143557000		60		3	16	35	C-3A	2.000
143557200		60		5	16	35	C-3A	2.000
143564400		110/130		3/5	16	35	C-5A	2.000
143566500		130		5	16	35	C-5A	2.000
143569300		160		5	16	35	C-5A	2.000
143580400		220/260		3/5	16	35	C-7A	2.000
143580600		220/260		5/7	16	35	C-7A	2.000
143580800		220/260		6/10	16	35	C-7A	2.000
143582200		260		5	16	35	C-7A	2.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
144522700		6		3	16	45	C-2R	2.000
144522900		6		5	16	45	C-2R	2.000
144530900		12		4	16	45	C-2R	2.000
144531000		12		5	16	45	C-2R	2.000
144531200		12		15	16	45	C-2R	2.000
144539100		24		3	16	45	C-2V	2.000
144539300		24		5	16	45	C-2V	2.000
144539400		24		6	15	45	C-2V	2.000
144539500		24		10	16	45	C-2V	2.000
144539600		24		15	16	45	C-2V	2.000
144544900		24/30		6/10	16	45	C-2V	2.000
144546200		30		5	16	45	C-2V	2.000
144550300		42		5	16	45	C-2F	2.000
144554200		48		5	16	45	C-3A	2.000
144554300		48		10	16	45	C-3A	2.000
144557100		60		4	16	45	C-3A	2.000
144557200		60		5	16	45	C-3A	2.000
144557300		60		8	16	45	CC-2A	2.000
144557400		60		10	16	45	C-3A	2.000
144559800		65/95		6/10	16	45	C-3A	2.000
144564400		110		5	16	45	C-5A	2.000
144568500		110/130		5/7	16	45	C-5A	2.000
144568600		110/140		6/10	16	45	C-5A	2.000
144566500		130		5	16	45	C-5A	2.000
144566700		130		10	16	45	C-5A	2.000
144571300		220/230		15	16	45	C-7A	2.000
144580600		220/260		5/7	16	45	CC-5A	2.000
144580800		220/260		6/10	16	45	CC-5A	2.000
144581000		220/260		10/15	16	45	CC-5A	2.000
144585700		380		10	16	45	CC-5A	2.000

SIGNAL

E14
T16 x 45mm



93

SCHIEFER

SIGNAL LAMPS

SIGNAL

E14
T16 x 54mm



94

SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
145422700		6		3	16	54	C-2R	2.000
145422900		6		5	16	54	C-2R	2.000
145430900		12		4	16	54	C-2R	2.000
145431000		12		5	16	54	C-2R	2.000
145431100		12		10	16	54	C-2R	2.000
145431200		12		15	16	54	C-2R	2.000
145438900		24		2	16	54	C-2V	2.000
145439100		24		3	16	54	C-2V	2.000
145439200		24		4	16	54	C-2V	2.000
145439300		24		5	16	54	C-2V	2.000
145439500		24		10	16	54	C-2V	2.000
145439600		24		15	16	54	C-2V	2.000
145444800		24/30		3/5	16	54	C-2V	2.000
145444900		24/30		6/10	16	54	C-3A	2.000
145446000		30		3	16	54	C-3A	2.000
145446200		30		5	16	54	C-3A	2.000
145446400		30		15	16	54	C-3A	2.000
145448400		36		5	16	54	C-3A	2.000
145451500		36		6/10	16	54	C-3A	2.000
145450300		42		5	16	54	C-3A	2.000
145450400		42		10	16	54	C-3A	2.000
145454200		48		5	16	54	C-3A	2.000
145454300		48		10	16	54	C-3A	2.000
145455200		48/60		6/10	16	54	C-3A	2.000
145457000		60		3	16	54	C-3A	2.000
145457100		60		4	16	54	C-3A	2.000
145457200		60		5	16	54	C-3A	2.000
145457400		60		10	16	54	C-3A	2.000
145458700		65		15	16	54	C-3A	2.000
145459800		65/95		6/10	16	54	C-3A	2.000
145461200		70		5	16	54	C-3A	2.000
145464400		110		5	16	54	C-5A	2.000
145468700		110/140		5/7	16	54	C-5A	2.000
145468600		110/140		6/10	16	54	C-5A	2.000
145466500		130		5	16	54	C-5A	2.000
145466700		130		10	16	54	C-5A	2.000
145466800		130		15	16	54	C-5A	2.000
145469100		160		3	16	54	C-5A	2.000
145469300		160		5	16	54	C-5A	2.000
145471000		220		10	16	54	C-5A	2.000
145471300		220		15	16	54	CC-5A	2.000
145480400		220/260		3/5	16	54	CC-5A	2.000
145480600		220/260		5/7	16	54	CC-5A	2.000
145480800		220/260		6/10	16	54	CC-5A	2.000
145481000		220/260		10/15	16	54	CC-5A	2.000
145485700		380		10	16	54	CC-7A	2.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
143814300		4		3	18	35	C-2R	2.000
143822700		6		3	18	35	C-2R	2.000
143827300		8		3	18	35	C-2V	2.000
143830800		12		3	18	35	C-2V	2.000
143831000		12		5	18	35	C-2R	2.000
143831100		12		10	18	35	C-2R	2.000
143833800		14		3	18	35	C-2R	2.000
143839100		24		3	18	35	C-2F	2.000
143857000		60		3	18	35	C-3A	2.000
143866100		130		3	18	35	C-5A	2.000

SIGNAL

E14
G18 x 35mm



95

SCHIEFER

SIGNAL LAMPS

SIGNAL

E14

G35 x 56mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
145631000		12		5	35	56	C-2R	2.000
145639300		24		5	35	56	C-2F	2.000
145657200		60		5	35	56	C-3A	2.000
145666500		130		5	35	56	C-5A	2.000
145670400		220		5	35	56	CC-5A	2.000



96

SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
144131100		12		10	41	61	C-2R	2.000
144139500		24		10	41	61	C-2V	2.000
144157400		60		10	41	61	C-3A	2.000
144166700		130		10	41	61	C-5A	2.000
144171000		220		10	41	61	CC-5A	2.000

SIGNAL

E14
G41 x 61mm



SIGNAL

E17
T17 x 57mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
175771000		220		10	17	57	CC-5A	2.000
175771300		220		15	17	57	CC-5A	2.000
175771600		220		20	17	57	CC-5A	2.000
175771900		220		25	17	57	CC-5A	2.000



98

SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
175766700		120		10	22	57		2.000
175767000		120		12	22	57		2.000

SIGNAL

E17
T22 x 57mm



99

SCHIEFER

SIGNAL LAMPS

SIGNAL

Ba15d
T14 x 30mm

100

SCHIEFER

SIGNAL LAMPS



Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
153020700		6	180	1.00	14	30	C-2V	2.000
153022700		6	500	3.00	14	30	C-2R	2.000
153030500		12	120	1.44	14	30	C-2V	2.000
153030600		12	165	2.00	14	30	C-2V	2.000
153030800		12	250	3.00	14	30	C-2V	2.000
153037100		24/30	21	5/7	14	30	C-2F	2.000
153038900		24	80	2.00	14	30	C-2F	2.000
153039100		24	125	3.00	14	30	C-2F	2.000
153039300		24	210	5.00	14	30	C-2F	2.000
153046000		30	100	3.00	14	30	C-2F	2.000
153048200		36	80	3.00	14	30	C-2F	2.000
153053500		48	40	2.00	14	30	C-2F	2.000
153053800		48	60	3.00	14	30	C-2F	2.000
153056300		60	20	1.20	14	30	C-2F	2.000
153057000		60	50	3.00	14	30	C-2F	2.000
153060800		70	35	2.45	14	30	C-3A	2.000
153062200		80	50	4.00	14	30	C-3A	2.000
153066000		130	20	2.60	14	30	C-5A	2.000
153066500		130	40	5.00	14	30	C-5A	2.000
153070200		220	14	3.00	14	30	C-7A	2.000
153070400		220	23	5.00	14	30	C-7A	2.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
153522700		6		3	16	35	C-2R	2.000
153522900		6		5	16	35	C-2R	2.000
153530600		12		2	16	35	C-2R	2.000
153530800		12		3	16	35	C-2R	2.000
153531000		12		5	16	35	C-2R	2.000
153531100		12		10	16	35	C-2V	2.000
153538900		24		2	16	35	C-2V	2.000
153539100		24		3	16	35	C-2V	2.000
153539200		24/30		3/5	16	35	C-3A	2.000
153539000		24		4	16	35	C-3A	2.000
153539300		24		5	16	35	C-2V	2.000
153546000		30		3	16	35	C-2V	2.000
153546200		30		5	16	35	C-2V	2.000
153548200		36		3	16	35	C-2F	2.000
153548400		36		5	16	35	C-2F	2.000
153550100		42		3	16	35	C-3A	2.000
153553900		48		3	16	35	C-3A	2.000
153554200		48		5	16	35	C-3A	2.000
153556700		60		2	16	35	C-3A	2.000
153557000		60		3	16	35	C-3A	2.000
153557200		60		5	16	35	C-3A	2.000
153564400		110		5	16	35	C-5A	2.000
153566500		130		5	16	35	C-5A	2.000
153568700		140		7	16	35	C-5A	2.000
153569300		160		5	16	35	C-5A	2.000
153580400		220/260		3/5	16	35	CC-5A	2.000
153580600		220/260		5/7	16	35	CC-5A	2.000
153580800		220/260		6/10	16	35	CC-5A	2.000
153582200		260		5	16	35	CC-5A	2.000

SIGNAL

Ba15d
T16 x 35mm



101

SCHIEFER

SIGNAL LAMPS

SIGNAL

Ba15d
T16 x 45mm



102

SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
154522700		6		3	16	45	C-2R	2.000
154522900		6		5	16	45	C-2R	2.000
154530900		12		4	16	45	C-2R	2.000
154531000		12		5	16	45	C-2R	2.000
154531100		12		10	16	45	C-2V	2.000
154531200		12		15	16	45	C-2R	2.000
154539100		24		3	16	45	C-3A	2.000
154539300		24		5	16	45	C-3A	2.000
154539500		24		10	16	45	C-3A	2.000
154539600		24		15	16	45	C-2V	2.000
154544900		24/30		6/10	16	45	C-3A	2.000
154546200		30		5	16	45	C-2V	2.000
154550300		42		5	16	45	C-2F	2.000
154554200		48		5	16	45	C-3A	2.000
154554300		48		10	16	45	C-3A	2.000
154557100		60		4	16	45	C-3A	2.000
154557200		60		5	16	45	C-3A	2.000
154559800		65/95		6/10	16	45	C-3A	2.000
154564400		110		5	16	45	C-5A	2.000
154566500		130		5	16	45	C-5A	2.000
154569300		160		5	16	45	C-5A	2.000
154568600		110/140		6/10	16	45	C-5A	2.000
154580600		220/260		5/7	16	45	CC-5A	2.000
154580800		220/260		6/10	16	45	CC-5A	2.000
154581000		220/260		10/15	16	45	CC-5A	2.000
154585700		380		10	16	45	CC-5A	2.000

SIGNALBa15d
T16 x 54mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
155422700		6		3	16	54	C-2R	2.000
155422900		6		5	16	54	C-2V	2.000
155430900		12		4	16	54	C-2R	2.000
155431000		12		5	16	54	C-2R	2.000
155431100		12		10	16	54	C-2V	2.000
155431200		12		15	16	54	C-2V	2.000
155438900		24		2	16	54	C-3A	2.000
155439100		24		3	16	54	C-3A	2.000
155439200		24		4	16	54	C-3A	2.000
155439300		24		5	16	54	C-2V	2.000
155439500		24		10	16	54	C-2V	2.000
155439600		24		15	16	54	C-2V	2.000
155439800		24		25	16	54	C-2V	2.000
155444900		24/30		6/10	16	54	C-3A	2.000
155446000		30		3	16	54	C-3A	2.000
155446200		30		5	16	54	C-3A	2.000
155448400		36		5	16	54	C-3A	2.000
155450300		42		5	16	54	C-3A	2.000
155450400		42		10	16	54	C-3A	2.000
155454200		48		5	16	54	C-3A	2.000
155454300		48/60		10	16	54	C-3A	2.000
155457100		60		4	16	54	C-3A	2.000
155457200		60		5	16	54	C-3A	2.000
155457400		60		10	16	54	C-3A	2.000
155458700		65		15	16	54	C-3A	2.000
155459800		65/95		6/10	16	54	C-3A	2.000
155461200		70		5	16	54	C-3A	2.000
155464400		110		5	16	54	C-5A	2.000
155466500		130		5	16	54	C-5A	2.000
155466700		130		10	16	54	C-5A	2.000
155466800		130		15	16	54	C-5A	2.000
155468600		110/140		6/10	16	54	C-5A	2.000
155469300		160		5	16	54	C-5A	2.000
155469500		160		10	16	54	C-5A	2.000
155471000		220		10	16	54	CC-5A	2.000
155471300		220		15	16	54	CC-5A	2.000
155480400		220/260		3/5	16	54	CC-5A	2.000
155480600		220/260		5/7	16	54	CC-5A	2.000
155480800		220/260		6/10	16	54	CC-5A	2.000
155481000		220/260		10/15	16	54	CC-5A	2.000
155485700		380		10	16	54	CC-5A	2.000



103

SCHIEFER

SIGNAL LAMPS

SIGNAL

S6

T6 x 24-36mm



I04

SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
761121700		6	100	0.60	6	24		2.000
761122100		6	165	1.00	6	24		2.000
761130400		12	100	1.20	6	24		2.000
761130800		12	250	3.00	6	24		1.000
761138600		24	50	1.20	6	24		2.000
761139100		24	125	3.00	6	24		1.000
761145000		26	40	1.00	6	24		1.000
761143500		28	71	2.00	6	24		1.000
761322700		6	500	3.00	6	31		2.000
761330800		12	250	3.00	6	31		2.000
761338600		24	50	1.20	6	31		2.000
761339100		24	125	3.00	6	31		2.000
761422700		6	500	3.00	6	36		2.000
761430800		12	250	3.00	6	36		2.000
761438600		24	50	1.20	6	36		2.000
761438900		24	80	2.00	6	36		2.000
761439100		24	125	3.00	6	36		2.000
761453900		48	65	3.00	6	36		1.000
761457000		60	50	3.00	6	36		1.000
764922700		6	500	3.00	6	39		1.000
764930400		12	100	1.20	6	39		1.000
764936100		15	200	3.00	6	39		1.000
764939100		24	125	3.00	6	39		1.000
754746000		30	100	3.00	6	39		1.000
764951900		32	94	3.00	6	39		1.000
764948200		36	83	3.00	6	39		1.000

SIGNAL

S7

T8 x 30-39mm

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
771435700		17	100	1.7	8	30		1.000
771522700		6	500	3	8	31		2.000
771522900		6	833	5	8	31		2.000
771527200		8	300	2.4	8	31		1.000
771530800		12	250	3	8	31		2.000
771531000		12	417	5	8	31		2.000
771535900		18	167	3	8	31		1.000
771538900		24	83	2	8	31		1.000
771539100		24	125	3	8	31		2.000
771539300		24	208	5	8	31		2.000
771546000		30	100	3	8	31		1.000
771548200		36	83	3	8	31		1.000
771553900		48	63	3	8	31		1.000
771554200		48	104	5	8	31		1.000
771557000		60	50	3	8	31		1.000
771634700		15	80	1.2	7	35		1.000
773722700		6	500	3	8	36		2.000
773722900		6	833	5	8	36		2.000
773730800		12	250	3	8	36		2.000
773731000		12	417	5	8	36		2.000
773739100		24	125	3	8	36		2.000
773739300		24	208	5	8	36		2.000
773743600		28	107	3	8	36		2.000
773753900		48	63	3	8	36		1.000
773754300		48	104	5	8	36		1.000
773757000		60	50	3	8	36		1.000
773922900		6	833	5	8	39		2.000
773930800		12	250	3	8	39		2.000
773939100		24	125	3	8	39		2.000
773946000		30	100	3	8	39		2.000
773948200		36	83	3	8	39		2.000



105

SCHIEFER

SIGNAL LAMPS

SIGNAL

S8.5
T10-15 x 39-44mm



106

SCHIEFER

SIGNAL LAMPS

Type No.	Int.Code	Volt	mA	Watt	∅	Length	Lumen	Life
783922900		6	833	5	11	39		2.000
783930600		12	167	2	11	39		2.000
783930800		12	250	3	11	39		2.000
783931000		12	417	5	11	39		2.000
783931100		12	833	10	11	39		2.000
783938600		24	50	1.2	11	39		2.000
783938900		24	83	2	11	39		2.000
783939100		24	125	3	11	39		2.000
783939300		24	208	5	11	39		2.000
783943900		28	214	6	11	39		2.000
783946000		30	100	3	11	39		2.000
783946200		30	167	5	11	39		2.000
783953800		48	63	3	11	39		2.000
783954300		48	104	5	11	39		1.000
783957000		60	50	3	11	39		1.000
783957200		60	83	5	11	39		1.000
784322900		6	833	5	11	44		2.000
784330800		12	250	3	11	44		2.000
784330802	Red	12	250	3	11	44		2.000
784330803	Green	12	250	3	11	44		2.000
784331000		12	417	5	11	44		2.000
784331053	Xenon	12	417	5	10	44	31	6.000
784331100		12	833	10	11	44		2.000
784331153	Xenon	12	833	10	10	44	80	5.000
784336900		18	278	5	11	44		2.000
784338600		24	50	1.2	11	44		2.000
784339100		24	125	3	11	44		2.000
784339102	Red	24	125	3	11	44		2.000
784339103	Green	24	125	3	11	44		2.000
784339153	Xenon	24	125	3	10	44		8.000
784339300		24	208	5	11	44		2.000
784339302	Red	24	208	5	11	44		2.000
784339303	Green	24	208	5	11	44		2.000
784339353	Xenon	24	208	5	10	44	38	8.000
784343900		28	357	10	11	44		2.000
784346000		30	100	3	11	44		2.000
784346200		28/30	179	5	11	44		2.000
784346300		24/30	417	10	11	44		2.000
784350200		42	119	5	11	44		2.000
784353900		48	63	3	11	44		1.000
784354300		48	104	5	11	44		1.000
784357000		60	50	3	11	44		1.000
784357200		60	83	5	11	44		1.000
784522900		6	833	5	15	44		2.000
784523300		6	167	10	15	44		2.000
784523400		6	250	15	15	44		2.000
784531100		12	833	10	15	44		2.000
784531200		12	1.250	15	15	44		1.000
784531300		12	1.750	21	15	44		1.000
784539100		24	125	3	15	44		2.000

Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Filament	Life
784539500		24	417	10	15	44		2.000
784539600		24	625	15	15	44		1.000
784539700		24	833	20	15	44		1.000
784542000		28	536	15	15	44		1.000
784546200		30	167	5	15	44		1.000
784546300		30	333	10	15	44		1.000
784548200		36	83	3	15	44		1.000
784550300		42	119	5	15	44		1.000
784554300		48	208	10	15	44		1.000
784557000		60	50	3	15	44		1.000
784557200		60	83	5	15	44		1.000
784557400		60	167	10	15	44		1.000

SIGNAL

S8.5
T10-15 x 39-44mm



107

SCHIEFER

SIGNAL LAMPS

SIGNAL

Festoon
Xenon Ridged Loop
10 x 43mm



Type No.	Int.Code	Volt	mA	Watt	Ø	Length	Lumen	Life
734331000	<i>Clear</i>	12	417	5	10	43	45	20.000
734331001	<i>Frosted</i>	12	417	5	10	43	45	20.000
734331100	<i>Clear</i>	12	833	10	10	43	100	20.000
734331101	<i>Frosted</i>	12	833	10	10	43	100	20.000
734337800	<i>Clear</i>	24	354	8.5	10	43	60	20.000
734337801	<i>Frosted</i>	24	354	8.5	10	43	60	20.000
734339300	<i>Clear</i>	24	208	5	10	43	40	20.000
734339301	<i>Frosted</i>	24	208	5	10	43	40	20.000

108

SCHIEFER

SIGNAL LAMPS

Wire Ended 4-6 x 10-16mm	111
T1¾ Midget Flanged 6 x 16mm	112
T1¾ Midget Grooved 6 x 16mm	113
T1¾ Bi Pin 5.7 x 16mm	114
T5 W2 x 4.6d 5 x 20mm	115
Ba7s T7 x 20mm	116
Ba7s T7 x 23mm	117
T4.5 T4.5 x 16mm	118
T4.6 T4.6 x 22mm	119
T5.5K T5.4 x 22mm / T5.5 x 30mm	120
T6.8G T6.8 x 45mm	121
Ba9s T9 x 23mm	122
Ba9s T10 x 28mm	123
Ba9s PVC T10 x 28mm	124
E10 T9 x 23mm	125
E10 PVC T9 x 23mm	126
E10 T10 x 28mm	127
E10 PVC T10 x 28mm	128
E14 T14 x 30mm	129
E14 PVC T14 x 30mm	130
E14 T16 x 54mm	131
E14 PVC T16 x 54mm	132
Ba15s T16 x 45mm	133
Ba15d T14-16 x 30-54mm	134

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
010695900	65/95	4	10	Glass	Clear	Red		10.000
010695903	65/95	4	10	Glass	White	Green		10.000
010995900	65/95	6	13	Glass	Clear	Red		10.000
010995903	65/95	6	13	Glass	White	Green		10.000
011095900	65/95	6	16	Glass	Clear	Red		10.000
015497800	220/240	6	16	Glass	Clear	Red		10.000
015497803	220/240	6	16	Glass	White	Green		10.000

NEON

Wire Ended
4-6 x 10-16mm



|||

SCHIEFER

SIGNAL LAMPS

NEON

T1 3/4
Midget Flanged
6 x 16mm

Type No.	Volt	Ø	Length	Bulb	Finish	Color	Filament	Life
940995900	65/95	6	16	Glass	Clear	Red		10.000
940997000	110/130	6	16	Glass	Clear	Red		10.000
940996000	105/125	6	16	Glass	Clear	Red	C-9A	10.000
940998000	220/240	6	16	Glass	Clear	Red		10.000



112

SCHIEFER

SIGNAL LAMPS

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
950995900	65/95	6	16	Glass	Clear	Red		10.000
950997000	110/130	6	16	Glass	Clear	Red		10.000
950998000	220/240	6	16	Glass	Clear	Red		10.000

NEON

T1 3/4
Midget Grooved
6 x 16mm



113


SCHIEFER

SIGNAL LAMPS

NEON

T1 3/4
Bi Pin
5.7 x 16mm

Type No.	Volt	Ø	Length	Bulb	Finish	Color	Filament	Life
970995900	65/95	5.7	16	Glass	Clear	Red		10.000



114

SCHIEFER

SIGNAL LAMPS

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
032095900	65 / 95	5	20	Glass	Clear	Red		10.000

NEON

T5
W2 × 4.6d
5 × 20mm



115

SCHIEFER

SIGNAL LAMPS

NEON

Ba7s
T7 x 20mm

Type No.	Volt	Ø	Length	Bulb	Finish	Color	Filament	Life
072097000	110/130	7	20	Glass	Clear	Red		10.000
072098000	220/240	7	20	Glass	Clear	Red		10.000



116

SCHIEFER

SIGNAL LAMPS

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
072397000	110/130	7	23	Glass	Clear	Red	WE	10.000
072398000	220/240	7	23	Glass	Clear	Red	WE	10.000

NEON

Ba7s

T7 x 23mm



117

SCHIEFER

SIGNAL LAMPS

NEON

T4.5

T4.5 × 16mm

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
451697000	110/130	4.5	16	Glass	Clear	Red		10.000
451698000	220/240	4.5	16	Glass	Clear	Red		10.000



118

SCHIEFER

SIGNAL LAMPS

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
462297000	110/130	4.6	22	Glass	Clear	Red		10.000
462298000	220/240	4.6	22	Glass	Clear	Red		10.000

NEON

T4.6
T4.6 x 22mm



119

SCHIEFER

SIGNAL LAMPS

NEON

T5.5KT5.4 × 22mm

T5.5 T5.5 × 30mm

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
542298003	220/240	5.5	22	Glass	White	Green		10.000
553097900	220/240	5.5	30	Glass	Clear	Red	WE	10.000
553097903	220/240	5.5	30	Glass	White	Green	WE	10.000
553098000	120/240	5.5	30	Glass	Clear	Red		10.000



120

SCHIEFER

SIGNAL LAMPS

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
684496900	110/130	6.8	45	Glass	Clear	Red	WE	10.000
684497900	220/240	6.8	45	Glass	Clear	Red	WE	10.000

NEON

T6.8G

T6.8 x 45mm



121

SCHIEFER

SIGNAL LAMPS

NEON

Ba9s

T9 x 23mm

Type No.	Volt	Ø	Length	Bulb	Finish	Color	Filament	Life
092396900	110/130	9	23	Glass	Clear	Red	WE	10.000
092397900	220/240	9	23	Glass	Clear	Red	WE	10.000
092398000	220/240	9	23	Glass	Clear	Red	Ring	10.000
092399000	380	9	23	Glass	Clear	Red	Ring	10.000



122

SCHIEFER

SIGNAL LAMPS

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
092896900	110/130	10	28	Glass	Clear	Red	WE	10.000
092898000	220/240	10	28	Glass	Clear	Red	Ring	10.000
092899000	380/400	10	28	Glass	Clear	Red	Ring	10.000

NEON

Ba9s
T10 x 28mm



123

SCHIEFER

SIGNAL LAMPS

NEON

Ba9s
PVC
T10 x 28mm



Type No.	Volt	Ø	Length	Bulb	Finish	Color	Filament	Life
092895900	65/95	10	28	PVC	Clear	Red	WE	10.000
092896800	110/130	10	28	PVC	Clear	Red	WE	10.000
092896803	110/130	10	28	PVC	White	Green	WE	10.000
092897800	220/240	10	28	PVC	Clear	Red	WE	10.000
092897803	240/240	10	28	PVC	White	Green	WE	10.000
092898800	380/400	10	28	PVC	Clear	Red	WE	10.000

124

SCHIEFER

SIGNAL LAMPS

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
102396900	110/130	9	23	Glass	Clear	Red	WE	10.000
102398000	220/240	9	23	Glass	Clear	Red	Ring	10.000
102399000	380/400	9	23	Glass	Clear	Red	Ring	10.000

NEON

E10
T9 x 23mm



125

SCHIEFER

SIGNAL LAMPS

NEON

E10
PVC
T9 x 23mm

Type No.	Volt	Ø	Length	Bulb	Finish	Color	Filament	Life
102396800	110/130	9	23	PVC	Clear	Red	WE	10.000
102397800	220/240	9	23	PVC	Clear	Red	WE	10.000



126

SCHIEFER

SIGNAL LAMPS

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
102895900	65/95	10	28	Glass	Clear	Red	Ring	10.000
102896900	110/130	10	28	Glass	Clear	Red	WE	10.000
102898000	220/240	10	28	Glass	Clear	Red	Ring	10.000
102899000	380/400	10	28	Glass	Clear	Red	Ring	10.000

NEON

E10
T10 x 28mm



127

SCHIEFER

SIGNAL LAMPS

NEON

E10
PVC
T10 x 28mm

Type No.	Volt	Ø	Length	Bulb	Finish	Color	Filament	Life
102896800	110/130	10	28	PVC	Clear	Red	WE	10.000
102897800	220/240	10	28	PVC	Clear	Red	WE	10.000
102897803	220/240	10	28	PVC	White	Green	WE	10.000
102898800	380/400	10	28	PVC	Clear	Red	WE	10.000



I28

SCHIEFER

SIGNAL LAMPS

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
143096900	110/130	14	30	Glass	Clear	Red	WE	10.000
143097900	220/240	14	30	Glass	Clear	Red	WE	10.000
143097910	220/240	14	30	Glass	Clear	Red	WE 2x	10.000
143098800	380/400	14	30	Glass	Clear	Red	WE	10.000

NEON

E14
T14 x 30mm



129

SCHIEFER

SIGNAL LAMPS

NEON

E14

PVC

T14 x 30mm

Type No.	Volt	Ø	Length	Bulb	Finish	Color	Filament	Life
143096800	110/130	14	30	PVC	Clear	Red	WE	10.000
143097800	220/240	14	30	PVC	Clear	Red	WE	10.000
143097803	220/240	14	30	PVC	White	Green	WE	10.000



I 30

SCHIEFER

SIGNAL LAMPS

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
145496900	110/130	16	54	Glass	Clear	Red	WE 2x	10.000
145497900	220/240	16	54	Glass	Clear	Red	WE 2x	10.000
145498900	380/400	16	54	Glass	Clear	Red	WE 2x	10.000

NEON

E14
T16 x 54mm



| 3 |

SCHIEFER

SIGNAL LAMPS

NEON

E14

PVC

T16 x 54mm

Type No.	Volt	Ø	Length	Bulb	Finish	Color	Filament	Life
145497800	220/240	16	54	PVC	Clear	Red	WE	10.000
145497803	220/240	16	54	PVC	Clear	Red	WE	10.000



132

SCHIEFER

SIGNAL LAMPS

Type No.	Volt	∅	Length	Bulb	Finish	Color	Filament	Life
254596900	110/130	16	45	Glass	Clear	Red	WE 2x	10.000
254597900	220/240	16	45	Glass	Clear	Red	WE 2x	10.000

NEON

Ba 15s

T16 x 45mm



133

SCHIEFER

SIGNAL LAMPS

NEON

Ba15d
T14-16 x 30-54mm

Type No.	Volt	Ø	Length	Bulb	Finish	Color	Filament	Life
153097900	220/240	14	30	Glass	Clear	Red	WE	10.000
155496900	110/130	16	54	Glass	Clear	Red	WE 2x	10.000
155497900	220/240	16	54	Glass	Clear	Red	WE 2x	10.000



I34

SCHIEFER

SIGNAL LAMPS

E14 T22 × 58-63mm	137
E14 T25 × 70-85mm	138
E14 T28 × 110mm	139
E14 T20 × 85-115mm	140
Ba15d T22 × 58-63mm	141
Ba15d T25 × 70-85mm	142
Ba15d T28 × 110mm	143
Ba15d T20 × 115mm	144
Ba15s T16-22 × 35-58mm	145
E12 T20 × 52mm	146
E27 T27 × 60mm	147
E27 T30 × 90mm	148
E27 T28 × 110mm	149
Ba22d T22 × 50mm	150
Ba22d T27 × 60mm	151
Ba22d T30 × 90mm	152
Ba22d T28 × 110mm	153

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
145771301	220/230	15	22	58	Frosted	CC-5A	1.500
146231400	12	25	22	62	Clear	C-2F	1.500
146239600	24	15	22	62	Clear	C-2F	1.500
146239800	24	25	22	62	Clear	C-2F	1.500
146266800	130	15	22	62	Clear	C-7A	1.500
146267000	130	25	22	62	Clear	CC-5A	1.500
146267200	130	40	22	62	Clear	3-CC9	1.500
146271300	220/230	15	22	61	Clear	CC-5A	1.500
146271301	220/230	15	22	61	Clear	C-7A	1.500
146271600	220/230	20	22	62	Clear	C-7A	1.500
146271601	220/230	20	22	62	Clear	C-7A	1.500
146271900	220/230	25	22	62	Clear	CC-5A	1.500
146271901	220/230	25	22	62	Clear	CC-5A	1.500
146272600	220/230	40	22	62	Clear	CC-3A	1.000

TUBULAR

E14
T22 x 58-63mm



137

SCHIEFER

GENERAL LIGHTING

TUBULAR

E14

T25 x 70-85mm



| 38

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life	
146731400	12	25	25	70	Clear	C-2R	1000	
148539600	24	15	25	85	Clear	C-2V	1000	
148539800	24	25	25	85	Clear	C-2V	1000	
142039800	24	25	20	85	Clear	C-8	1000	
148540200	24	40	25	85	Clear	C-2V	1000	
651471958	220	25	25	70	RC	Clear	CC-5A	2500
651472658	220	40	25	70	RC	Clear	CC-5A	2500
148572600	240	40	25	85	Clear	CC-5A	1000	
148566800	110/130	15	25	85	Clear	C-7A	1000	
148567000	110/130	25	25	85	Clear	C-7A	1000	
148571300	220/230	15	25	85	Clear	C-7A	1000	
148571301	220/230	15	25	85	Frosted	C-7A	1000	
148571900	220/230	25	25	85	Clear	C-7A	1000	

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
149067000	110/130	25	28	110	Clear	C-7A	1.000
149067001	110/130	25	28	110	Frosted	C-7A	1.000
149067200	110/130	40	28	110	Clear	C-7A	1.000
149067201	110/130	40	28	110	Frosted	C-7A	1.000
149071900	220/230	25	28	110	Clear	C-7A	1.000
149071901	220/230	25	28	110	Frosted	C-7A	1.000
149072600	220/230	40	28	110	Clear	C-7A	1.000
149072601	220/230	40	28	110	Frosted	C-7A	1.000

TUBULAR

E14
T28 x 110mm



139

SCHIEFER

GENERAL LIGHTING

TUBULAR

E14
T20 x 85-115mm



Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
142031400	12	25	20	85	Clear	C-2F	1.000
142039600	24	15	20	85	Clear	C-2F	1.000
142039800	24	25	20	85	Clear	C-8	1.000
142071900	220	25	20	85	Clear	C-2F	1.000
149571900	220/230	25	20	115	Clear	C-7A	1.000
149571901	220/230	25	20	115	Frosted	C-7A	1.000

I 40

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
155731100	12	10	22	58	Clear	C-2F	1.000
155731200	12	15	22	58	Clear	C-2F	1.000
155731400	12	25	22	58	Clear	C-2F	1.000
155739500	24	10	22	58	Clear	C-2F	1.000
155739600	24	15	22	58	Clear	C-2F	1.000
155739800	24	25	22	58	Clear	C-2F	1.000
155766800	130	15	22	58	Clear	C-5A	1.000
155771300	220/230	15	22	58	Clear	C-7A	3.000
155771301	220/230	15	22	58	Frosted	C-7A	3.000
155771600	220/230	20	22	58	Clear	C-7A	3.000
155771601	220/230	20	22	58	Frosted	C-7A	3.000
155771900	220/230	25	22	58	Clear	C-7A	3.000
155771901	220/230	25	22	58	Frosted	C-7A	3.000
156271600	220/230	20	22	63	Clear	C-7A	1.000
156271601	220/230	20	22	63	Frosted	C-7A	1.000
156271900	220/230	25	22	61	Clear	C-7A	1.000
156271901	220/230	25	22	63	Frosted	C-7A	1.000

TUBULAR

Ba15d
T22 x 58-63mm



|41

SCHIEFER

GENERAL LIGHTING

TUBULAR

Ba15d
T25 x 70-85mm



I42

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
157064800	110	40	25	70	Clear	C-5A	1.000
158539800	24	25	25	85	Clear	C-2V	1.000
158540200	24	40	25	85	Clear	C-2V	1.000
158566800	110/130	15	25	85	Clear	C-7A	1.000
158567000	110/130	25	25	85	Clear	C-7A	1.000
158571300	220/230	15	25	85	Clear	C-7A	1.000
158571301	220/230	15	25	85	Frosted	C-7A	1.000
158571900	220/230	25	25	85	Clear	C-7A	1.000
158572600	220/230	40	25	85	Clear	3CC-9	1.000

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
159067000	110/130	25	28	110	Clear	C-7A	1.000
159067001	110/130	25	28	110	Frosted	C-7A	1.000
159067200	110/130	40	28	110	Clear	C-7A	1.000
159067201	110/130	40	28	110	Frosted	C-7A	1.000
159071900	220/230	25	28	110	Clear	C-7A	1.000
159071901	220/230	25	28	110	Frosted	C-7A	1.000
159072600	220/230	40	28	110	Clear	C-7A	1.000
159072601	220/230	40	28	110	Frosted	C-7A	1.000

TUBULAR

Ba15d
T28 x 110mm



| 43

SCHIEFER

GENERAL LIGHTING

TUBULAR

Ba15d
T20 x 115mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
159571900	220/230	25	20	115	Clear	C-7A	1.000
159571901	220/230	25	20	115	Frosted	C-7A	1.000



I44

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
254568695	110/140	6/10	16	45	Clear	C-5A	1.500
254580695	220/260	5/7	16	35	Clear	C7-A	1.500
255771900	220	25	22	58	Clear	C7-A	1.500

TUBULAR

Ba I5s
T16-22 x 35-58mm



I45

SCHIEFER

GENERAL LIGHTING

TUBULAR

E12

T20 x 52mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
125266800	120	15	22	51	Clear	C-5A	1.500
125266900	130	20	20	48	Clear	C-5A	2.000
125271300	220/230	15	20	52	Clear	C-7A	1.500
125271301	220/230	15	20	52	Frosted	C-7A	1.500



| 46

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
272731200	12	15	27	60	Clear	C-2F	1.000
272739300	24	5	27	60	Clear	C-2F	1.000
272739500	24	10	27	60	Clear	C-2F	1.000
272739600	24	15	27	60	Clear	C-2F	1.000
272739800	24	25	27	60	Clear	C-2F	1.000
272748500	36	10	27	60	Clear	C-3A	1.000
272757200	60	5	27	60	Clear	C-3A	1.000
272757400	60	10	27	60	Clear	C-3A	1.000
272757500	60	15	27	60	Clear	C-3A	1.000
272766700	130	10	27	60	Clear	C-5A	1.000
278366800	130	15	27	60	Clear	C-5A	1.000
272767000	130	25	27	60	Clear	C-5A	1.000
272771000	220	10	27	60	Clear	C-7A	1.000
272771300	220	15	27	60	Clear	C-7A	1.000
272771900	220	25	27	60	Clear	C-7A	1.000
272768600	110/140	6-10	27	60	Clear	C-5A	1.000
272780600	220/260	5-7	27	60	Clear	C-7A	1.000
272780800	220/260	6-10	27	60	Clear	C-7A	1.000

TUBULAR

E27
T27 x 60mm



147

SCHIEFER

GENERAL LIGHTING

TUBULAR

E27

T30 x 90mm



Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
279036200	14	5	30	90	Clear	C-6	1.000
416552101	130	25	30	90	Frosted	C-5A	1.000
416553401	130	40	30	90	Frosted	C-5A	1.000
279071300	230	15	30	90	Clear	CC-5A	1.000
416566401	230	25	30	90	Frosted	C-7A	1.000
416566700	230	40	30	90	Clear	C-7A	1.000
416566701	230	40	30	90	Frosted	C-7A	1.000

I 48

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
279067001	110-130	25	28	110	Frosted	C-7A	1.000
279067201	110-130	40	28	110	Frosted	C-7A	1.000
279077000	220-240	25	28	110	Clear	C-7A	1.000
279077001	220-240	25	28	110	Frosted	C-7A	1.000
279077700	220-240	40	28	110	Clear	C-7A	1.000
279077701	220-240	40	28	110	Frosted	C-7A	1.000
279078001	220-240	60	28	110	Frosted	C-7A	1.000

TUBULAR

E27

T28 x 110mm



| 49

SCHIEFER

GENERAL LIGHTING

TUBULAR

Ba22d
T22 x 50mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
228339600	24	15	22	50	Clear	C-2V	1.000
228366700	130	10	22	50	Clear	C-7A	1.000
228366800	130	15	22	50	Clear	C-7A	1.000
228371000	220	10	22	50	Clear	C-7A	1.000
228371300	220	15	22	50	Clear	C-7A	1.000



150

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
222731200	12	15	27	60	Clear	C-2F	1.000
222731400	12	25	27	60	Clear	C-2F	1.000
222739300	24	5	27	60	Clear	C-2F	1.000
222739500	24	10	27	60	Clear	C-2F	1.000
222739600	24	15	27	60	Clear	C-2V	1.000
222739800	24	25	27	60	Clear	C-2F	1.000
222748600	36	15	27	60	Clear	C-3A	1.000
222757200	60	5	27	60	Clear	C-7A	1.000
222757400	60	10	27	60	Clear	C-7A	1.000
222757500	60	15	27	60	Clear	C-7A	1.000
222766700	130	10	27	60	Clear	C-7A	1.000
222766800	130	15	27	60	Clear	C-7A	1.000
222771000	220	10	27	60	Clear	C-7A	1.000
222771300	220	15	27	60	Clear	C-7A	1.000
222783900	220	25	27	60	Clear	C-7A	1.000
222772600	220	40	27	60	Clear	C-7A	1.000
222768600	110/140	6/10	27	60	Clear	C-7A	1.000
222780600	220/260	5/7	27	60	Clear	C-7A	1.000
222780800	220/260	6/10	27	60	Clear	C-7A	1.000

TUBULAR

Ba22d
T27 x 60mm



151

SCHIEFER

GENERAL LIGHTING

TUBULAR

Ba22d
T30 x 90mm



Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
416541700	110	25	30	90	Clear	C-5A	1.000
416541701	110	25	30	90	Frosted	C-5A	1.000
416543000	110	40	30	90	Clear	C-5A	1.000
416543001	110	40	30	90	Frosted	C-5A	1.000
416559800	220	25	30	90	Clear	C-7A	1.000
416559000	220	25	30	90	Frosted	C-7A	1.000
229677700	240	40	30	90	Clear	C-7A	1.000
229677701	240	40	30	90	Frosted	CC-5A	1.000

I52

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
229067000	110/130	25	28	110	Clear	C-5A	1.000
229067001	110/130	25	28	110	Frosted	C-5A	1.000
229067200	110/130	40	28	110	Clear	C-5A	1.000
229067201	110/130	40	28	110	Frosted	C-5A	1.000
229077000	220/240	25	28	110	Clear	C-5A	1.000
229077001	220/240	25	28	110	Frosted	CC-5A	1.000
229077700	220/240	40	28	110	Clear	CC-5A	1.000
229077701	220/240	40	28	110	Frosted	CC-5A	1.000

TUBULAR

Ba22d
T28 x 110mm



153

SCHIEFER


GENERAL LIGHTING

E14 P22 x 48mm	155
E14 P22-26 x 54-58mm	156
E14 P28 x 63mm	157
Ba15d P22 x 48mm	158
Ba15d P26 x 56mm	159
Ba15d P28 x 63mm	160
Ba22d P29 x 63mm	161
E27 P29 x 63mm	162

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
144831000	12	5	22	48	Clear	C-2R	2.000
144831100	12	10	22	48	Clear	C-2R	2.000
144831200	12	15	22	48	Clear	C-2R	2.000
144831400	12	25	22	48	Clear	C-2R	2.000
144839300	24	5	22	48	Clear	C-2V	2.000
144839500	24	10	22	48	Clear	C-2V	2.000
144839600	24	15	22	48	Clear	C-2V	2.000
144839800	24	25	22	48	Clear	C-2F	2.000
144843812	28	5	22	48	Clear	C-2F	2.000
144843912	28	10	22	48	Clear	C-2V	2.000
144844012	28	15	22	48	Clear	C-2V	2.000
144857500	60	15	22	48	Clear	C-3A	2.000
144864600	110	15	22	48	Clear	C-5A	2.000
144866500	130	5	22	48	Clear	C-5A	2.000
144866700	130	10	22	48	Clear	C-5A	2.000
144866800	130	15	22	48	Clear	C-5A	2.000
144871300	230	15	22	48	Clear	C-7A	2.000
144883900	230	25	22	48	Clear	C-7A	2.000
144883800	235	15	22	48	Clear	C-7A	2.000
144880600	220/260	5/7	22	48	Clear	C-7A	2.000
144881000	220/260	10/15	22	48	Clear	C-7A	2.000

PIGMY

E14
P22 x 48mm



155

SCHIEFER

GENERAL LIGHTING

PIGMY

E14

P22-26 x 54-58mm



156

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
144844112	28	25	26	58	Clear	C-2V	2.000
144844212	28	40	26	58	Clear	C-2V	2.000
146354400	48	15	26	54	Clear	C-3A	2.000
145671392	230	15	25	56	Clear	3CC-9	1.500
145882600	250/260	15	26	58	Clear	C-7A	1.500
145784800	280	10	22	57	Clear	C-2V	2.000
419905196	230	15	25	56	Flame	C-5A	1.000
419905197	230	25	25	56	Flame	C-5A	1.000
145771414	230	15	25	57	Frosted	CC-5A	1.000
145772014	230	25	25	57	Frosted	CC-5A	1.000

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
146331200	12	15	28	63	Clear	C-2V	2.000
146333300	12/15	5	28	63	Clear	C-6	1.500
146333400	12/15	10	28	63	Clear	C-6	1.500
146333500	12/15	15	28	63	Clear	CC-6	1.500
146333600	12/15	25	28	63	Clear	CC-6	1.500
146333700	12/15	40	28	63	Clear	CC-6	1.500
146339600	24	15	28	63	Clear	C-2V	2.000
146339800	24	25	28	63	Clear	C-2V	2.000
146342600	24/28	5	28	63	Clear	C-6	1.500
146342700	24/28	10	28	63	Clear	C-6	1.500
146342800	24/28	15	28	63	Clear	CC-6	1.500
146342900	24/28	25	28	63	Clear	CC-6	1.500
146343000	24/28	40	28	63	Clear	CC-6	1.500
146354400	48	15	28	63	Clear	C-3A	1.500
148562200	50	15	28	63	Clear	CC-3A	1.500
146366800	130	15	28	63	Clear	C-7A	2.000
146367000	130	25	28	63	Clear	3CC-9	2.000
146371300	220/230	15	28	63	Clear	C-7A	2.000
146371301	220/230	15	28	63	Frosted	C-7A	2.000
146371900	220/230	25	28	63	Clear	C-7A	2.000
146371901	220/230	25	28	63	Frosted	C-7A	2.000
146372600	220/240	40	28	63	Clear	3CC-9	1.500
146376401	240	15	28	63	Frosted	CC-5A	1.500

PIGMY

E14
P28 x 63mm



157

SCHIEFER

GENERAL LIGHTING

PIGMY

Ba15d
P22 x 48mm



I58

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
154831000	12	5	22	48	Clear	C-2R	2.000
154831100	12	10	22	48	Clear	C-2R	2.000
154831200	12	15	22	48	Clear	C-2R	2.000
154839300	24	5	22	48	Clear	C-2V	2.000
154839500	24	10	22	48	Clear	C-2V	2.000
154839600	24	15	22	48	Clear	C-2V	2.000
154843812	28	5	22	48	Clear	C-2V	2.000
154843912	28	10	22	48	Clear	C-2V	2.000
154844012	28	15	22	48	Clear	C-2V	2.000
154848600	36	15	22	48	Clear	C-3A	2.000
154857500	60	15	22	48	Clear	C-3A	2.000
154864600	110	15	22	48	Clear	C-7A	2.000
154866700	130	10	22	48	Clear	C-7A	2.000
154866800	130	15	22	48	Clear	C-7A	2.000
154871900	230/240	25	22	48	Clear	CC-5A	2.000
154880600	220/260	5/7	22	48	Clear	C-7A	2.000
154880800	220/260	6/10	22	48	Clear	C-7A	2.000
154881000	220/260	10/15	22	48	Clear	C-7A	2.000
154883800	235	15	22	48	Clear	C-7A	2.000
154883801	235	15	22	48	Frosted	CC-5A	2.000

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
154844112	28	25	26	56	Clear	CC-6	2.000
154844212	28	40	26	56	Clear	CC-6	2.000

PIGMY

Ba15d
P26 x 56mm



159

SCHIEFER

GENERAL LIGHTING

PIGMY

Ba15d
P28 x 63mm



160

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
156331200	12	15	28	63	Clear	C-2V	2.000
156333300	12/15	5	28	63	Clear	C-6	1.500
156333400	12/15	10	28	63	Clear	C-6	1.500
156333500	12/15	15	28	63	Clear	C-6	1.500
156333600	12/15	25	28	63	Clear	CC-6	1.500
156333700	12/15	40	28	63	Clear	CC-6	1.500
156339600	24	15	28	63	Clear	C-2V	2.000
156339800	24	25	28	63	Clear	C-2V	2.000
156342600	24/28	5	28	63	Clear	C-6	1.500
156342700	24/28	10	28	63	Clear	C-6	1.500
156342800	24/28	15	28	63	Clear	C-6	1.500
156342900	24/28	25	28	63	Clear	CC-6	1.500
156343000	24/28	40	28	63	Clear	CC-6	1.500
156354400	50	15	28	63	Clear	C-3A	1.500
156366800	130	15	28	63	Clear	C-7A	2.000
156367000	130	25	28	63	Clear	C-7A	2.000
156371300	220/230	15	28	63	Clear	C-7A	2.000
156371301	220/230	15	28	63	Frosted	C-7A	2.000
156371900	220/230	25	28	63	Clear	C-7A	2.000
156371901	220/230	25	28	63	Frosted	C-7A	2.000
156372600	240/250	40	28	63	Clear	CC-5A	2.000

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
229331200	12	15	29	62	Clear	C-2V	1.000
229331400	12	25	29	62	Clear	C-2V	1.000
229339500	24	10	29	62	Clear	C-2V	1.000
229339600	24	15	29	62	Clear	C-2V	1.000
229339800	24	25	29	62	Clear	C-2V	1.000
229353200	50	15	29	62	Clear	CC-2V	1.000
229366800	130	15	29	62	Clear	C-7A	1.000
229367000	130	25	29	62	Clear	C-5A	1.000
229371300	223/240	15	29	62	Clear	3CC9	1.000
229371900	220	25	29	62	Clear	3CC9	1.000

PIGMY

Ba22d
P29 x 63mm



161

SCHIEFER

GENERAL LIGHTING

PIGMY

E27

P29 x 63mm



162

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
279331200	12	15	29	63	Clear	C-2V	1.000
279331400	12	25	29	63	Clear	C-2V	1.000
279339600	24	15	29	63	Clear	C-2V	1.000
279339800	24	25	29	63	Clear	C-2V	1.000
279353200	50	15	29	63	Clear	C-3A	1.000
279366800	130	15	29	63	Clear	C-7A	1.000
279367000	130	25	29	63	Clear	C-7A	1.000
279371300	220	15	29	63	Clear	3CC9	1.000
279371900	220	25	29	63	Clear	CC-5A	1.000

E14 G45 x 72mm	165
E14 G45 x 72mm	166
E27 G45 x 72mm	167
E27 G45 x 72mm	168
Ba15d G45 x 72mm	169
Ba22d G45 x 72mm	170

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
147231000	12	5	45	72		Clear	C-2V	1.500
147231001	12	5	45	72		Frosted	C-2V	1.500
147231100	12	10	45	72		Clear	C-2V	1.500
147231101	12	10	45	72		Frosted	C-2V	1.500
147231200	12	15	45	72		Clear	C-2V	1.500
147231201	12	15	45	72		Frosted	C-2V	1.500
147231400	12	25	45	72		Clear	C-2V	1.500
147231401	12	25	45	72		Frosted	C-2V	1.500
147231700	12	40	45	72		Clear	C-2V	1.500
147231701	12	40	45	72		Frosted	C-2V	1.500
147234000	14	4	45	72		Clear	C-2V	1.500
147234001	14	4	45	72		Frosted	C-2V	1.500
147236200	14	5	45	72		Clear	C-2V	1.500
147236201	14	5	45	72		Frosted	C-2V	1.500
147236202	14	5	45	72		Red	C-6	1.500
147236203	14	5	45	72		Green	C-6	1.500
147236204	14	5	45	72		Yellow	C-6	1.500
147236205	14	5	45	72		Orange	C-6	1.500
147236206	14	5	45	72		Blue	C-6	1.500
147236239	14	5	45	72		Ivory	C-6	1.500
147239300	24	5	45	72		Clear	C-2V	1.500
147239301	24	5	45	72		Frosted	C-2V	1.500
147239500	24	10	45	72		Clear	C-2F	1.500
147239501	24	10	45	72		Frosted	C-2F	1.500
147239600	24	15	45	72		Clear	C-2V	1.500
147239601	24	15	45	72		Frosted	C-2V	1.500
147239800	24	25	45	72		Clear	C-2V	1.500
147239801	24	25	45	72		Frosted	C-2V	1.500
147240200	24	40	45	72		Clear	C-2V	1.500
147240201	24	40	45	72		Frosted	C-2V	1.500
147257500	60	15	45	72		Clear	C-2F	1.500
147257501	60	15	45	72		Frosted	C-2F	1.500
147257600	60	25	45	72		Clear	C-2F	1.500
147257601	60	25	45	72		Frosted	C-2F	1.500
147266800	130	15	45	72		Clear	CC-3A	1.500
147266801	130	15	45	72		Frosted	CC-3A	1.500
147267000	130	25	45	72		Clear	CC-3A	1.500
147267001	130	25	45	72		Frosted	CC-3A	1.500
147267200	130	40	45	72		Clear	CC-3A	1.500
147267201	130	40	45	72		Frosted	CC-3A	1.500
147283500	235	5	45	72		RC Clear	C-5A	2.500
147283501	235	5	45	72		RC Frosted	C-5A	2.500
147283800	235	15	45	72	75-105	RC Clear	C-5A	2.500
147283801	235	15	45	72	75-105	RC Frosted	C-5A	2.500
147283900	235	25	45	72	150-200	RC Clear	C-5A	2.500
147283901	235	25	45	72	150-200	RC Frosted	C-5A	2.500
147284000	235	40	45	72	280-360	RC Clear	C-7A	2.500
147284001	235	40	45	72	280-360	RC Frosted	C-7A	2.500
147284100	235	60	45	72	570-690	RC Clear	C-7A	2.500
147284101	235	60	45	72	540-660	RC Frosted	C-7A	2.500

BALL

E14
G45 x 72mm



165

SCHIEFER

GENERAL LIGHTING

BALL

E14
G45 x 72mm

166

SCHIEFER

GENERAL LIGHTING



Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
147283821	235	15	45	75	50	RC Flame	C-5A	1.000
147283921	235	25	45	75	100	RC Flame	C-5A	1.000
147284021	235	40	45	75	250	RC Flame	C-5A	1.000
147283808	230	15	45	75	80	RC White	C-5A	1.000
147283908	230	25	45	75	170	RC White	C-5A	1.000
147284008	230	40	45	75	332	RC White	C-5A	1.000
147284108	230	60	45	75	550	RC White	C-5A	1.000
419951450	220	15	45	72		Red		1.500
419951451	220	15	45	72		Yellow		1.500
419951452	220	15	45	72		Green		1.500
419951453	220	15	45	72		Blue		1.500
419951454	220	15	45	72		Orange		1.500
419951455	220	25	45	72		Red		1.500
419951456	220	25	45	72		Yellow		1.500
419951457	220	25	45	72		Green		1.500
419951458	220	25	45	72		Blue		1.500
419951459	220	25	45	72		Orange		1.500

BALL

E27
G45 x 72mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life	
277231001	12	5	45	72	Frosted	C-2V	1.500	
277231100	12	10	45	72	Clear	C-2V	1.500	
277231101	12	10	45	72	Frosted	C-2V	1.500	
277231200	12	15	45	72	Clear	C-2V	1.500	
277231201	12	15	45	72	Frosted	C-2V	1.500	
277231400	12	25	45	72	Clear	C-2V	1.500	
277231401	12	25	45	72	Frosted	C-2V	1.500	
277231701	12	40	45	72	Frosted	C-2V	1.500	
277236200	14	5	45	72	Clear	C-6	1.500	
277239301	24	5	45	72	Frosted	C-2V	1.500	
277239500	24	10	45	72	Clear	C-2F	1.500	
277239501	24	10	45	72	Frosted	C-2F	1.500	
277239600	24	15	45	72	Clear	C-2V	1.500	
277239601	24	15	45	72	Frosted	C-2V	1.500	
277239800	24	25	45	72	Clear	C-2V	1.500	
277239801	24	25	45	72	Frosted	C-2V	1.500	
277240200	24	40	45	72	Clear	C-2V	1.500	
277240201	24	40	45	72	Frosted	C-2V	1.500	
277240500	24	60	45	72	Clear	C-2V	1.500	
277257500	60	15	45	72	Clear	C-2F	1.500	
277257501	60	15	45	72	Frosted	C-2F	1.500	
277257600	60	25	45	72	Clear	C-2F	1.500	
277257601	60	25	45	72	Frosted	C-2F	1.500	
277281501	110/130	25	45	72	Frosted	C-5A	1.500	
277283500	235	5	45	72	7.5-15	RC Clear	5CC9	1.500
277283501	235	5	45	72	7.5-15	RC Frosted	5CC9	1.500
277284700	235	7	45	72	21-40	RC Clear	C-7A	1.500
277284701	235	7	45	72	21-40	RC Frosted	C-7A	1.500
277283800	235	15	45	72	75-105	RC Clear	C-5A	1.500
277283801	235	15	45	72	75-105	RC Frosted	C-5A	1.500
277283900	235	25	45	72	150-200	RC Clear	C-5A	1.500
277283901	235	25	45	72	150-200	RC Frosted	C-5A	1.500
277284000	235	40	45	72	280-360	RC Clear	C-5A	1.500
277284001	235	40	45	72	280-360	RC Frosted	C-5A	1.500
277284100	235	60	45	72	540-660	RC Clear	C-5A	1.500
277284101	235	60	45	72	540-660	RC Frosted	C-5A	1.500
277283821	235	15	45	70	50	RC Flame	C-5A	1.000
277283921	235	25	45	70	100	RC Flame	C-5A	1.000
277284021	235	40	45	70	250	RC Flame	C-5A	1.000
277283808	235	15	45	75	80	RC White	C-5A	1.000
277283908	235	25	45	75	170	RC White	C-5A	1.000
277284008	235	40	45	75	332	RC White	C-5A	1.000
277284108	235	60	45	75	550	RC White	C-5A	1.000
419951470	220	15	45	72		Red		1.500
419951471	220	15	45	72		Yellow		1.500
419951472	220	15	45	72		Green		1.500
419951473	220	15	45	72		Blue		1.500
419951474	220	15	45	72		Orange		1.500



167

SCHIEFER

GENERAL LIGHTING

BALL

E27

G45 x 72mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
419951475	220	25	45	72	Red		1.500
419951476	220	25	45	72	Yellow		1.500
419951477	220	25	45	72	Green		1.500
419951478	220	25	45	72	Blue		1.500
419951479	220	25	45	72	Orange		1.500



168

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
157231100	12	10	45	72	Clear	C-2V	1.500
157231101	12	10	45	72	Frosted	C-2V	1.500
157231200	12	15	45	72	Clear	C-2V	1.500
157231201	12	15	45	72	Frosted	C-2V	1.500
157231400	12	25	45	72	Clear	C-2V	1.500
157231401	12	25	45	72	Frosted	C-2V	1.500
157239500	24	10	45	72	Clear	C-2F	1.500
157239501	24	10	45	72	Frosted	C-2F	1.500
157239600	24	15	45	72	Clear	C-2V	1.500
157239601	24	15	45	72	Frosted	C-2V	1.500
157239800	24	25	45	72	Clear	C-2V	1.500
157239801	24	25	45	72	Frosted	C-2V	1.500
157240200	24	40	45	72	Clear	C-2V	1.500
157240201	24	40	45	72	Frosted	C-2V	1.500
157254601	48	40	45	72	Frosted	3-C9	1.500
157257500	60	15	45	72	Clear	C-2F	1.500
157257501	60	15	45	72	Frosted	C-2F	1.500
157257600	60	25	45	72	Clear	C-2F	1.500
157257601	60	25	45	72	Frosted	C-2F	1.500
157283800	235	15	45	72	RC Clear	C-7A	2.500
157283801	235	15	45	72	RC Frosted	C-7A	2.500
157283900	235	25	45	72	RC Clear	C-7A	2.500
157283901	235	25	45	72	RC Frosted	C-7A	2.500
157284000	235	40	45	72	RC Clear	C-7A	2.500
157284001	235	40	45	72	RC Frosted	C-7A	2.500

BALL

Ba15d
G45 x 72mm



169

SCHIEFER

GENERAL LIGHTING

BALL

Ba22d
G45 x 72mm



170

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life	
227231100	12	10	45	72	Clear	C-2V	1.500	
227231101	12	10	45	72	Frosted	C-2V	1.500	
227231200	12	15	45	72	Clear	C-2V	1.500	
227231201	12	15	45	72	Frosted	C-2V	1.500	
227231400	12	25	45	72	Clear	C-2V	1.500	
227231401	12	25	45	72	Frosted	C-2V	1.500	
227231700	12	40	45	72	Clear	C-2V	1.500	
227231701	12	40	45	72	Frosted	C-2V	1.500	
227239301	24	5	45	72	Frosted	C-2V	1.500	
227239500	24	10	45	72	Clear	C-2V	1.500	
227239501	24	10	45	72	Frosted	C-2V	1.500	
227239600	24	15	45	72	Clear	C-2V	1.500	
227239601	24	15	45	72	Frosted	C-2V	1.500	
227239800	24	25	45	72	Clear	C-2V	1.500	
227239801	24	25	45	72	Frosted	C-2V	1.500	
227240035	24	35	45	72	400	Clear	C-2V	1000
227240200	24	40	45	72	Clear	C-2V	1.500	
227240201	24	40	45	72	Frosted	C-2V	1.500	
652228120	28	20	45	72	200	Clear	CC-6	2000
652228035	28	35	45	72	400	Clear	CC-6	1000
652285035	85	35	45	72	350	Clear	CC-6	500
227267001	130	25	45	72	Frosted	CC-3A	1.500	
227264801	130	40	45	72	Frosted	CC-3A	1.500	
227276400	240	15	45	72	Clear	C-7A	1.500	
227276403	240	15	45	72	Green	C-7A	1.500	
227276408	240	15	45	72	White	C-7A	1.500	
227276405	240	15	45	72	Orange	C-7A	1.500	
227276404	240	15	45	72	Yellow	C-7A	1.500	
227276402	240	15	45	72	Red	C-7A	1.500	
227276339	220/230	15	45	72	Ivory	C-7A	1.500	
227283800	235	15	45	72	RC Clear	CC-5A	1.500	
227283801	235	15	45	72	RC Frosted	CC-5A	1.500	
227283900	235	25	45	72	RC Clear	CC-5A	1.500	
227283901	235	25	45	72	RC Frosted	CC-5A	1.500	
227284000	235	40	45	72	RC Clear	CC-5A	1.500	
227284001	235	40	45	72	RC Frosted	CC-5A	1.500	
Special								
227266802 *	130	10	45	72	RC Red	C-5A	1.500	
227266803 *	130	10	45	72	RC Green	C-5A	1.500	
227266804 *	130	10	45	72	RC Yellow	C-5A	1.500	
227266806 *	130	10	45	72	RC Blue	C-5A	1.500	
227266808	130	10	45	72	RC Opal	C-5A	1.500	

(*) Transparent

E27 60-68 × 105-125mm	173
E27 RC 60-80 × 105-160mm	174
E27 RC 60-68 × 105-125mm	175
Ba22d 60-68 × 105-125mm	176
Ba22d RC 60-68 × 105-125mm	177
E40 88-130 × 180-274mm	178

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
276031201	12	15	60	105	Frosted	C-6	1.500
276031200	12	15	60	105	Clear	C-6	1.500
276031401	12	25	60	105	Frosted	C-6	1.500
276031400	12	25	60	105	Clear	C-6	1.500
276031701	12	40	60	105	Frosted	C-6	1.500
276031700	12	40	60	105	Clear	C-6	1.500
276031901	12	60	60	105	Frosted	C-6	1.500
276031900	12	60	60	105	Clear	C-6	1.500
276032101	12	100	60	105	Frosted	C-6	1.500
276039601	24	15	60	105	Frosted	C-6	1.500
276039600	24	15	60	105	Clear	C-6	1.500
276039801	24	25	60	105	Frosted	C-6	1.500
276039800	24	25	60	105	Clear	C-6	1.500
276040201	24	40	60	105	Frosted	C-6	1.500
276040200	24	40	60	105	Clear	C-6	1.500
276040501	24	60	60	105	Frosted	C-6	1.500
276040500	24	60	60	105	Clear	C-6	1.500
276040601	24	75	60	105	Frosted	C-6	1.500
276040600	24	75	60	105	Clear	C-6	1.500
276040701	24	100	60	105	Frosted	C-6	1.500
276040700	24	100	60	105	Clear	C-6	1.500
276050601	42	25	60	105	Frosted	C-6	1.500
276050600	42	25	60	105	Clear	C-6	1.500
276050701	42	40	60	105	Frosted	C-6	1.500
276050700	42	40	60	105	Clear	C-6	1.500
276050801	42	60	60	105	Frosted	C-6	1.500
276050800	42	60	60	105	Clear	C-6	1.500
276050827	42	60	60	105	RC Clear	3-C9	3.000
276054501	48	25	60	105	Frosted	C-6	1.500
276054500	48	25	60	105	Clear	C-6	1.500
276054601	48	40	60	105	Frosted	C-6	1.500
276054600	48	40	60	105	Clear	C-6	1.500
276054701	48	60	60	105	Frosted	C-6	1.500
276054700	48	60	60	105	Clear	C-6	1.500
276054900	48	100	60	105	Clear	C-6	1.500
276059501	60	50	60	105	Frosted	C-6	1.500
276059500	60	50	60	105	Clear	C-6	1.500
276058801	65	25	60	105	Frosted	C-6	1.500
276058800	65	25	60	105	Clear	C-6	1.500
276058901	65	40	60	105	Frosted	C-6	1.500
276058900	65	40	60	105	Clear	C-6	1.500
276059001	65	60	60	105	Frosted	C-6	1.500
276059000	65	60	60	105	Clear	C-6	1.500

GLS

E27

60-68 x 105-125mm



GLS

E27

RC

60-80 x 105-160mm



174

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
276064600	130	15	60	105		Clear	5-C9	3.000
276064601	130	15	60	105		Frosted	5-C9	3.000
276064700	130	25	60	105		Clear	5-C9	3.000
276064701	130	25	60	105		Frosted	5-C9	3.000
276064800	130	40	60	105		Clear	5-C9	3.000
276064801	130	40	60	105		Frosted	5-C9	3.000
276064900	130	60	60	105		Clear	5-C9	3.000
276064901	130	60	60	105		Frosted	5-C9	3.000
276065000	130	75	60	105		Clear	5-C9	3.000
276065001	130	75	60	105		Frosted	5-C9	3.000
276065100	130	100	60	105		Clear	5-C9	3.000
276065101	130	100	60	105		Frosted	5-C9	3.000
276067700	130	150	60	105		Clear	7-C9	1.500
276067701	130	150	60	105		Frosted	7-C9	1.500
276067800	130	200	60	105		Clear	7-C9	1.500
276067801	130	200	60	105		Frosted	7-C9	1.500
276083800 *	235	15	60	105		Clear	7-CC9	3.000
276076400	235	15	60	105	75-105	Clear	5-CC9	1.500
276083801 *	235	15	60	105	75-105	Frosted	7-CC9	3.000
276076401	235	15	60	105	75-105	Frosted	5-CC9	1.500
276083900 *	235	25	60	105	150-200	Clear	7-CC9	3.000
276077000	235	25	60	105	150-200	Clear	5-CC9	1.500
276083901 *	235	25	60	105	150-200	Frosted	7-CC9	3.000
276077001	235	25	60	105	150-200	Frosted	5-CC9	1.500
276084000 *	235	40	60	105	200-280	Clear	7-CC9	3.000
276077700	235	40	60	105	200-280	Clear	5-CC9	1.500
276084001 *	235	40	60	105	200-280	Frosted	7-CC9	3.000
276077701	235	40	60	105	200-280	Frosted	5-CC9	1.500
276084100 *	235	60	60	105	480-600	Clear	7-CC9	3.000
276078000	235	60	60	105	480-600	Clear	5-CC9	1.500
276084101 *	235	60	60	105	480-600	Frosted	7-CC9	3.000
276078001	235	60	60	105	480-600	Frosted	5-CC9	1.500
276084200 *	235	75	60	105	600-750	Clear	7-CC9	3.000
276078300	235	75	60	105	600-750	Clear	5-CC9	1.500
276084201 *	235	75	60	105	600-750	Frosted	7-CC9	3.000
276078301	235	75	60	105	600-750	Frosted	5-CC9	1.500
276084300 *	235	100	60	105	1100-1400	Clear	7-CC9	3.000
276078400	235	100	60	105	1100-1400	Clear	5-CC9	1.500
276084301 *	235	100	60	105	1100-1400	Frosted	7-CC9	3.000
276078401	235	100	60	105	1100-1400	Frosted	5-CC9	1.500
276084400	235	150	68	125	1950-1400	Clear	7-CC9	1.500
276084401	235	150	68	125	1950-1400	Frosted	7-CC9	1.500
276084500	235	200	68	125	2500-3000	Clear	7-CC9	1.500
276084501	235	200	68	125	2500-3000	Frosted	7-CC9	1.500
276073800	230	300	80	160	4200-4800	Clear	5-CC9	1.500

(*) Longlife

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
276083821	235	15	60	105	50	Flame	C-5A	1.000
276083921	235	25	60	105	100	Flame	C-5A	1.000
276084021	235	40	60	105	160	Flame	C-5A	1.000
276084121	235	60	60	105	260	Flame	C-5A	1.000
276084221	235	75	60	105	390	Flame	C-5A	1.000
276084321	235	100	60	105	660	Flame	C-5A	1.000
276083808	235	15	55	105	80	White	C-5A	1.000
276083908	235	25	55	105	170	White	C-5A	1.000
276084008	235	40	55	105	332	White	C-5A	1.000
276084108	235	60	55	105	550	White	C-5A	1.000
276084208	235	75	55	105	859	White	C-5A	1.000
276084308	235	100	55	105	1150	White	C-5A	1.000
419951400	220	15	60	105		Red		1.500
419951401	220	15	60	105		Yellow		1.500
419951402	220	15	60	105		Green		1.500
419951403	220	15	60	105		Blue		1.500
419951404	220	15	60	105		Orange		1.500
419951410	220	25	60	105		Red		1.500
419951411	220	25	60	105		Yellow		1.500
419951412	220	25	60	105		Green		1.500
419951413	220	25	60	105		Blue		1.500
419951414	220	25	60	105		Orange		1.500
419951420	220	40	60	105		Red		1.500
419951421	220	40	60	105		Yellow		1.500
419951422	220	40	60	105		Green		1.500
419951423	220	40	60	105		Blue		1.500
419951424	220	40	60	105		Orange		1.500
419951430	220	60	60	105		Red		1.500
419951431	220	60	60	105		Yellow		1.500
419951432	220	60	60	105		Green		1.500
419951433	220	60	60	105		Blue		1.500
419951434	220	60	60	105		Orange		1.500



GLS

E27

RC

60-68 x 105-125mm

175

SCHIEFER

GENERAL LIGHTING

GLS

Ba22d

60-68 x 105-125mm



176

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
226031200	12	15	60	105	Clear	C-6	1.500
226031201	12	15	60	105	Frosted	C-6	1.500
226031400	12	25	60	105	Clear	C-6	1.500
226031401	12	25	60	105	Frosted	C-6	1.500
226031700	12	40	60	105	Clear	C-6	1.500
226031701	12	40	60	105	Frosted	C-6	1.500
226031900	12	60	60	105	Clear	C-6	1.500
226031901	12	60	60	105	Frosted	C-6	1.500
226039501	24	10	60	105	Frosted	C-6	1.500
226039600	24	15	60	105	Clear	C-6	1.500
226039601	24	15	60	105	Frosted	C-6	1.500
226039800	24	25	60	105	Clear	C-6	1.500
226039801	24	25	60	105	Frosted	C-6	1.500
226040200	24	40	60	105	Clear	C-6	1.500
226040201	24	40	60	105	Frosted	C-6	1.500
226040500	24	60	60	105	Clear	C-6	1.500
226040501	24	60	60	105	Frosted	C-6	1.500
226040600	24	75	60	105	Clear	C-6	1.500
226040601	24	75	60	105	Frosted	C-6	1.500
226040700	24	100	60	105	Clear	C-6	1.500
226040701	24	100	60	105	Frosted	C-6	1.500
226050600	42	25	60	105	Clear	C-6	1.500
226050601	42	25	60	105	Frosted	C-6	1.500
226050700	42	40	60	105	Clear	C-6	1.500
226050701	42	40	60	105	Frosted	C-6	1.500
226050800	42	60	60	105	Clear	C-6	1.500
226050801	42	60	60	105	Frosted	C-6	1.500
226054500	48	25	60	105	Clear	C-6	1.500
226054501	48	25	60	105	Frosted	C-6	1.500
226054600	48	40	60	105	Clear	C-6	1.500
226054601	48	40	60	105	Frosted	C-6	1.500
226054700	48	60	60	105	Clear	C-6	1.500
226054701	48	60	60	105	Frosted	C-6	1.500
226054901	48	100	60	105	Frosted	C-6	1.500
226058800	65	25	60	105	Clear	C-6	1.500
226058801	65	25	60	105	Frosted	C-6	1.500
226058900	65	40	60	105	Clear	C-6	1.500
226058901	65	40	60	105	Frosted	C-6	1.500
226059000	65	60	60	105	Clear	C-6	1.500
226059001	65	60	60	105	Frosted	C-6	1.500

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
226064600	130	15	60	105	Clear	5C9	3.000
226064601	130	15	60	105	Frosted	5C9	3.000
226064700	130	25	60	105	Clear	5C9	3.000
226064701	130	25	60	105	Frosted	5C9	3.000
226064800	130	40	60	105	Clear	5C9	3.000
226064801	130	40	60	105	Frosted	5C9	3.000
226064900	130	60	60	105	Clear	5C9	3.000
226064901	130	60	60	105	Frosted	5C9	3.000
226065000	130	75	60	105	Clear	5C9	3.000
226065001	130	75	60	105	Frosted	5C9	3.000
226065100	130	100	60	105	Clear	5C9	3.000
226065101	130	100	60	105	Frosted	5C9	3.000
226067700	130	150	68	125	Clear	7C9	1.500
226067701	130	150	68	125	Frosted	7C9	1.500
226067800	130	200	68	125	Clear	7C9	1.500
226067801	130	200	68	125	Frosted	7C9	1.500
226083800	235	15	60	105	Clear	7C9	2.500
226083801	235	15	60	105	Frosted	7C9	2.500
226083900	235	25	60	105	Clear	7C9	2.500
226083901	235	25	60	105	Frosted	7C9	2.500
226084000	235	40	60	105	Clear	7C9	2.500
226084001	235	40	60	105	Frosted	7C9	2.500
226084100	235	60	60	105	Clear	7C9	2.500
226084101	235	60	60	105	Frosted	7C9	2.500
226084200	235	75	60	105	Clear	7C9	2.500
226084201	235	75	60	105	Frosted	7C9	2.500
226084300	235	100	60	105	Clear	7C9	2.500
226084301	235	100	60	105	Frosted	7C9	2.500
226084400	235	150	68	125	Clear	7CC9	1.500
226084401	235	150	68	125	Frosted	7CC9	1.500
226084500	235	200	68	125	Clear	7CC9	1.500
226084501	235	200	68	125	Frosted	7CC9	1.500

GLS

Ba22d

RC

60-68 x 105-125mm



177

SCHIEFER

GENERAL LIGHTING

GLS

E40

88-130 x 180-274mm



Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
419955770	48	300	100	220	Clear	3-CC9	1.500
414068033	130	300	88	180	Clear	5-CC9	1.500
414068133	130	500	88	180	Clear	5-CC9	1.500
414068200	130	1000	130	274	Clear	5-CC9	1.500
414078933	240	300	88	180	Clear	5-CC9	1.500
414079133	240	500	88	180	Clear	5-CC9	1.500
414079300	240	1000	130	274	Clear	5-CC9	1.500

178

SCHIEFER

GENERAL LIGHTING

E10 Ribbed 13 x 44mm	181
E12 22-30 x 54-95mm	182
E14 RC 35 x 100mm	183
E14 Neon Flicker Flame 35 x 97mm	184
E14 RC Tip Candle 35 x 125mm	185
E27 RC 35 x 95mm	186
E27 Twisted Giant 50 x 140mm	187
Ba22d RC 35 x 98mm	188

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
654427313	8	3	13	44		Clear		1.000
654435113	14	3	13	44		Clear		1.000
654439113	24	3	13	44		Clear		1.000
654447113	34	3	13	44		Clear		1.000
654455313	55	3	13	44		Clear		1.000

CANDLE

E10
Ribbed
13 x 44mm



| 8 |

SCHIEFER

GENERAL LIGHTING

(*) Non reinforced construction

CANDLE

E12

22-30 × 54-95mm



Type No.	Volt	Watt	∅	Length	Lumen	Finish	Filament	Life
122330800	12	3	23	54	13	Clear	C-2V	1.500
122376100	240	10	22	54	40-60	Clear	CC-5A	1.500
122376102	240	10	22	54		Red	CC-5A	1.500
122376103	240	10	22	54		Green	CC-5A	1.500
122376104	240	10	22	54		Yellow	CC-5A	1.500
122376106	240	10	22	54		Blue	CC-5A	1.500
122583900	230	25	30	95	162-225	Clear	C-5A	1.500
122584000	230	40	30	95	360-460	Clear	C-5A	1.500

182

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
417228601	26	25	35	100		Frosted	C-2F	1.500
417229201	26	40	35	100		Frosted	C-2F	1.500
419955699	110/130	15	35	100		Frosted	C-5A	1.500
419955700	110/130	25	35	100		Frosted	C-5A	1.500
419955701	110/130	40	35	100		Frosted	C-5A	1.500
669084700	235	7	35	100	28-42	Clear	CC-5A	1.500
669084701	235	7	35	100	28-42	Frosted	CC-5A	1.500
149183800	235	15	35	100	82-120	Clear	C-5A	1.500
149183801	235	15	35	100	82-120	Frosted	C-5A	1.500
149183900	235	25	35	100	175-225	Clear	C-5A	1.500
149183901	235	25	35	100	175-225	Frosted	C-5A	1.500
149184000	235	40	35	100	360-460	Clear	C-5A	1.500
149184001	235	40	35	100	360-460	Frosted	C-5A	1.500
149184100	235	60	35	100	500-600	Clear	C-5A	1.500
149184101	235	60	35	100	500-600	Frosted	C-5A	1.500
149183821	235	15	35	95	50	Flame	C-5A	1.000
149183921	235	25	35	95	100	Flame	C-5A	1.000
149184021	235	40	35	95	250	Flame	C-5A	1.000
149183808	235	15	35	95	80	White	C-5A	1.000
149183908	235	25	35	95	170	White	C-5A	1.000
149184008	235	40	35	95	332	White	C-5A	1.000
149184108	235	60	35	95	550	White	C-5A	1.000
419950045 *	230	15	35	95	82-120	Gold		1.000
419950044 *	230	25	35	95	175-225	Gold		1.000
419951480	220	25	35	95		Rood		1.000
419951481	220	25	35	95		Geel		1.000
419951482	220	25	35	95		Groen		1.000
419951483	220	25	35	95		Blauw		1.000
419951484	220	25	35	95		Oranje		1.000

CANDLE

E14
RC
35 x 100mm



183

SCHIEFER

GENERAL LIGHTING

(*) Non reinforced construction

CANDLE

E14

Neon Flicker Flame

35 x 97mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
419904842	230	3	35	97	Clear		10.000

184

SCHIEFER

GENERAL LIGHTING



Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
149283800	235	15	35	125	82-120	Clear	C-5A	1.500
149283801	235	15	35	125	82-120	Frosted	C-5A	1.500
149283900	235	25	35	125	175-225	Clear	C-5A	1.500
149283901	235	25	35	125	175-225	Frosted	C-5A	1.500
149284000	235	40	35	125	280-360	Clear	C-5A	1.500
149284001	235	40	35	125	280-360	Frosted	C-5A	1.500
419904855 **	230	15	35	125	82-120	Gold	CC-2V	1.500
419904856 **	230	25	35	125	175-225	Gold	CC-2F	1.500
419984845 *	235	25	35	125		Amber	C-5A	1.500
419964845 *	235	25	35	125		Blue	C-5A	1.500
419944845 *	235	25	35	125		Yellow	C-5A	1.500
419934845 *	235	25	35	125		Green	C-5A	1.500
419954845 *	235	25	35	125		Orange	C-5A	1.500
419974845 *	235	25	35	125		Purple	C-5A	1.500
419924845 *	235	25	35	125		Red	C-5A	1.500

CANDLE

E14
RCTip Candle
35 x 125mm



185

SCHIEFER

GENERAL LIGHTING

(*) Transparent
(**) Non reinforced construction

CANDLE

E27

RC

35 x 95mm



Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
270083900	235	25	35	95	Clear	C-5A	1.000
270083901	235	25	35	95	Frosted	C-5A	1.000
270084000	235	40	35	95	Clear	C-5A	1.000
270084001	235	40	35	95	Frosted	C-5A	1.000
270084100	235	60	35	95	Clear	C-5A	1.000
270084101	235	60	35	95	Frosted	C-5A	1.000

186

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	∅	Length	Finish	Filament	Life
274972600	230	40	50	140	Clear		1.000

CANDLE

E27
Twisted Giant
50 x 140mm



187

SCHIEFER

GENERAL LIGHTING

CANDLE

Ba22d

RC

35 x 98mm



Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
220083900	235	25	35	98	Clear	C-5A	1.000
220083901	235	25	35	98	Frosted	C-5A	1.000
220084000	235	40	35	98	Clear	C-5A	1.000
220084001	235	40	35	98	Frosted	C-5A	1.000
220084100	235	60	35	98	Clear	C-5A	1.000
220084101	235	60	35	98	Frosted	C-5A	1.000

188

SCHIEFER

GENERAL LIGHTING


E14 Mini Colorenta T20 x 115mm	191
E27 T30-38 x 161-315mm	192
Ba22d T38 x 315mm	193

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
149671300	220	15	20	115		Clear	Trap	1.000
149671900	220	25	20	115		Clear	Trap	1.000
149680100	220	40	20	115	120-240	Clear	Trap	1.000
149671400	220	15	20	115		Clear	Zig-Zag	1.000
149672000	220	25	20	115	160-225	Clear	Zig-Zag	1.000
149680200	220	40	20	115		Clear	Zig-Zag	1.000

COLORENTA

E14

Mini Colorenta
T20 x 115mm



COLORENTA


E27

T30-38 x 161-315mm

192

SCHIEFER

GENERAL LIGHTING



Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
279523025	220	25	30	161	150-200	Opal	Special	1.000
279523040	220	40	38	315	120-240	Opal	Special	1.000
279523060	220	60	38	315	240-360	Opal	Special	1.000
279523240	220	40	38	315		Clear	Special	1.000
279523260	220	60	38	315		Clear	Special	1.000

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
229523060	230	60	38	315	Clear	Special	1.000

COLORENTA

Ba22d

T38 x 315mm



| 93

SCHIEFER


GENERAL LIGHTING

E14 Candle 7 Anchors 35 x 100mm	195
E27 GLS Imitation Carbon 60 x 105mm	196
E27 GLS 60 x 105mm	197
E27 Rustika T64 x 143mm	198
Ba22d Rustika T64 x 143mm	199
E27 T45 x 108mm	200
E27 Globe 40 x 80mm	201
E27 RC Globe 80-125 x 114-172mm	202

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
651422500	230	25	35	100	170	Clear	7 Anchors	1.000
651422505	230	25	35	100	170	Gold	7 Anchors	1.000

DECORATIVE

E14
Candle 7 Anchors
35 x 100mm




DECORATIVE

E27

GLS Imitation Carbon

60 x 105mm

Type No.	Volt	Watt	∅	Length	Finish	Filament	Life
276084005	220 / 240	40	60	105	Clear	Special	1.000
276084105	220 / 240	60	60	105	Clear	Special	1.000
276083905	220 / 240	100	60	105	Clear	Special	1.000




Type No.	Volt	Watt	∅	Length	Lumen	Finish	Filament	Life
276084068	220 / 240	40	60	105	160-260	Clear	Special	1.000
276084168	220 / 240	60	60	105	300-450	Clear	Special	1.000

DECORATIVE

E27

GLS

60 x 105mm




DECORATIVE

E27

Rustika

T64 x 143mm

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
276424040	220 / 240	40	64	143	160-240	Clear	Special	1.000
276424060	220 / 240	60	64	143	300-450	Clear	Special	1.000
276424100	220 / 240	100	64	143	720-850	Clear	Special	1.000



198

SCHIEFER

GENERAL LIGHTING


Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
226424040	220 / 240	40	64	143	160-240	Clear	Special	1.000
226424060	220 / 240	60	64	143	300-450	Clear	Special	1.000
226424100	220 / 240	100	64	143	720-850	Clear	Special	1.000

DECORATIVE

Ba22d

Rustika

T64 x 143mm



DECORATIVE

E27


T45 x 108mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
652703000	220 / 240	40	60	108	Gold	Special	1.000
652703100	220 / 240	40	60	108	Clear	Special	1.000

200

SCHIEFER

GENERAL LIGHTING




Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
652714000	220 / 240	40	80	120	Gold	Special	1.000
652714100	220 / 240	40	80	120	Clear	Special	1.000

DECORATIVE

E27

Globe

40 x 80mm



201

SCHIEFER

GENERAL LIGHTING


DECORATIVE

E27
RC Globe
80-125 x 114-172mm

202

SCHIEFER

GENERAL LIGHTING



Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
271184701	230	7	80	114		Opal	5CC-9	1.500
271183901	230	25	80	114		Opal	5CC-9	1.500
271184001	230	40	80	114		Opal	5CC-9	1.500
271184101	230	60	80	114		Opal	5CC-9	1.500
271283900	230	25	95	130	180	Clear	5CC-9	1.500
271283901	230	25	95	130	170	Opal	5CC-9	1.500
271284000	230	40	95	130	300	Clear	5CC-9	1.500
271284001	230	40	95	130	290	Opal	5CC-9	1.500
271284100	230	60	95	130	500	Clear	5CC-9	1.500
241284101	230	60	95	130	480	Opal	5CC-9	1.500
271284300	230	100	95	130	900	Clear	5CC-9	1.500
271284301	230	100	95	130	850	Opal	5CC-9	1.500
271483900	230	25	125	172	180	Clear	5CC-9	1.500
271483901	230	25	125	172	170	Opal	5CC-9	1.500
271484000	230	40	125	172	300	Clear	5CC-9	1.500
271484001	230	40	125	172	280	Opal	5CC-9	1.500
271484100	230	60	125	172	480	Clear	5CC-9	1.500
271484101	230	60	125	172	450	Opal	5CC-9	1.500
271484300	230	100	125	172	900	Clear	5CC-9	1.500
271484301	230	100	125	172	850	Opal	5CC-9	1.500

E27 GLS 60 x 105mm

205

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
419951250	230	60	60	105	Daylight		1.000
419951251	230	60	60	105	Daylight		1.000
419951252	230	60	60	105	Daylight		1.000
419951253	230	60	60	105	Daylight		1.000

DAYLIGHT

E27

GLS

60 x 105mm



205

SCHIEFER

GENERAL LIGHTING

E27 GLS 60 x 105mm	207
Ba22d GLS 60 x 105mm	208
Ba22d-3 GLS 60 x 105mm	209

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
276084102	230	60	60	105	Red	C7AC9	1.500
276084144	230	60	60	105	Amber	C7AC9	1.500

FIRE GLOW

E27

GLS

60 x 105mm



207

SCHIEFER

GENERAL LIGHTING

FIRE GLOW

Ba22d

GLS

60 × 105mm

Type No.	Volt	Watt	∅	Length	Finish	Filament	Life
226084144	230	60	60	105	Amber	C7AC9	1.500
226084044	230	40	60	105	Amber	C7AC9	1.500
226084142	230	60	60	105	Red	C-7A	1.500



208

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
652384107	230	60	60	105	Amber	CC-3A	1.500

FIRE GLOW

Ba22d-3
GLS
60 x 105mm



209

SCHIEFER

GENERAL LIGHTING

E14 Reflector 39-50 x 53-60mm	211
E27 Reflector 63-125 x 105x180mm	212
Ba15d Reflector 39 x 64mm	213

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
670091524	220	30	39	66		Frosted		1.000
145039800	24	25	50	53		Frosted		1.000
145040200	24	40	50	53		Frosted		1.000
419952005	220	25	50	53	175-225	Frosted		1.000
419952006	220	40	50	53	360-460	Frosted		1.000

REFLECTOR

E14
Reflector
39-50 x 53-60mm



211

SCHIEFER

GENERAL LIGHTING

REFLECTOR

E27

Reflector

63-125 x 105x180mm



Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
419952009	220	25	63	105	150-200	Frosted		1.000
419952010	220	40	63	105	300-380	Frosted		1.000
419952011	220	60	63	105	520-640	Frosted		1.000
419952022	220	150	95	132	1500-1800	Frosted		1.000
419952021	220	150	125	180	1950-2250	Frosted		1.000

212

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
653966801	120	15	39	64	Frosted	CC-3A	1.000
653971301	220	15	39	64	Frosted	CC-3A	1.000

REFLECTOR

Ba15d
Reflector
39 x 64mm



213

SCHIEFER

GENERAL LIGHTING

E14 G45 x 72mm 300 °C	215
E14 P22-25 x 48x56mm 300 °C	216
E27 G45 x 72mm	217
E27 GLS 60 x 105mm	218
Ba22d G45 x 72mm	219
G4 9 x 30mm 300 °C	220

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
419951024	220/240	25	45	72		Clear	3-CC9	1.000
419951025	220/240	40	45	72	280-360	Clear	3-CC9	1.000

OVENLAMP

E14
G45 x 72mm
300 °C



215

SCHIEFER

GENERAL LIGHTING

OVENLAMP

E14

P22-25 × 48x56mm

300 °C

Type No.	Volt	Watt	∅	Length	Lumen	Finish	Filament	Life
144883800	220/240	15	22	48	60-90	Clear	CC-5A	1.000
144883900	220/240	25	22	48	150-200	Clear	CC-5A	1.000
145683914	220/240	25	25	56	150-200	Clear	CC-5A	1.000
144883801	220/240	15	22	48		Frosted	CC-5A	1.000



216

SCHIEFER

GENERAL LIGHTING

OVENLAMP

E27

G45 x 72mm

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
419951031	220 / 240	15	45	72		Clear	3-CC9	1.000
419951032	220 / 240	25	45	72		Clear	3-CC9	1.000
419951030	220 / 240	25	45	72	175-225	Frosted	3-CC9	1.000
419678800	220 / 240	40	45	72	320-400	Clear	3-CC9	1.000

Special

649928451	230	28(40)	45	72		Frosted	Eco Halogen	1.000
-----------	-----	--------	----	----	--	---------	-------------	-------



217

SCHIEFER

GENERAL LIGHTING

OVENLAMP

E27
GLS
60 × 105mm

Type No.	Volt	Watt	∅	Length	Lumen	Finish	Filament	Life
419679014	220 / 240	60	60	105	540-690	Clear	CC-5A	1.000



218

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
419678900	220	40	45	72	Clear	C-5A	1.000

OVENLAMP

Ba22d
G45 x 72mm



219

SCHIEFER

GENERAL LIGHTING

OVENLAMP

G4
9 x 30mm
300 °C

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
648801210	12	10	9	30	Clear		1.000
648801220	12	20	9	30	Clear		1.000



220

SCHIEFER

GENERAL LIGHTING

E14 Top Mirror 45 x 72mm	223
E27 Top Mirror 45 x 72mm	224
E27 Top Mirror 60 x 105mm	225

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
147239655	24	15	45	72	Silver	C-2V	1.000
419954020	230	25	45	72	Silver	C-5A	1.000
419954021	230	40	45	72	Silver	C-5A	1.000
419954030	230	25	45	72	Gold	C-5A	1.000
419954031	230	40	45	72	Gold	C-5A	1.000

TOPMIRROR

E14
Top Mirror
45 x 72mm



223

SCHIEFER

GENERAL LIGHTING

TOPMIRROR

E27

Top Mirror

45 x 72mm

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
419954025	230	25	45	72	162-225	Silver	C-5A	1.000
419954026	230	40	45	72	280-320	Silver	C-5A	1.000
419954034	230	25	45	72		Gold	C-5A	1.000
419954035	230	40	45	72		Gold	C-5A	1.000



224

SCHIEFER

GENERAL LIGHTING

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
276084055	230	40	60	105	215-340	Silver	C-5A	1.000
276084155	230	60	60	105	460-600	Silver	C-5A	1.000
276084255	230	75	60	105		Silver	C-5A	1.000
276084355	230	100	60	105		Silver	C-5A	1.000
276084092	230	40	60	105		Gold	C-5A	1.000
276084192	230	60	60	105		Gold	C-5A	1.000
276084292	230	75	60	105		Gold	C-5A	1.000
276084392	230	100	60	105		Gold	C-5A	1.000

TOPMIRROR

E27

Top Mirror
60 x 105mm



225

SCHIEFER

GENERAL LIGHTING

E27 Krypton Opal 50-75 x 91-125mm

227

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
279183950	230	25	50	91	205	Opal	C-5A	1.000
279184050	230	40	50	91	410	Opal	C-5A	1.000
279184150	230	60	50	91	690	Opal	C-5A	1.000
279184250	230	75	50	91	850	Opal	C-5A	1.000
279184350	230	100	60	104	1280	Opal	C-5A	1.000
279184450	230	150	75	125	1940	Opal	C-5A	1.000

KRYPTON MUSHROOM

E27
Krypton Opal
50-75 x 91-125mm



227

SCHIEFER



GENERAL LIGHTING

G4 8 x 31mm	229
G4 Xelogen 7-9.3 x 30-34mm	230
GY6.35 Bi Pin 11-14 x 44-58mm	231
E11 JD 12-13 x 65-93mm	232
E14 JD 14 x 68-95mm	233
Bal5d JD 15 x 64-89mm	234
E14 JDD 28 x 90mm	235
E27 JDD 32 x 90-105mm	236
E27 JTT / IDD 32 x 160mm	237
E27 JJD BT 47 x 115mm	238
E40 JTT RC 38 x 220-300mm	239
MR8 23 x 35mm	240
MR11 GU4 35 x 38mm	241
MR11 GUI0 35 x 38mm	242
MR16 GU5.3 50 x 47.5mm	243
MR16 GU5.3 50 x 47.5mm	244
MR16 GUI0 50 x 55mm	245
Ba9s 9 x 31mm	246
E10 9.3 x 31mm	247
Bal5s 15 x 40mm	248
Bal5d 15 x 40mm	249
R7s 8 x 64-78mm	250
R7s RC 8 x 118mm	251
R7s RC 8 x 189mm	252
R7s RC 8 x 254mm	253
R7s RC 8 x 332mm / Fa4 RC 8 x 335mm	254
G9 14 x 44mm	255
E14 PAR 16 52 x 80mm	256
E27 PAR 16 52 x 80mm	257
E27 PAR 20 63 x 85mm	258
E27 PAR 30 96 x 91mm	259

HALOGEN

G4
8 x 31mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life	
643022900	6	5	8	31	Clear	Transversal	2.000	
643023100	6	6	8	31	Clear	Transversal	2.000	
643023300	6	10	8	31	Clear	Transversal	2.000	
643023400	6	15	8	31	Clear	Transversal	2.000	
643023500	6	20	8	31	Clear	Transversal	2.000	
643023800	6	35	8	31	Clear	Transversal	2.000	
643031044	12	5	8	31	UV-Stop	Clear	Transversal	2.000
643031144	12	10	8	31	UV-Stop	Clear	Transversal	2.000
643031300	12	20	8	31	Clear	Transversal	2.000	
643031325	12	20	8	31	300 Lumen	Clear	Transversal	2.000
643031344	12	20	8	31	UV-Stop	Clear	Transversal	2.000
643031525	12	28	8	31	Clear	Transversal	2.000	
643031644	12	35	8	31	UV-Stop	Clear	Transversal	2.000
643031800	12	50	8	31	Clear	Transversal	2.000	
643039300	24	5	8	31	Clear	Transversal	2.000	
643039500	24	10	8	31	Clear	Transversal	2.000	
643039700	24	20	8	31	Clear	Transversal	2.000	
643039744	24	20	8	31	UV-Stop	Clear	Transversal	2.000
643040000	24	35	8	31	Clear	Transversal	2.000	
643043844	28	5	8	31	UV-Stop	Clear	Transversal	2.000
643043944	28	10	8	31	UV-Stop	Clear	Transversal	2.000
643044044	28	20	8	31	UV-Stop	Clear	Transversal	2.000
643031322	12	20	8	31	EQ13078	Clear	Axial	2.000
643031138	12	10	8	31	Clear	Axial	2.000	
643022901	6	5	8	31	Frosted	Transversal	2.000	
643023301	6	10	8	31	Frosted	Transversal	2.000	
643023401	6	15	8	31	Frosted	Transversal	2.000	
643023501	6	20	8	31	Frosted	Transversal	2.000	
643023801	6	35	8	31	Frosted	Transversal	2.000	
643031055	12	5	8	31	UV-Stop	Frosted	Transversal	2.000
643031155	12	10	8	31	UV-Stop	Frosted	Transversal	2.000
643031355	12	20	8	31	UV-Stop	Frosted	Transversal	2.000
643031601	12	35	8	31	Frosted	Transversal	2.000	
643043855	28	5	8	31	UV-Stop	Frosted	Transversal	2.000
643043955	28	10	8	31	UV-Stop	Frosted	Transversal	2.000
643044055	28	20	8	31	UV-Stop	Frosted	Transversal	2.000
Special								
710121694	5.8	5	8	31	Black Top	Axial	500	



229

SCHIEFER

HALOGEN LAMPS


HALOGEN

G4
Xelogen
7-9.3 x 30-34mm

230

SCHIEFER

HALOGEN LAMPS



Type No.	Volt	Watt	Ø	Length	Base	Finish	Filament	Life
642971205	12	5	7	30	G4s	Clear		10.000
642971208	12	8	7	30	G4s	Clear		10.000
642971210	12	10	7	30	G4s	Clear		10.000
642991210	12	10	9.3	34	G4F	Clear		10.000
642991215	12	15	9.3	34	G4F	Clear		10.000
642991220	12	20	9.3	34	G4F	Clear		5.000
642972405	24	5	7	30	G4s	Clear		10.000
642972408	24	8	7	30	G4s	Clear		10.000
642972410	24	10	7	30	G4s	Clear		10.000
642992410	24	10	9.3	34	G4F	Clear		10.000
642992415	24	15	9.3	34	G4F	Clear		10.000
642992420	24	20	9.3	34	G4F	Clear		5.000
642992810	28	10	9.3	34	G4F	Clear		10.000
642992820	28	20	9.3	34	G4F	Clear		5.000


Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life	
644523500	6	20	11	44	Clear	Transversal	2.000	
644523800	6	35	11	44	Clear	Transversal	2.000	
644523735	6	30	11	44	Clear	Axial	2.000	
644523835	6	35	11	44	Clear	Axial	2.000	
644524000	6	50	11	44	Clear	Transversal	2.000	
644531000	12	5	11	44	Clear	Transversal	2.000	
644531100	12	10	11	44	Clear	Transversal	2.000	
644531300	12	20	11	44	Clear	Transversal	2.000	
644531301	12	20	11	44	Frosted	Transversal	2.000	
644531344	12	20	11	44	UV-Stop	Clear	Transversal	2.000
644531338	12	20	11	44	Clear	Axial	2.000	
644531600	12	35	11	44	Clear	Transversal	2.000	
644531601	12	35	11	44	Frosted	Transversal	2.000	
644531800	12	50	11	44	Clear	Transversal	2.000	
644531801	12	50	11	44	Frosted	Transversal	2.000	
644531838	12	50	11	44	Clear	Axial	2.000	
644532000	12	75	11	44	Clear	Transversal	2.000	
644532100	12	100	11	44	Clear	Transversal	2.000	
644532138	12	100	11	44	Clear	Axial	2.000	
644539700	24	20	11	44	Clear	Transversal	2.000	
644540000	24	35	11	44	Clear	Transversal	2.000	
644540300	24	50	11	44	Clear	Transversal	2.000	
644540301	24	50	11	44	Frosted	Transversal	2.000	
644540600	24	75	11	44	Clear	Transversal	2.000	
644540700	24	100	11	44	Clear	Transversal	2.000	
644540800	24	150	14	45	Clear	Transversal	2.000	
644541000	24	250	14	56	Clear	Transversal	2.000	
644543944	28	10	11	44	UV-Stop	Clear	Transversal	2.000
644544044	28	20	11	44	UV-Stop	Clear	Transversal	2.000
644543300	28	150	14	45	Clear	Transversal	2.000	
644551100	42	150	11	44	Clear	Transversal	2.000	
644564800	110	50	11	44	Clear	CC-3A	2.000	
644578000	230	35	13	45	Clear	CC-3A	2.000	
644578100	230	50	13	45	Clear	CC-3A	2.000	
644578200	230	60	13	45	Clear	CC-3A	2.000	
644578300	230	75	14	58	Clear	CC-3A	2.000	
644578400	230	100	14	58	Clear	CC-3A	2.000	
644573400	230	150	14	58	Clear	CC-3A	2.000	

HALOGEN

GY6.35

Bi Pin

11-14 x 44-58mm




231

SCHIEFER

HALOGEN LAMPS

HALOGEN

E11
JD
12-13 x 65-93mm



Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
648167500	110/130	75	13	77	Clear		1.000
648167600	110/130	100	13	77	Clear		1.000
648167700	110/130	150	13	77	Clear		1.000
648167900	110/130	250	13	77	Clear		1.000
648168100	110/130	500	14	88	Clear		1.000
648172700	220/240	50	12	65	Clear		1.000
648173200	220/240	75	12	65	Clear		1.000
648173201	220/240	75	12	65	Frosted		1.000
648173300	220/240	100	12	65	Clear		1.000
648173301	220/240	100	12	65	Frosted		1.000
648173400	220/240	150	12	65	Clear		1.000
648173401	220/240	150	12	65	Frosted		1.000
648173600	220/240	200	12	65	Clear		1.000
648173700	220/240	250	12	65	Clear		1.000
648173701	220/240	250	12	65	Frosted		1.000
648174000	220/240	500	14	93	Clear		1.000

232

SCHIEFER

HALOGEN LAMPS


Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
647472300	220/240	35	14	68	Clear		1.000
647472700	220/240	50	14	68	Clear		1.000
647472701	220/240	50	14	68	Frosted		1.000
647473200	220/240	75	14	68	Clear		1.000
647473201	220/240	75	14	68	Frosted		1.000
648273300	220/240	100	14	68	Clear		1.000
648273301	220/240	100	14	68	Frosted		1.000
648273400	220/240	150	14	68	Clear		1.000
648273401	220/240	150	14	68	Frosted		1.000
648273600	220/240	200	14	68	Clear		1.000
648273601	220/240	200	14	68	Frosted		1.000
648273700	220/240	250	14	68	Clear		1.000
648273701	220/240	250	14	68	Frosted		1.000
648273800	220/240	300	14	81	Clear		1.000
648274000	220/240	500	15	95	Clear		1.000

HALOGEN

E14

JD

14 x 68-95mm



233

SCHIEFER

HALOGEN LAMPS


HALOGEN

Ba15d
JD
15 x 64-89mm

234

SCHIEFER

HALOGEN LAMPS



Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
648372300	220/240	35	15	64	Clear		1.000
648372500	220/240	40	15	64	Clear		1.000
648372501	220/240	40	15	64	Frosted		1.000
648372700	220/240	50	15	64	Clear		1.000
648372701	220/240	50	15	64	Frosted		1.000
648373000	220/240	60	15	64	Clear		1.000
648373001	220/240	60	15	64	Frosted		1.000
648373200	220/240	75	15	64	Clear		1.000
648373201	220/240	75	15	64	Frosted		1.000
648673300	220/240	100	15	64	Clear		1.000
648673301	220/240	100	15	64	Frosted		1.000
648673400	220/240	150	15	77	Clear		1.000
648673401	220/240	150	15	77	Frosted		1.000
648673600	220/240	200	15	86	Clear		1.000
648673700	220/240	250	15	86	Clear		1.000
648673701	220/240	250	15	86	Frosted		1.000
648673800	220/240	300	15	86	Clear		1.000
649774000	220/240	500	15	89	Clear		1.000


Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
642877700	220/240	40	28	90	Clear		1.000
642877701	220/240	40	28	90	Frosted		1.000
642878000	220/240	60	28	90	Clear		1.000
642878001	220/240	60	28	90	Frosted		1.000
642878400	220/240	100	28	90	Clear		1.000
642878401	220/240	100	28	90	Frosted		1.000

HALOGEN

E14

JDD

28 x 90mm



235

SCHIEFER

HALOGEN LAMPS

HALOGEN

E27


JDD

32 x 90-105mm

236

SCHIEFER

HALOGEN LAMPS



Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
649067900	110/130	250	33	105	Clear		1.000
649077700	220/240	40	32	90	Clear		1.000
649077701	220/240	40	32	90	Frosted		1.000
649078000	220/240	60	32	90	Clear		1.000
649078001	220/240	60	32	90	Frosted		1.000
649078300	220/240	75	32	90	Clear		1.000
649078301	220/240	75	32	90	Frosted		1.000
649078400	220/240	100	32	90	Clear		1.000
649078401	220/240	100	32	90	Frosted		1.000
649078500	220/240	150	33	105	Clear		1.000
649078501	220/240	150	33	105	Frosted		1.000
649078700	220/240	200	33	105	Clear		1.000
649078701	220/240	200	33	105	Frosted		1.000
649078800	220/240	250	33	105	Clear		1.000
649078801	220/240	250	33	105	Frosted		1.000


Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
649178500	220/240	150	32	160	Clear		1.000
649178800	220/240	250	32	160	Clear		1.000

HALOGEN

E27

JTT / IDD

32 x 160mm



HALOGEN LAMPS

SCHIEFER

237


HALOGEN

E27

JJD BT

47 x 115mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
649378558	220/240	150	47	115	Clear		1.000
649378800	220/240	250	47	115	Clear		1.000



238


SCHIEFER

HALOGEN LAMPS

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
643868000	110/130	300	38	220	2.000		2.000
643868100	110/130	500	38	220	2.000		2.000
643868200	110/130	1.000	38	260	2.000		2.000
643878900	220/240	300	38	220	2.000		2.000
643879100	220/240	500	38	220	2.000		2.000
643979300	220/240	1.000	38	260	2.000		2.000
644079500	220/240	2.000	38	300	2.000		2.000

HALOGEN

E40
JTT RC
38 x 220-300mm



239

SCHIEFER


HALOGEN LAMPS

HALOGEN

MR8

23 x 35mm

Type No.	Volt	Watt	Ø	Length	Angle	Finish	Filament	Life
641931126	12	10	23	35	26	Cover		2.000
641931326	12	20	23	35	26	Cover		2.000
641931638	12	35	23	35	26	Cover		2.000



240

SCHIEFER

HALOGEN LAMPS


HALOGEN

MRI I

GU4

35 x 38mm

Type No.	Int. Code	Volt	Watt	∅	Length	Finish	Angle	Life
641122910		6	5	35	38	Open	10	
641123310		6	10	35	38	Open	10	
641131010		12	5	35	38	Open	10	
641131317	FTC	12	20	35	38	Open	17	
641231107		12	10	35	38	Open	7	
641231207	FTA	12	12	35	38	Open	7	
641231330		12	20	35	38	Open	30	
641231636		12	35	35	38	Open	36	
642122910		6	5	35	38	Cover	12	
642122912		6	10	35	38	Cover	12	
642323330		6	10	35	38	Cover	30	
642131010		12	5	35	38	Cover	10	
642131030		12	10	35	38	Cover	30	
642131107		12	10	35	38	Cover	7	
642131112		12	10	35	38	Cover	12	
642131207	FTA	12	12	35	38	Cover	7	
642131310	FTB	12	20	35	38	Cover	10	
642131317	FTC	12	20	35	38	Cover	17	
642131330	FTD	12	20	35	38	Cover	30	
642131607	FTE	12	35	35	38	Cover	7	
642131620	FTF	12	35	35	38	Cover	20	
642131630	FTH	12	35	35	38	Cover	30	
642131636	GAX	12	35	35	38	Cover	36	
642131830		12	50	35	38	Cover	30	
642139730		24	20	35	38	Cover	30	
642140030		24	35	35	38	Cover	30	
642143930		28	10	35	38	Cover	30	
642144030		28	20	35	38	Cover	30	
642131392		12	20	35	38	Red Cover	30	
642131393		12	20	35	38	Green Cover	30	
642131394		12	20	35	38	Yellow Cover	30	
642131396		12	20	35	38	Blue Cover	30	
419956110	FTD	12	20	35	38	Frosted Cover	30	



241

SCHIEFER

HALOGEN LAMPS


HALOGEN

MR11
GU10
35 x 38mm

242

SCHIEFER

HALOGEN LAMPS




Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
419801211	220	20	35	38	Cover		2.000
419801212	220	35	35	38	Cover		2.000
Special							
641672700	220	50		38	Without Reflector		2.000

Type No.	Int. Code	Volt	Watt	∅	Length	Finish	Angle	Life
641731338	BAB	12	20	50	47.5	Open	38	
641731838	EXN	12	50	50	47.5	Open	38	
642731138		12	10	50	47.5	Cover	38	
642731306	EZX	12	20	50	47.5	Cover	6	
642731312	ESX	12	20	50	47.5	Cover	12	
642731324	BBF	12	20	50	47.5	Cover	24	
642731338	BAB	12	20	50	47.5	Cover	38	
642731360		12	20	50	47.5	Cover	60	
642731613	FMT	12	35	50	47.5	Cover	13	
642731624	FMV	12	35	50	47.5	Cover	24	
642731638	FMW	12	35	50	47.5	Cover	38	
642731812	EXT	12	50	50	47.5	Cover	12	
642731824	EXZ	12	50	50	47.5	Cover	24	
642731830	ENL	12	50	50	47.5	Cover	30	
642731838	EXN	12	50	50	47.5	Cover	38	
642731860	FNV	12	50	50	47.5	Cover	60	
642732038	EYC	12	75	50	47.5	Cover	38	
642739712	ESX	24	20	50	47.5	Cover	12	
642739738		24	20	50	47.5	Cover	38	
642740036		24	35	50	47.5	Cover	36	
642740338		24	50	50	47.5	Cover	38	
642743938		24/28	10	50	47.5	Cover	38	
642744038		28	20	50	47.5	Cover	38	
642744338		28	50	50	47.5	Cover	38	

HALOGEN

MRI 6
GU5.3
50 x 47.5mm



243

SCHIEFER

HALOGEN LAMPS


HALOGEN

MR16
GU5.3
50 x 47.5mm

244

SCHIEFER

HALOGEN LAMPS




Type No.	Int. Code	Volt	Watt	Ø	Length	Finish	Angle	Life
642731392		12	20	50	47.5	Red Cover	38	
642731393		12	20	50	47.5	Green Cover	38	
642731394		12	20	50	47.5	Yellow Cover	38	
642731396		12	20	50	47.5	Blue Cover	38	
642731892		12	50	50	47.5	Red Cover	38	
642731893		12	50	50	47.5	Green Cover	38	
642731894		12	50	50	47.5	Yellow Cover	38	
642731896		12	50	50	47.5	Blue Cover	38	
643631638	FMW	12	35	50	47.5	Frosted burner	38	
643631838	EXN	12	50	50	47.5		38	
643731338	BAB	12	20	50	47.5		38	
643731638	FMW	12	35	50	47.5	Frosted cover	38	
643731838	EXN	12	50	50	47.5		38	
642472338		240	35	50	47.5	Clear Cover	38	
642472738		240	50	50	47.5	Clear Cover	38	
642731353 *	BAB	12	20	50	47.5	Clear Cover	38	
642731853 *	EXN	12	50	50	47.5	Clear Cover	38	

(*) Xenon

Type No.	Volt	Watt	Ø	Length	Finish	Angle	Life
641771636	230	20	50	55		36	2.000
641772636	230	35	50	55		36	2.000
641772736	230	50	50	55		36	2.000
641772702	230	50	50	55	Red	25	2.000
641772703	230	50	50	55	Green	25	2.000
641772704	230	50	50	55	Yellow	25	2.000
641772706	230	50	50	55	Blue	25	2.000
Special							
641672700	220	50		38	Without Reflector		2.000

HALOGEN

MRI6
 GU10
 50 x 55mm



245

SCHIEFER

HALOGEN LAMPS

HALOGEN


Ba9s

9 x 31mm

246

SCHIEFER

HALOGEN LAMPS




Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
640922700	6	3	9	31		Clear		2.000
640922900	6	5	9	31		Clear		2.000
640923300	6	10	9	31		Clear		2.000
640923400	6	15	9	31		Clear		2.000
640923500	6	20	9	31		Clear		2.000
640931000	12	5	9	31		Clear		2.000
640931100	12	10	9	31		Clear		2.000
640931200	12	15	9	31		Clear		2.000
640931300	12	20	9	31		Clear		2.000
640939300	24	5	9	31		Clear		2.000
640939500	24	10	9	31		Clear		2.000
640939700	24	20	9	31		Clear		2.000
640943844	28	5	9	31	UV-Stop	Clear		2.000
640943944	28	10	9	31	UV-Stop	Clear		2.000
640943900	28	10	9	31		Clear		2.000
640944044	28	20	9	31	UV-Stop	Clear		2.000
640842496	28	11.5	9	31	133 Lumen	Clear		2.000
640842497 **	28	11.5	9	31	133 Lumen	Clear		2.000

(**) Black top

Type No.	Volt	mA	Watt	Ø	Length	Finish	Filament	Life
641007814	2.8	850	2.4	9.3	31	Clear		10
641013500	4	500	2	9.3	31	Clear		200
641014488	4	850	3.4	9.3	31	Clear		25
641016688	4.8	500		9.3	31	Clear		200
641019088	5.2	500		9.3	31	Clear		500
641019688	5.2	850		9.3	31	Clear		500
641022500	6		2.4	9.3	31	Clear		2.000
641022700	6		3	9.3	31	Clear		2.000
641022900	6		5	9.3	31	Clear		2.000
641023100	6		6	9.3	31	Clear		2.000
641023300	6		10	9.3	31	Clear		2.000
641031000	12		5	9.3	31	Clear		2.000
641031100	12		10	9.3	31	Clear		2.000
641031300	12		20	9.3	31	Clear		2.000
641039300	24		5	9.3	31	Clear		2.000
641039500	24		10	9.3	31	Clear		2.000
641039700	24		20	9.3	31	Clear		2.000

HALOGEN

E10
9.3 x 31mm



247


SCHIEFER

HALOGEN LAMPS

HALOGEN

Ba15s
15 x 40mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
641531000	12	5	15	40	Clear		2.000
641531100	12	10	15	40	Clear		2.000
641531200	12	15	15	40	Clear		2.000
641531300	12	20	15	40	Clear		2.000
641531800	12	50	15	40	Clear		2.000



248


SCHIEFER

HALOGEN LAMPS

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
642531000	12	5	15	40	Clear		2.000
642531100	12	10	15	40	Clear		2.000
642531200	12	15	15	40	Clear		2.000
642531300	12	20	15	40	Clear		2.000
642531800	12	50	15	40	Clear		2.000
642543944	28	10	15	40	UV-Stop	Clear	2.000
642544044	28	20	15	40	UV-Stop	Clear	2.000

HALOGEN

Ba15d
15 x 40mm



HALOGEN


R7s

8 x 64-78mm

250

SCHIEFER

HALOGEN LAMPS




Type No.	Volt	Watt	Ø	Length	Ref	Finish	Filament	Life
646440975	28	200	8	64	6.6 Amp	Clear		2.000
647864700	30	375	8	78		Clear		2.000
647867675	110/130	100	8	78	RC	Clear		2.000
647867775	110/130	150	8	78	RC	Clear		2.000
647867875	110/130	200	8	78	RC	Clear		2.000
647878075	220/240	60	8	78	RC	Clear		2.000
647878475	220/240	100	8	78	RC	Clear		2.000
647878575	220/240	150	8	78	RC	Clear		2.000
647878775	220/240	200	8	78	RC	Clear		2.000
647878875	220/240	250	8	78	RC	Clear		2.000

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
641832175	12	100	8	118	Clear		2.000
641840875	24/28	100	8	118	Clear		2.000
641840775	24/28	150	8	118	Clear		2.000
641840975	24/28	200	8	118	Clear		2.000
641841075	24/28	300	8	118	Clear		2.000
641841175	24/28	500	8	118	Clear		2.000
641851175	42	150	8	118	Clear		2.000
641851475	42	300	8	118	Clear		2.000
641851575	42	400	8	118	Clear		2.000
641851675	42	500	8	118	Clear		2.000
641867775	110/130	150	8	118	Clear		2.000
641867875	110/130	200	8	118	Clear		2.000
641867975	110/130	250	8	118	Clear		2.000
641868075	110/130	300	8	118	Clear		2.000
641868175	110/130	500	8	118	Clear		2.000
641878075	220/240	60	8	118	Clear		2.000
641878475	220/240	100	8	118	Clear		2.000
641878575	220/240	150	8	118	Clear		2.000
641878775	220/240	200	8	118	Clear		2.000
641878875	220/240	250	8	118	Clear		2.000
641878975	220/240	300	8	118	Clear		2.000
641879175	220/240	500	8	118	Clear		2.000

HALOGEN

R7s
RC
8 x 118mm



251

SCHIEFER

HALOGEN LAMPS


HALOGEN

R7s

RC

8 x 189mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
648968275	110/130	1000	8	189	Clear		2.000
648968375	110/130	750	8	189	Clear		2.000
648979175	220/240	500	8	189	Clear		2.000
648979275	220/240	750	8	189	Clear		2.000
648979375	220/240	1000	8	189	Clear		2.000



252


SCHIEFER

HALOGEN LAMPS

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
645468275	110/130	1000	8	254	Clear		2.000
645468375	110/130	1500	8	254	Clear		2.000
645479375	220/240	1000	8	254	Clear		2.000
645479475	220/240	1500	8	254	Clear		2.000

HALOGEN

R7s
RC
8 x 254mm



253

SCHIEFER


HALOGEN LAMPS

HALOGEN

R7s RC 8 × 332mm

Fa4 RC 8 × 335mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
643379375	220/240	2000	8	332	R7s	Clear	2.000
643479375	220/240	2000	8	335	Fa4	Clear	2.000



254

SCHIEFER


HALOGEN LAMPS

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
640143000	28	40	14	44	Clear		2.000
640171900	230	25	14	44	Clear		2.000
640171901	230	25	14	44	Frosted		2.000
640172600	230	40	14	44	Clear		2.000
640172601	230	40	14	44	Frosted		2.000
640172900	230	60	14	44	Clear		2.000
640172901	230	60	14	44	Frosted		2.000
640173200	230	75	14	44	Clear		2.000
640173201	230	75	14	44	Frosted		2.000

HALOGEN

G9

14 x 44mm



255


SCHIEFER

HALOGEN LAMPS

HALOGEN

E14
PAR 16
52 x 80mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
645177447	230	35	52	80	Flood	Cover	2.000
645177847	230	50	52	80	Flood	Cover	2.000
645178347	230	75	52	80	Flood	Cover	2.000



256

SCHIEFER

HALOGEN LAMPS


Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
645077448	230	35	52	80	Flood	Cover	2.000
645077848	230	50	52	80	Flood	Cover	2.000
645078348	230	75	52	80	Flood	Cover	2.000

HALOGEN

E27

PAR 16

52 x 80mm



257

SCHIEFER

HALOGEN LAMPS

HALOGEN

E27


PAR 20

63 x 85mm

258

SCHIEFER

HALOGEN LAMPS



Type No.	Volt	Watt	\varnothing	Length	Finish	Filament	Life
646367347	110/130	50	63	85	Flood	Cover	2.000
646377445	220/240	35	63	85	Spot	Cover	2.000
646377447	220/240	35	63	85	Flood	Cover	2.000
646377845	220/240	50	63	85	Spot	Cover	2.000
646377847	220/240	50	63	85	Flood	Cover	2.000
646378345	220/240	75	63	85	Spot	Cover	2.000
646378347	220/240	75	63	85	Flood	Cover	2.000


Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
648078345	220/240	75	96	91	Spot	Clear	2.000
648078347	220/240	75	96	91	Flood	Clear	2.000
648078445	220/240	100	96	91	Spot	Clear	2.000
648078447	220/240	100	96	91	Flood	Clear	2.000
648078545	220/240	150	96	91	Spot	Clear	2.000
648078547	220/240	150	96	91	Flood	Clear	2.000

HALOGEN

E27

PAR 30

96 x 91 mm



259

SCHIEFER

HALOGEN LAMPS

E27 GLS 55 x 105-108mm	262
B22 GLS 55 x 105-108mm	263
E14 Candle 35 x 100mm	264
E14 Twisted Candle 35 x 100mm	265
E27 Candle 35 x 100mm	266
E27 Twisted Candle 35 x 100mm	267
B22 Candle 35 x 100mm	268
B22 Twisted Candle 35 x 100mm	269
E14 Tip Candle 35 x 127mm	270
E14 Ball G45 x 78mm	271
E27 Ball G45 x 78mm	272
B22 Ball G45 x 78mm	273
E27 Globe 80 x 117mm	274
E27 Globe 95 x 133mm	275
Ba22d Globe 95 x 133mm	276
E14 R50 x 85mm	277
E27 R63 x 105mm	278
E27 R80 x 115mm	279
GU10 50 x 57.5mm	280
G9 12.5-13 x 43.8-45.8mm	281
R7s 20% Energy Saving 8 x 78mm	282
R7s 30% Energy Saving 8 x 78mm	283
R7s 20% Energy Saving 8 x 118mm	284
R7s 30% Energy Saving 8 x 118mm	285
E27 JDD 20% Energy Saving T32 x 115mm	286
B22 JDD 20% Energy Saving T32 x 115mm	287
E27 JDD 30% Energy Saving T32 x 115mm	288
B22 JDD 30% Energy Saving T32 x 115mm	289
E27 JDD BT 20% Energy Saving 46 x 112mm	290
E27 JDD BT 30% Energy Saving 46 x 112mm	291
Ba22d JDD BT 20% Energy Saving 46 x 112mm	292
Ba22d JDD BT 30% Energy Saving 46 x 112mm	293
E11 JD 20% Energy Saving 18.5 x 82-97mm	294
E11 JD 30% Energy Saving 18.5 x 56-92mm	295
E14 JD 20% Energy Saving 19 x 85-100mm	296
E14 JD 30% Energy Saving 19 x 59-95mm	297
E27 JD 20% Energy Saving 29 x 88-103mm	298
E27 JD 30% Energy Saving 29 x 66-98mm	299

Ba15d JD 20% Energy Saving 17 x 85-100mm	300
Ba15d JD 30% Energy Saving 17 x 59-95mm	301
B22 JD 20% Energy Saving 29 x 89-104mm	302
B22 JD 30% Energy Saving 29 x 67-99mm	303
G4 9 x 30mm	304
GY6.35 11 x 44mm	305
GU5.3 50 x 47.5mm	306
GY6.35 IRC 40% Energy Saving 12.5 x 40mm	307
GU5.3 IRC 40% Energy Saving 50 x 47.5mm	308

ECO HALOGEN

E27


GLS

55 x 105-108mm

262

SCHIEFER

HALOGEN LAMPS



Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640018550	230/240	18	25	55	105	170	Clear	D	1.500
640028550	230/240	28	40	55	105	350	Clear	D	2.000
640028551	230/240	28	40	55	105		Frosted	D	2.000
640042550	230/240	42	60	55	105	630	Clear	C	2.000
640042551	230/240	42	60	55	105		Frosted	C	2.000
640052550	230/240	52	75	55	105	840	Clear	C	2.000
640053551	230/240	53	75	55	105		Frosted	C	2.000
640070550	230/240	70	100	55	105	1200	Clear	C	2.000
640100550	230/240	100	150	60	108	1800	Clear	C	2.000


Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018540	230/240	18	25	55	105	170	Clear	D	1.500
640028540	230/240	28	40	55	105	350	Clear	D	2.000
640042540	230/240	42	60	55	105	630	Clear	C	2.000
640052540	230/240	52	75	55	105	840	Clear	C	2.000
640070540	230/240	70	100	55	105	1200	Clear	C	2.000
640100540	230/240	100	150	60	108	1800	Clear	C	2.000

ECO HALOGEN

B22

GLS

55 x 105-108mm




ECO HALOGEN

E14
Candle
35 x 100mm

264

SCHIEFER

HALOGEN LAMPS




Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640018350	230/240	18	25	35	100	170	Clear	D	1.500
640020351	230/240	18	25	35	100		Frosted	D	1.500
640028350	230/240	28	40	35	100	350	Clear	D	2.000
640028351	230/240	28	40	35	100		Frosted	D	2.000
640042350	230/240	42	60	35	100	630	Clear	C	2.000

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018360	230/240	18	25	35	100	170	Clear	D	1.500
640028360	230/240	28	40	35	100	350	Clear	D	2.000
640042360	230/240	42	60	35	100	630	Clear	C	2.000

ECO HALOGEN

E14
Twisted Candle
35 x 100mm



265


SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

E27
Candle
35 x 100mm

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640018370	230/240	18	25	35	100	170	Clear	D	1.500
640028370	230/240	28	40	35	100	350	Clear	D	2.000
640042370	230/240	42	60	35	100	630	Clear	C	2.000



266


SCHIEFER

HALOGEN LAMPS

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018380	230/240	18	25	35	100	170	Clear	D	1.500
640028380	230/240	28	40	35	100	350	Clear	D	2.000
640042380	230/240	42	60	35	100	630	Clear	C	2.000

ECO HALOGEN

E27
Twisted Candle
35 x 100mm



267


SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

B22
Candle
35 x 100mm

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640018390	230/240	18	25	35	100	170	Clear	D	1.500
640028390	230/240	28	40	35	100	350	Clear	D	2.000
640042390	230/240	42	60	35	100	630	Clear	C	2.000



268

SCHIEFER

HALOGEN LAMPS


Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018400	230/240	18	25	35	100	170	Clear	D	1.500
640028400	230/240	28	40	35	100	350	Clear	D	2.000
640042400	230/240	42	60	35	100	630	Clear	C	2.000

ECO HALOGEN

B22

Twisted Candle

35 x 100mm



269


SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

E14
Tip Candle
35 x 127mm

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640018410	230/240	18	25	35	127	170	Clear	D	1.500
640028365	230/240	18	25	35	127		Gold	D	1.500
640028410	230/240	28	40	35	127	350	Clear	D	2.000
640042410	230/240	42	60	35	127	630	Clear	C	2.000



270

SCHIEFER

HALOGEN LAMPS


Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018450	230/240	18	25	45	78	170	Clear	D	1.500
640028450	230/240	28	40	45	78	350	Clear	D	2.000
640042450	230/240	42	60	45	78	630	Clear	C	2.000

ECO HALOGEN

E14

Ball

G45 x 78mm



271

SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

E27



Ball

G45 x 78mm

272

SCHIEFER

HALOGEN LAMPS



Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640018460	230/240	18	25	45	78	170	Clear	D	1.500
640028460	230/240	28	40	45	78	350	Clear	D	2.000
640042460	230/240	42	60	45	78	630	Clear	C	2.000
649928451	230/240	28	40	45	75	370	Frosted	C	1.500

Ceramic base / Oven lamp


Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018470	230/240	18	25	45	78	170	Clear	D	1.500
640028470	230/240	28	40	45	78	350	Clear	D	2.000
640042470	230/240	42	60	45	78	630	Clear	C	2.000

ECO HALOGEN

B22

Ball

G45 x 78mm



273

SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

E27


Globe

80 x 117mm

274

SCHIEFER

HALOGEN LAMPS




Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640018800	230/240	18	25	80	117	170	Clear	D	1.500
640028800	230/240	28	40	80	117	350	Clear	D	2.000
640042800	230/240	42	60	80	117	630	Clear	C	2.000
640052800	230/240	52	75	80	117	840	Clear	C	2.000
640070800	230/240	70	100	80	117	1200	Clear	C	2.000

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018950	230/240	18	25	95	133	170	Clear	D	1.500
640028950	230/240	28	40	95	133	350	Clear	D	2.000
640042950	230/240	42	60	95	133	630	Clear	C	2.000
640052950	230/240	52	75	95	133	840	Clear	C	2.000
640070950	230/240	70	100	95	133	1200	Clear	C	2.000

ECO HALOGEN

E27
Globe
95 x 133mm



275

SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

Ba22d

Globe


95 x 133mm

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640042160	230/240	42	60	95	133	630	Clear	C	2.000
640070160	230/240	70	100	95	133	1200	Clear	C	2.000

276

SCHIEFER


HALOGEN LAMPS



Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Angle	Label	Life
640018500	230/240	18	25	50	85	230	30	C	1.500
640028500	230/240	28	40	50	85	380	30	C	2.000
640042500	230/240	42	60	50	85	570	30	C	2.000

ECO HALOGEN

E14
R50 x 85mm




ECO HALOGEN

E27

R63 x 105mm

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Angle	Label	Life
640018630	230/240	18	25	63	105	230	30	C	1.500
640028630	230/240	28	40	63	105	380	30	C	2.000
640042630	230/240	42	60	63	105	670	30	C	2.000



278

SCHIEFER


HALOGEN LAMPS

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Angle	Label	Life
640042810	230/240	42	60	80	115	670	30	C	2.000
640052810	230/240	52	75	80	115	750	30	C	2.000
640070810	230/240	70	100	80	115	900	30	C	2.000

ECO HALOGEN

E27

R80 x 115mm



279

SCHIEFER


HALOGEN LAMPS

ECO HALOGEN

GU10

50 x 57.5mm

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Angle	Label	Life
640025100	230/240	25	35	50	57.5	800	20	C	2.000
640028100	230/240	28	35	50	57.5	600	38	C	2.000
640035100	230/240	35	50	50	57.5	1200	20	C	2.000
640040100	230/240	42	60	50	57.5	900	38	C	2.000
640050100	230/240	50	60	50	57.5	2.000	20	C	2.000



280

SCHIEFER



HALOGEN LAMPS

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018090	230/240	18	25	13	44	170	Clear	D	2.000
640028090	230/240	28	40	13	44	350	Clear	D	2.000
640033090	230/240	33	40	13	44	460	Clear	D	2.000
640042090	230/240	42	60	13	44	630	Clear	C	2.000
640052090	230/240	52	75	13	44	840	Clear	C	2.000
640018091	230/240	18	25	13	44		Frosted	D	2.000
640028091	230/240	28	40	13	44		Frosted	D	2.000
640042091	230/240	42	60	13	44		Frosted	D	2.000

ECO HALOGEN

G9

12.5-13 × 43.8-45.8mm



281

SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

R7s


20% Energy Saving

8 x 78mm

282

SCHIEFER

HALOGEN LAMPS




Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640060720	230/240	60	75	8	78.3	980	Clear	C	1.000
640080720	230/240	80	100	8	78.3	1400	Clear	C	1.000
640020720	230/240	120	150	8	78.3	2250	Clear	C	1.000
640160720	230/240	160	200	8	78.3	3150	Clear	C	1.000
640200720	230/240	200	250	10	78.3	4000	Clear	C	1.000

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640070730	230/240	70	100	8	78.3	1200	Clear	C	1.000
640100730	230/240	100	150	8	78.3	1900	Clear	C	1.000
640130730	230/240	130	200	8	78.3	2500	Clear	C	1.000
640200730	230/240	200	300	10	78.3	4000	Clear	C	1.000

ECO HALOGEN

R7s
30% Energy Saving
8 x 78mm



ECO HALOGEN

R7s


20% Energy Saving

8 x 118mm

284

SCHIEFER

HALOGEN LAMPS




Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640080820	230/240	80	100	8	117.6	1400	Clear	C	1.000
640120820	230/240	120	150	8	117.6	2250	Clear	C	1.000
640160820	230/240	160	200	8	117.6	3150	Clear	C	1.000
640200820	230/240	200	250	10	117.6	4000	Clear	C	1.000
640230820	230/240	240	300	10	117.6	4700	Clear	C	1.000
640400820	230/240	400	500	10	117.6	8600	Clear	C	1.000

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640070830	230/240	70	100	8	117.6	1200	Clear	C	1.000
640100830	230/240	100	150	8	117.6	1900	Clear	C	1.000
640130830	230/240	130	200	8	117.6	2500	Clear	C	1.000
640200830	230/240	200	300	10	117.6	4000	Clear	C	1.000
640330830	230/240	330	500	10	117.6	7100	Clear	C	1.000

ECO HALOGEN

R7s
30% Energy Saving
8 x 118mm



285


SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

E27 JDD
20% Energy Saving
T32 x 115mm

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640120320	230/240	120	150	32	115	2250	Clear	C	1.000
640160320	230/240	160	200	32	115	3150	Clear	C	1.000
640200320	230/240	200	250	29	98	4000	Clear	C	1.000
640230320	230/240	230	300	29	98	4700	Clear	C	1.000
640400320	230/240	400	500	29	103	8600	Clear	C	1.000



286

SCHIEFER

HALOGEN LAMPS


Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640120330	230/240	120	150	32	115	2250	Clear	C	1.000
640160330	230/240	160	200	32	115	3150	Clear	C	1.000
640200330	230/240	200	250	29	98	4000	Clear	C	1.000
640230330	230/240	230	300	29	98	4700	Clear	C	1.000
640400330	230/240	400	500	29	103	8600	Clear	C	1.000

ECO HALOGEN

B22 JDD


20% Energy Saving

T32 x 115mm



ECO HALOGEN

E27 JDD
30% Energy Saving
T32 x 115mm



Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640018310	230/240	18	25	32	115	170	Clear	D	1.500
640028310	230/240	28	40	32	115	350	Clear	D	2.000
640042310	230/240	42	60	32	115	630	Clear	C	2.000
640052310	230/240	52	75	32	115	840	Clear	C	2.000
640070310	230/240	70	100	32	115	1200	Clear	C	2.000
640070311	230/240	70	100	32	115	1200	Frosted	D	2.000
640100310	230/240	100	150	32	115	1800	Clear	C	2.000
640100311	230/240	100	150	32	115	1800	Frosted	D	2.000
640130310	230/240	130	200	32	115	2500	Clear	C	1.000
640175310	230/240	175	250	32	115	3500	Clear	C	1.000
640210310	230/240	210	300	32	115	4300	Clear	C	1.000
640350310	230/240	350	500	32	115	7500	Clear	C	1.000


Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018300	230/240	18	25	32	115	170	Clear	D	1.500
640028300	230/240	28	40	32	115	350	Clear	D	2.000
640042300	230/240	42	60	32	115	630	Clear	C	2.000
640052300	230/240	52	75	32	115	840	Clear	C	2.000
640070300	230/240	70	100	32	115	1200	Clear	C	2.000
640100300	230/240	100	150	32	115	1800	Clear	C	2.000
640130300	230/240	130	200	32	115	2500	Clear	C	1.000
640175300	230/240	175	250	32	115	3500	Clear	C	1.000
640210300	230/240	210	300	32	115	4300	Clear	C	1.000
640350300	230/240	350	500	32	115	7500	Clear	C	1.000

ECO HALOGEN

B22 JDD

30% Energy Saving


T32 x 115mm



ECO HALOGEN

E27 JDD BT
20% Energy Saving
46 x 112mm

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640120590	240	120	150	46	112	2250	Clear	C	1.000
640160590	240	160	200	46	112	3150	Clear	C	1.000
640200590	240	200	250	46	112	4000	Clear	C	1.000
640230590	240	230	300	46	112	4700	Clear	C	1.000
640400590	240	400	500	46	112	8600	Clear	C	1.000



290


SCHIEFER

HALOGEN LAMPS

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018570	230/240	18	25	46	112	170	Clear	D	1.500
640028570	230/240	28	40	46	112	350	Clear	D	2.000
640042570	230/240	42	60	46	112	630	Clear	C	2.000
640052570	230/240	52	75	46	112	840	Clear	C	2.000
640070570	230/240	70	100	46	112	1200	Clear	C	2.000
640100570	230/240	100	150	46	112	1800	Clear	C	2.000
640130570	230/240	130	200	46	112	2500	Clear	C	1.000
640175570	230/240	175	250	46	112	3500	Clear	C	1.000
640210570	230/240	210	300	46	112	4300	Clear	C	1.000

ECO HALOGEN

E27 JDD BT
30% Energy Saving
46 x 112mm




ECO HALOGEN

Ba22d JDD BT
20% Energy Saving
46 x 112mm

292

SCHIEFER

HALOGEN LAMPS




Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640120600	240	120	150	46	112	2250	Clear	C	1.000
640160600	240	160	200	46	112	3150	Clear	C	1.000
640200600	240	200	250	46	112	4000	Clear	C	1.000
640230600	240	230	300	46	112	4700	Clear	C	1.000
640400600	240	400	500	46	112	8600	Clear	C	1.000

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018580	230/240	18	25	46	112	170	Clear	D	1.500
640028580	230/240	28	40	46	112	350	Clear	D	2.000
640042580	230/240	42	60	46	112	630	Clear	C	2.000
640052580	230/240	52	75	46	112	840	Clear	C	2.000
640070580	230/240	70	100	46	112	1200	Clear	C	2.000
640100580	230/240	100	150	46	112	1800	Clear	C	2.000
640130580	230/240	130	200	46	112	2500	Clear	C	1.000
640175580	230/240	175	250	46	112	3500	Clear	C	1.000
640210580	230/240	210	300	46	112	4300	Clear	C	1.000

ECO HALOGEN

Ba22d JDD BT
30% Energy Saving
46 x 112mm




ECO HALOGEN

E11 JD
20% Energy Saving
18.5 x 82-97mm

294

SCHIEFER

HALOGEN LAMPS




Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640120120	230/240	120	150	18.5	82	2250	Clear	C	1.000
640160120	230/240	160	200	18.5	82	3150	Clear	C	1.000
640200120	230/240	200	250	18.5	92	4000	Clear	C	1.000
640230120	230/240	230	300	18.5	92	4700	Clear	C	1.000
640400120	230/240	400	500	18.5	97	8600	Clear	C	1.000

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018130	230/240	18	25	18.5	56	170	Clear	D	1.500
640028130	230/240	28	40	18.5	60	350	Clear	D	2.000
640042130	230/240	42	60	18.5	62	630	Clear	C	2.000
640052130	230/240	52	75	18.5	63	840	Clear	C	2.000
640070130	230/240	70	100	18.5	63	1200	Clear	C	2.000
640100130	230/240	100	150	18.5	75	1800	Clear	C	2.000
640130130	230/240	130	200	18.5	82	2500	Clear	C	1.000
640175130	230/240	175	250	18.5	82	3500	Clear	C	1.000
640210130	230/240	210	300	18.5	92	4300	Clear	C	1.000
640350130	230/240	350	500	18.5	92	7500	Clear	C	1.000

ECO HALOGEN

E11 JD

30% Energy Saving
18.5 x 56-92mm



295


SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

E14 JD
20% Energy Saving
19 x 85-100mm

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640120140	230/240	120	150	19	85	2250	Clear	C	1.000
640160140	230/240	160	200	19	85	3150	Clear	C	1.000
640200040	230/240	200	250	19	95	4000	Clear	C	1.000
640230140	230/240	230	300	19	95	4700	Clear	C	1.000
640400140	230/240	400	500	19	100	8600	Clear	C	1.000



296

SCHIEFER

HALOGEN LAMPS


Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018150	230/240	18	25	19	59	170	Clear	D	1.500
640028150	230/240	28	40	19	63	350	Clear	D	2.000
640042150	230/240	42	60	19	65	630	Clear	C	2.000
640052150	230/240	52	75	19	66	740	Clear	C	2.000
640070150	230/240	70	100	19	66	1200	Clear	C	2.000
640100150	230/240	100	150	19	78	1800	Clear	C	2.000
640130150	230/240	130	200	19	85	2500	Clear	C	1.000
640175150	230/240	175	250	19	85	3500	Clear	C	1.000
640210150	230/240	210	300	19	95	4300	Clear	C	1.000
640350150	230/240	350	500	19	95	7500	Clear	C	1.000

ECO HALOGEN

E14 JD

30% Energy Saving

19 x 59-95mm




297

SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

E27 JD
20% Energy Saving
29 x 88-103mm



Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640120060	230/240	120	150	29	88	2250	Clear	C	1.000
640160060	230/240	160	200	29	88	3150	Clear	C	1.000
640200060	230/240	200	250	29	98	4000	Clear	C	1.000
640230060	230/240	230	300	29	98	4700	Clear	C	1.000
640400060	230/240	400	500	29	103	8600	Clear	C	1.000

298

SCHIEFER

HALOGEN LAMPS


Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018070	230/240	18	25	29	66	170	Clear	D	1.500
640028070	230/240	28	40	29	66	350	Clear	D	2.000
640042070	230/240	42	60	29	68	630	Clear	C	2.000
640052070	230/240	52	75	29	68	840	Clear	C	2.000
640070070	230/240	70	100	29	69	1200	Clear	C	2.000
640100070	230/240	100	150	29	81	1800	Clear	C	2.000
640130070	230/240	130	200	29	88	2500	Clear	C	1.000
640175070	230/240	175	250	29	88	3500	Clear	C	1.000
640210070	230/240	210	300	29	98	4300	Clear	C	1.000
640350070	230/240	350	500	29	98	7500	Clear	C	1.000

ECO HALOGEN

E27 JD

30% Energy Saving

29 x 66-98mm



299

SCHIEFER

HALOGEN LAMPS


ECO HALOGEN

Ba15d JD

20% Energy Saving

17 x 85-100mm

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640120180	230/240	120	150	17	85	2250	Clear	C	1.000
640160180	230/240	160	200	17	85	3150	Clear	C	1.000
640200180	230/240	200	250	17	95	4000	Clear	C	1.000
640230180	230/240	230	300	17	95	4700	Clear	C	1.000
640400180	230/240	400	500	17	100	8600	Clear	C	1.000



300


SCHIEFER

HALOGEN LAMPS

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640018190	230/240	18	25	17	59	170	Clear	D	1.500
640028190	230/240	28	40	17	63	350	Clear	D	2.000
640042190	230/240	42	60	17	65	630	Clear	C	2.000
640052190	230/240	52	75	17	66	840	Clear	C	2.000
640070190	230/240	70	100	17	66	1200	Clear	C	2.000
640070191	230/240	70	100	17	66	1200	Frosted	C	2.000
640100190	230/240	100	150	17	78	1800	Clear	C	2.000
640130190	230/240	130	200	17	85	2500	Clear	C	1.000
640175190	230/240	175	250	17	85	3500	Clear	C	1.000
640210190	230/240	210	300	17	95	4300	Clear	C	1.000
640350190	230/240	350	500	17	95	7500	Clear	C	1.000

ECO HALOGEN

Ba15d JD
30% Energy Saving
17 x 59-95mm



301

SCHIEFER


HALOGEN LAMPS

ECO HALOGEN

B22 JD
20% Energy Saving
29 x 89-104mm



Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640120200	230/240	120	150	29	89	2250	Clear	C	1.000
640160200	230/240	160	200	29	89	3150	Clear	C	1.000
640200200	230/240	200	250	29	99	4000	Clear	C	1.000
640230200	230/240	230	300	29	99	4700	Clear	C	1.000
640400200	230/240	400	500	29	104	8600	Clear	C	1.000



302


SCHIEFER

HALOGEN LAMPS

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640018210	230/240	18	25	29	67	170	Clear	D	1.500
640028210	230/240	28	40	29	67	350	Clear	D	2.000
640042210	230/240	42	60	29	69	630	Clear	C	2.000
640052210	230/240	52	75	29	69	840	Clear	C	2.000
640070210	230/240	70	100	29	70	1200	Clear	C	2.000
640100210	230/240	100	150	29	82	1800	Clear	C	2.000
640130210	230/240	130	200	29	89	2500	Clear	C	1.000
640175210	230/240	175	250	29	89	3500	Clear	C	1.000
640210210	230/240	210	300	29	99	4300	Clear	C	1.000
640350210	230/240	350	500	29	99	7500	Clear	C	1.000

ECO HALOGEN

B22 JD
30% Energy Saving
29 x 67-99mm



303


SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

G4
9 x 30mm

Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Finish	Label	Life
640014040	12	14	20	9	30	249.2	Clear	B	2.000



304


SCHIEFER

HALOGEN LAMPS

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Finish	Label	Life
640014050	12	14	20	11	44	249.2	Clear	B	2.000
640025050	12	25	35	11	44	500	Clear	B	2.000
640035050	12	35	50	11	44	700	Clear	C	2.000
640050050	12	50	75	11	44	1.000	Clear	B	2.000
640053050	12	53	75	11	44	1150	Clear	B	2.000

ECO HALOGEN

GY6.35
11 x 44mm




305

SCHIEFER

HALOGEN LAMPS

ECO HALOGEN

GU5.3
50 x 47.5mm



Type No.	Volt	Watt	Replaced	Ø	Length	Lumen	Angle	Label	Life
640602036	12	20	35	50	47.5	1.000	36	C	2.000
640603536	12	35	50	50	47.5	1800	36	C	2.000
640603550	12	50	75	50	47.5	2200	36	C	2.000
640602060	12	20	35	50	47.5	450	60	C	2.000
640603560	12	35	50	50	47.5	850	60	C	2.000
640605060	12	50	75	50	47.5	1100	60	C	2.000
640602024	12	20	35	50	47.5	1800	24	C	2.000
640603524	12	35	50	50	47.5	3000	24	C	2.000
640605024	12	50	75	50	47.5	4000	24	C	2.000

306

SCHIEFER


HALOGEN LAMPS

Type No.	Volt	Watt	Replaced	∅	Length	Lumen	Kelvin	Label	Life
640014340	12V	14		12.5	40	215	2900K	B	3.000
640025340	12V	25		12.5	40	465	2900K	B	3.000
640035340	12V	35		12.5	40	715	2900K	B	3.000

ECO HALOGEN

GY6,35 IRC
40% Energy Savings
12,5 x 40mm

These lamps have a infra-red coating, therefore class B.



ECO HALOGEN

GU5.3 IRC


40% Energy Savings

50 x 47.5mm

308

SCHIEFER

HALOGEN LAMPS



Type No.	Volt	Watt	Angle	Ø	Length	Lumen	Kelvin	Label	Life
640531424	12V	14	24	50	47.5	800	2900K	B	3.000
640531436	12V	14	36	50	47.5	400	2900K	B	3.000
640532524	12V	25	24	50	47.5	1600	2900K	B	3.000
640532536	12V	25	36	50	47.5	800	2900K	B	3.000
640533524	12V	35	24	50	47.5	2600	2900K	B	3.000
640533536	12V	35	36	50	47.5	1200	2900K	B	3.000


These lamps have an infra-red coating, therefore class B.

Ba15d T25 x 70mm	311
Bay15d T25-40 x 62-70mm	312
P28s T38 x 108mm	313
Ba22d T38-46 x 98-130mm	314
E27 T38 x 98mm	315

Type No.	Volt	Watt	Ø	Length	Finish	CP	Life
265831100	12	10	25	70		12	1.500
265831200	12	18	25	70		12	1.500
265831400	12	24	25	70		18	1.500
265839500	24	10	25	70		12	1.500
265839600	24	18	25	70		12	1.500
265839800	24	25	25	70		40	1.500
265846600	28	25	25	70		40	1.500
265888600	110	24	25	70		18	1.500
265831500	12	30	25	70	USA	24	1.500
265839900	24	30	25	70	USA	24	1.500
265847700	32	30	25	70	USA	24	1.500
265871900	220	25	25	70	USA	18	1.500
265864700	110	25	25	70	USA	CC-8-1	1.500
265867132	120	30	25	70	USA	Anchor	1.500

TUBULAR

Ba15d
T25 x 70mm



3 | |

SCHIEFER

SHIP & NAVIGATION


TUBULAR

Bay15d
T25-40 x 62-70mm

3 | 2

SCHIEFER

SHIP & NAVIGATION




Type No.	Volt	Watt	Ø	Length	Finish	CP	Life
266623300	6	10	35	56		10	1.500
266623600	6	25	35	56		40	1.500
265689400	24	25	35	56		40	1.500
266490000	220	25	40	62		40	1.500
267031100	12	10	25	70		12	1.500
267031200	12	18	25	70		12	1.500
267688800	12	24	25	70		18	1.500
267031400	12	25	25	70		40	1.500
267039500	24	10	25	70		12	1.500
267688900	24		25	70		12	1.500
267689200	24		25	70		18	1.500
267039800	24	25	25	70		40	1.500
267039932	24	30	25	70		24	1.500
267046600	28	25	25	70		30	1.500
267047700	32	30	25	70		24	1.500
267048800	32	25	25	70		28	1.500
267064700	110	25	25	70		40	1.500
267067000	120	25	25	70		40	1.500
267071900	220	25	25	70		40	1.500
267088800	12	24	25	70		18	1.500

Type No.	Volt	Watt	Ø	Length	Finish	CP	Life
289804865	48	65	38	108		50	1.500
289890100	24	40	38	108		50	1.500
289890200	28	40	38	108		50	1.500
289890300	110	60	38	108		50	1.500
289890400	110	80	38	108		65/70	1.500
289890500	220	65	38	108		50	1.500
289890700	220	85	38	108		65/70	1.500
289889800	220	40	38	108		13	1.500

TUBULAR

P28s
T38 x 108mm



TUBULAR


Ba22d

T38-46 x 98-130mm

3 | 4

SCHIEFER

SHIP & NAVIGATION




Type No.	Volt	Watt	Ø	Length	Finish	CP	Life
229831400	12	24	38	98		18	1.500
229889200	24	24	38	98		18	1.500
229889300	24	60	38	98		26	1.500
229890100	24	40	38	98		50	1.500
229889000	24	40	38	98		13	1.500
229889100	24	55	38	98		35	1.500
229890200	28	40	38	98		50	1.500
229889500	110	40	38	98		13	1.500
229889600	110	60	38	98		26	1.500
229890232	110	55	38	98		35	1.500
229890300	110	60	38	98		50	1.500
229890400	110	80	38	98		65/70	1.500
229889800	220	40	38	98		13	1.500
229889900	220	60	38	98		26	1.500
229890500	220	65	38	98		50	1.500
229890600	220	80	46	130	Scandinavian	65	1.500
229890700	220	85	38	98		65/70	1.500
229889700	220	55	38	98		35	1.500

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
279889000	24	40	38	98		13	1.500
279840400	24	55	38	98		35	1.500
279889300	24	60	38	98		26	1.500
279889500	110	40	38	98		13	1.500
279889600	110	60	38	98		26	1.500
279889800	220	40	38	98		13	1.500
279889900	220	60	38	98		26	1.500
279890100	24	40	38	98		50	1.500
279890200	28	40	38	98		50	1.500
279890300	110	60	38	98		50	1.500
279890400	110	80	38	98		65/70	1.500
279890500	220	65	38	98		50	1.500
279890700	220	85	38	98		65/70	1.500

TUBULAR

E27
T38 x 98mm



315

SCHIEFER

SHIP & NAVIGATION

Ba15d 16 x 52mm	317
E14 16 x 52mm	318
E27 25 x 70mm	319
Ba22d 22 x 60mm	320

Type No.	Volt	Min-mA	Max-mA	∅	Length	Finish	Life
155491000	1.5	60	100	16	52	Clear	1.000
155491100	1.5	90	150	16	52	Clear	1.000
155491200	1.5	130	220	16	52	Clear	1.000
155491300	1.5	180	310	16	52	Clear	1.000
155491400	1.5	280	450	16	52	Clear	1.000
155491500	1.5	400	650	16	52	Clear	Gas filled 1.000
155491600	1.5	580	950	16	52	Clear	Gas filled 1.000
155491700	1.5	850	1400	16	52	Clear	Gas filled 1.000
155491800	1.5	1250	2000	16	52	Clear	Gas filled 1.000
155491900	1.5	1800	3000	16	52	Clear	Gas filled 1.000
155492000	1.5	2700	4500	16	52	Clear	Gas filled 1.000

CURRENT INDICATOR

Ba15d
16 x 52mm



317

SCHIEFER

SHIP & NAVIGATION

CURRENT INDICATOR

E14

16 x 52mm



Type No.	Volt	Min-mA	Max-mA	Ø	Length	Finish		Life
145491000	1.5	60	100	16	52	Clear	Gas filled	1.000
145491100	1.5	90	150	16	52	Clear	Gas filled	1.000
145491200	1.5	130	220	16	52	Clear	Gas filled	1.000
145491300	1.5	180	310	16	52	Clear	Gas filled	1.000
145491400	1.5	280	450	16	52	Clear	Gas filled	1.000
145491500	1.5	400	650	16	52	Clear	Gas filled	1.000
145491600	1.5	580	950	16	52	Clear		1.000
145491700	1.5	850	1400	16	52	Clear		1.000
145491800	1.5	1250	2000	16	52	Clear		1.000
145491900	1.5	1800	3000	16	52	Clear		1.000
145492000	1.5	2700	4500	16	52	Clear		1.000

318

SCHIEFER

SHIP & NAVIGATION

Type No.	Volt	Min-mA	Max-mA	∅	Length	Finish	Life
418855900	1.5	0.13	0.22	25	70	Clear	1.000
418856900	1.5	0.28	0.45	25	70	Clear	1.000
418858300	1.5	0.58	0.95	25	70	Clear	1.000
418861800	1.5	1.80	3.00	25	70	Clear	1.000
418862000	1.5	2.70	4.50	25	70	Clear	1.000

CURRENT INDICATOR

E27
25 x 70mm



CURRENT INDICATOR

Ba22d
22 x 60mm



Type No.	Volt	Min-mA	Max-mA	Ø	Length	Finish	Life
418830300	1	0.09	0.15	22	60	Clear	1.000
418831600	1	0.13	0.22	22	60	Clear	1.000
418832900	1	0.18	0.31	22	60	Clear	1.000
418834200	1	0.28	0.45	22	60	Clear	1.000
418835500	1	0.40	0.65	22	60	Clear	1.000
418836800	1	0.58	0.95	22	60	Clear	1.000
418838100	1	0.85	1.40	22	60	Clear	1.000
418840700	1	1.25	2.00	22	60	Clear	1.000
418841000	1	1.80	3.00	22	60	Clear	1.000
418891500	1	0.40	0.65	22	60	Clear	1.000

320

SCHIEFER


SHIP & NAVIGATION

T4.9 5.4 x 22mm	323
MB Trap 5.7 x 17mm	324
MB7 6.7 x 22mm	325
S9 Dimple festoon 11 x 44mm	326
H-Shape 6 x 4mm	327
E10 Repeater 15 x 42mm	328
Ba22d 18-23 x 38-48mm	329
Ba22d Boat Lamp G41 x 61mm	330
P30d Aldis 42 x 62mm	331
P30s Buoy S8 26 x 50mm	332
P30s Buoy S11 35 x 60mm	333
P30s Buoy / Halogen T11 x 54mm	334
G19/54 Suez 150-260 x 200-331mm	335
HX48 65 x 207mm	336

Type No.	Volt	mA	Ø	Length	Finish	Filament	Life
473342700	28	22	5.4	22	Clear		1.000

SPECIAL ITEMS

T4.9
5.4 x 22mm



323

SCHIEFER

SHIP & NAVIGATION


SPECIAL ITEMS

MB
Trap
5.7 x 17mm

324

SCHIEFER

SHIP & NAVIGATION




Type No.	Volt	mA	Watt	Ø	Length	Finish	Filament	Life
650921718	6	100	0.60	5.7	17	Clear		1.000
650930018	12	50	0.60	5.7	17	Clear		1.000
650933400	14	50	0.70	5.7	17	Clear		1.000
650934100	14	80	1.12	5.7	17	Clear		1.000
650935600	18	50	0.90	5.7	17	Clear		1.000
650935418	18	33	0.60	5.7	17	Clear		1.000
650938600	24	50	1.20	5.7	17	Clear		1.000
650938218	24	25	0.60	5.7	17	Clear		1.000
650942600	28	20	0.56	5.7	17	Clear		1.000
650944500	28	40	1.20	5.7	17	Clear		1.000
650942618	28	21	0.60	5.7	17	Clear		1.000
650956400	60	20	1.20	5.7	17	Clear		1.000

Type No.	Volt	mA	Ø	Length	Finish	Filament	Life
651735200	15	20	6.7	22	Clear		1.000
651745300	30	30	6.7	22	Clear		1.000
651756600	60	30	6.7	22	Clear		1.000

SPECIAL ITEMS

MB7
6.7 x 22mm



325

SCHIEFER

SHIP & NAVIGATION


SPECIAL ITEMS

S9

Dimple festoon

11 x 44mm

Type No.	Volt	Watt	Ø	Length	CP	Finish	Filament	Life
734431126	12	10	11	44		Clear		3.000
734439526	24	10	11	44		Clear		3.000
734131033	13.5	520mA	11	40	4	Clear	<i>Flat cap</i>	1.000



326



SCHIEFER

SHIP & NAVIGATION

Type No.	Volt	mA	Ø	Length	Finish	Filament	Life
650128024	28	24	6	4	OL 4089	Clear	1.500
650128040	28	40	6	4		Clear	1.500

SPECIAL ITEMS

H-Shape
6 x 4mm



327


SCHIEFER

SHIP & NAVIGATION

SPECIAL ITEMS

E10
Repeater
15 x 42mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
104251800	45	8	15	42	Clear		1.000
104251802	45	8	15	42	Red		1.000
104261300	70	8	15	42	Clear		1.000
104261302	70	8	15	42	Red		1.000



328

SCHIEFER


SHIP & NAVIGATION

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
223831000 *	12	5	18	38	Clear	C-2V	1.500
223831100 *	12	10	18	38	Clear	C-2V	1.500
223839300 *	24	5	18	38	Clear	C-2V	1.500
223839500 *	24	10	18	38	Clear	C-2V	1.500

Alternative							
224539300	24	5	23	48	Clear	C-2V	1.500

SPECIAL ITEMS

Ba22d
18-23 x 38-48mm



329


SCHIEFER

SHIP & NAVIGATION

SPECIAL ITEMS

Ba22d
Boat Lamp
G41 x 61mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
228839500	24	10	41	61	Clear	C-2V	2.000
228839600	24	15	41	61	Clear	C-2V	2.000
228839800	24	25	41	61	Clear	C-2V	2.000
228840000	24	35	41	61	Clear	C-2V	2.000



330


SCHIEFER

SHIP & NAVIGATION

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
656028481	11	60	42	62	Top Mirror	C6	1.000
656040581	24	60	42	62	Top Mirror	C6	1.000
656031400	12	25	42	62	Clear	C6	1.000

SPECIAL ITEMS

P30d
Aldis
42 x 62mm




SPECIAL ITEMS

P30s

Buoy

S8 26 x 50mm



Type No.	Volt	Amp	Ø	Length	Lumen	Finish	Filament	Life
304842058	6.2	0.25	26	50	10	Clear	C-8	1.500
304842059	6.2	0.46	26	50	29	Clear	C-8	1.500
304842060	6.2	0.70	26	50	50	Clear	C-8	1.500
304842061	6.2	0.92	26	50	60	Clear	C-8	1.500
304842062	6.2	1.40	26	50	125	Clear	C-8	1.500
304842063	12.0	0.25	26	50	30	Clear	C-8	1.500
304842064	12.0	0.55	26	50	80	Clear	C-8	1.500
304842065	12.0	0.77	26	50	130	Clear	C-8	1.500
304842067	12.0	1.15	26	50	220	Clear	C-8	1.500
304842068	12.0	1.35	26	50	245	Clear	C-8	1.500
304842070	12.0	2.03	26	50	370	Clear	C-8	1.500

332


SCHIEFER

SHIP & NAVIGATION

Type No.	Volt	Amp	Ø	Length	Lumen	Finish	Filament	Life
304842066	12.0	1.0	35	60	145	Clear	CC-8	1.500
304842069	12.0	1.9	35	60	390	Clear	CC-8	1.500
304842071	12.0	3.0	35	60	600	Clear	CC-8	1.500
304842072	12.0	3.05	35	60	650	Clear	C-8	1.500
304842073	12.0	5.0	35	60	1100	Clear	CC-8	1.500

SPECIAL ITEMS

P30s
Buoy
S11 35 x 60mm



333

SCHIEFER


SHIP & NAVIGATION

SPECIAL ITEMS

P30s

Buoy / Halogen

T11 x 54mm



Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
304842001	12.0	5	11	54	64	Clear	C-8	2.000
304842002	12.0	10	11	54	15	Clear	C-8	2.000
304842003	12.0	20	11	54	350	Clear	C-8	2.000
304842004	12.0	35	11	54	650	Clear	C-8	2.000
304842005	12.0	50	11	54	1000	Clear	C-8	2.000
304842006	12.0	75	11	54	1350	Clear	C-8	2.000
304842007	12.0	100	11	54	2300	Clear	CC-8	2.000

334

SCHIEFER

SHIP & NAVIGATION


Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
712403722	115	2000	150	260				
712403723	220	2000	150	260				
712403724	115	3000	200	331				
712403725	220	3000	200	331				

SPECIAL ITEMS

G19/54

Suez

150-260 × 200-331mm



335

SCHIEFER

SHIP & NAVIGATION

SPECIAL ITEMS

HX48



65 × 207mm

Type No.	Volt	Watt	∅	Length	Lumen	Finish	Filament	Life
712705566	120	3000	65	207	400	Clear	Special	400
712705577	240	3000	65	207	400	Clear	Special	400

336

SCHIEFER

SHIP & NAVIGATION




S6, S7 and S8.5 6-15 x 36-44mm	339
Ba15s 18 x 35mm	340
Ba15d 18 x 35mm	341
Ba15s 25 x 45mm	342
Ba15d 25 x 45mm	343
Bay15d 18 x 35mm	344
Bay15d 25 x 45mm	345
Ba15s 35 x 56mm	346
Ba15d 35 x 56mm	347
Ba20s 36 x 67mm	348
Ba20d 36 x 67mm	349
P45t 41 x 75mm	350
PI5d P30d 35 x 56mm	351

Type No.	Volt	Watt	Ø	Length	Base	Finish	Filament	Life
501284914	12	3	6	36	S6			
501384914	24	3	6	36	S6			
501284214	12	3	8	31	S7			
501284314	12	3	8	36	S7			
501384214	24	3	8	31	S7			
501384314	24	3	8	36	S7			
501227094	12	5	11	30	S8.5			
501228094	12	10	11	30	S8.5			
502427094	24	5	11	30	S8.5			
502428094	24	10	11	30	S8.5			
505012210	12	5	10	36	S8.5			
500122110	12	10	10	36	S8.5			
500502421	24	5	10	36	S8.5			
500685414	6	10	11	39	S8.5			
501284414	12	5	11	39	S8.5			
501285414	12	10	11	39	S8.5			
501384414	24	5	11	39	S8.5			
501385414	24	10	11	39	S8.5			
500686614	6	10	11	44	S8.5			
501286414	12	5	11	44	S8.5			
501286614	12	10	11	44	S8.5			
501386400	24	5	11	44	S8.5			
500685014	6	15	15	44	S8.5			
500680714	6	18	15	44	S8.5			
501285014	12	15	15	44	S8.5			
501280714	12	18	15	44	S8.5			
501280314	12	21	15	44	S8.5			
501385014	24	15	15	44	S8.5			
501386514	24	21	15	44	S8.5			

GENERAL

S6, S7 and S8.5
6-15 x 36-44mm



339

SCHIEFER

AUTO & FORKLIFT

For other voltages and dimensions see chapter 'Signal'.

(*) Heavy duty


GENERAL

Ba15s
18 x 35mm

340

SCHIEFER

AUTO & FORKLIFT




Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
500681114	6	3	18	35	Clear		
500682114	6	5	18	35	Clear		
500681414	6	10	18	35	Clear		
500641314	6	15	18	35	Clear		
500641414	6	18	18	35	Clear		
501281114	12	3	18	35	Clear		
501281101 *	12	3	18	35			
501282114	12	5	18	35	Clear		
501281414	12	10	18	35	Clear		
501241314	12	15	18	35	Clear		
505112114	12	21	18	35	Clear		
501382114	24	5	18	35	Clear		
501382158 **	24	5	18	35	Clear		
501381414	24	10	18	35	Clear		
501381424 **	24	10	18	35	Clear		
501341314	24	15	18	35	Clear		
501382414 **	28	5	18	35	Clear		
501382200 **	28	7	18	35	Clear		
500502816 **	28	10	18	35	Clear		
502503610	36	10	18	35	Clear		
502504808	48	8	18	35	Clear		
502504810	48	10	18	35	Clear		
652585003	85	3	18	35	Clear		

(*) Inside frosted
(**) Heavy duty

Type No.	Volt	Watt	∅	Length	Finish	Filament	Life
500681214	6	3	18	35	Clear		
500682214	6	5	18	35	Clear		
500681714	6	10	18	35	Clear		
500641500	6	15	18	35	Clear		
501281214	12	3	18	35	Clear		
501282214	12	5	18	35	Clear		
501240014	12	10	18	35	Clear		
501240514	12	15	18	35	Clear		
501382214	24	5	18	35	Clear		
501340014	24	10	18	35	Clear		
501381514	24	15	18	35	Clear		
501567500	24	25	18	35	Clear		
501382314 *	28	5	18	35	Clear		
501382300 *	28	7	18	35	Clear		
651530003	30	3	18	35	Clear		
502804808	48	8	18	35	Clear		
502804810	48	10	18	35	Clear		
502808503	85	3	18	35	Clear		

GENERAL

Ba15d
18 x 35mm



341

SCHIEFER

AUTO & FORKLIFT

(*) Heavy duty


GENERAL

Ba15s
25 x 45mm

342

SCHIEFER

AUTO & FORKLIFT




Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
500640114	6	15	25	45	Clear		
500644514	6	18	25	45	Clear		
500649814	6	21	25	45	Clear		
500641814	6	25	25	45	Clear		
501240114	12	15	25	45	Clear		
501244514	12	18	25	45	Clear		
501242114	12	20	25	45	Clear		
501249804	12	21	25	45	Yellow		
501249805	12	21	25	45	Amber		
501249814	12	21	25	45	Clear		
501241814	12	25	25	45	Clear		
501241804	12	25	25	45	Yellow		
501242014	12	35	25	45	Clear		
501340114	24	15	25	45	Clear		
501344514	24	18	25	45	Clear		
501342114	24	20	25	45	Clear		
501348914	24	21	25	45	Clear		
501349714 *	24	21	25	45	Clear		
501349804	24	21	25	45	Yellow		
501332414	24	25	25	45	Clear		
502410354	24	35	25	45	Yellow		
652526010	26	10	25	45	Clear		
501349855 *	28	21	25	45	Clear		
503003610	36	10	25	45	Clear		
503003625	36	25	25	45	Clear		
503004808	48	8	25	48	Clear		
503004810	48	10	25	45	Clear		
503004815	48	15	25	45	Clear		
503004825	48	25	25	45	Clear		
503004835	48	35	25	45	Clear		
503004845	48	45	25	45	Clear		

(*) Heavy Duty

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
500640214	6	15	25	45	Clear		
500640414	6	21	25	45	Clear		
500640614	6	18/5	25	45	Clear		
500640814	6	21/5	25	45	Clear		
501240414	12	15	25	45	Clear		
501242214	12	21	25	45	Clear		
501250214	12	18/5	25	45	Clear		
501250314	12	21/5	25	45	Clear		
501340214	24	15	25	45	Clear		
501340514	24	18/5	25	45	Clear		
501340614	24	21/5	25	45	Clear		
501342314	24	21	25	45	Clear		
501342414 *	24	25	25	45	Clear		
501324214	24	45	25	45	Clear		
652228010	28	10	25	45	Clear		
501328214 *	28	26	25	45	Clear		
503504825	48	25	25	48	Clear		
503504835	48	35	25	48	Clear		
503504840	48	40	25	48	Clear		
651508510	85	10	25	45	Clear		

GENERAL

Ba15d
25 x 45mm



343

SCHIEFER


AUTO & FORKLIFT

(*) Heavy duty

GENERAL

Bay15d
18 x 35mm

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
504003608	36	8	18	35	Clear		
504004808	48	8	18	35	Clear		
504004810	48	10	18	35	Clear		
504004825	48	25	18	35	Clear		



344


SCHIEFER

AUTO & FORKLIFT

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
500651714	6	18/5	25	45	Clear		
500649914	6	21/5	25	45	Clear		
501251714	12	18/5	25	45	Clear		
501249914	12	21/5	25	45	Clear		
501214244 *	12	24/8	25	45	Clear		
501214314	12	25/5	25	45	Clear		
501341914	24	18/5	25	45	Clear		
501349914	24	21/5	25	45	Clear		
501349958 *	24	21/5	25	45	Clear		
501352514	24	25/5	25	45	Clear		
504504808	48	8	25	45	Clear		
504504810	48	10	25	45	Clear		
504504825	48	25	25	45	Clear		
504524823	48	23/8	25	45	Clear		
504524825	48	25/10	25	45	Clear		
505004840	48	40	25	45	Clear		

GENERAL

Bay 15d
25 x 45mm



345

SCHIEFER

AUTO & FORKLIFT

(*) Heavy duty


GENERAL

Ba15s
35 x 56mm

346

SCHIEFER

AUTO & FORKLIFT




Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
500623114	6	35	35	56	Clear		
500624114	6	45	35	56	Clear		
500121025	12	25	35	56	Clear		
501222114	12	35	35	56	Clear		
501224114	12	45	35	56	Clear		
501322514	24	25	35	56	Clear		
501323514	24	35	35	56	Clear		
501324114	24	45	35	56	Clear		
501324614	24	60	35	56	Clear	Axial	

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
500623214	6	35	35	56	Clear		
500624214	6	45	35	56	Clear		
501221514	12	15	35	56	Clear		
501224014	12	35	35	56	Clear		
501224214	12	45	35	56	Clear		
501343414	24	10	35	56	Clear		
501324314	24	35	35	56	Clear		
501232436	24	36	35	56	Clear	Axial	
501324214	24	45	35	56	Clear		

GENERAL

Ba15d
35 x 56mm



347

SCHIEFER

AUTO & FORKLIFT

GENERAL


Ba20s

36 x 67mm

348

SCHIEFER

AUTO & FORKLIFT




Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
500623714	6	35	36	67	Clear		
500624714	6	45	36	67	Clear		
500625714	6	50	36	67	Clear		
501222714	12	35	36	67	Clear		
501224714	12	45	36	67	Clear		
501322714	24	35	36	67	Clear		
501323714	24	45	36	67	Clear		
501324714	24	50	36	67	Clear		
505504825	48	25	36	67	Clear		
505504835	48	35	36	67	Clear		
505508010	80	10	36	67	Clear		
505508025	80	25	36	67	Clear		
505508035	80	35	36	67	Clear		

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
506061515	6	15/15	36	67	Clear		
506061818	6	18/18	36	67	Clear		
506062020	6	20/20	36	67	Clear		
506062525	6	25/25	36	67	Clear		
500672814	6	35/35	36	67	Clear		
500674814	6	45/40	36	67	Clear		
506121515	12	15/15	36	67	Clear		
506122020	12	25/25	36	67	Clear		
501272814	12	35/35	36	67	Clear		
501274814	12	45/40	36	67	Clear		
501372425	24	25	36	67	Clear		
501373704	24	25/25	36	67	Yellow		
501373714	24	25/25	36	67	Clear		
501373814	24	35/35	36	67	Clear		
501373804	24	35/35	36	67	Yellow		
501374814	24	45/40	36	67	Clear		
506504825	48	25	36	67	Clear		
506504835	48	35	36	67	Clear		
506504848	48	48	36	67	Clear		
506508010	80	10	36	67	Clear		
506508025	80	25	36	67	Clear		
506508035	80	35	36	67	Clear		

GENERAL

Ba20d
36 x 67mm



349

SCHIEFER

AUTO & FORKLIFT

GENERAL



P45t

41 x 75mm

350

SCHIEFER

AUTO & FORKLIFT




Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
500662014	6	45/40	41	75	Clear		
501262014	12	45/40	41	75	Clear		
501262004	12	45/40	41	75	Yellow		
501362014	24	55/50	41	75	Clear		
502401814	24	55/50	41	75	Yellow		
501362114	24	75/70	41	75	Clear		

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
501172714	12	25/25	RP-35	56	Clear		
501172814	12	35/35	RP-35	56	Clear		
501172914	12	45/45	RP-35	56	Clear		
501124314	24	35/35	RP-35	56	Clear		
501124614	24	62/62	RP-35	56	Clear		
505204825	48	25	RP-35	56	Clear		
505204845	48	45	RP-35	56	Clear		

GENERAL

P15d
P30d
35 x 56mm



351

SCHIEFER

AUTO & FORKLIFT

Ba20d 17 x 70mm	353
H1 P14.5s 9 x 59mm	354
H2 X511 9 x 31mm	355
H3 PK22s 13 x 48mm	356
H4 43t 17 x 75mm	357
H7 PX26d 11.6 x 44mm	358
P22s 36 x 51mm	359

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
506402525	6	25/25	17	70	Clear		
506403535	6	35/35	17	70	Clear		
506404540	6	40/40	17	70	Clear		
506422525	12	25/25	17	70	Clear		
501202350	12	35/35	17	70	Clear		
506424540	12	40/40	17	70	Clear		

HALOGEN

Ba20d
17 x 70mm



353

SCHIEFER

AUTO & FORKLIFT

HALOGEN

HI
PI4.5s
9 x 59mm



Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
500625814	6	55	9	59	Clear		
501225814	12	55	9	59	Clear		
505012030 *	12	55	9	59	Clear		
501225914	12	55	9	59	Laserlight Blue		
501203114	12	100	9	59	Clear		
501325500	24	55	9	59	Clear		
501325814	24	70	9	59	Clear		
501325848 *	24	70	9	59	Clear		
502403114	24	100	9	59	Clear		

354

SCHIEFER

AUTO & FORKLIFT

(*) Long Life / Heavy Duty

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
500626014	6	55	9	31	Clear		
501231114	12	55	9	31	Clear		
501431114	12	100	9	31	Clear		
501331114	24	70	9	31	Clear		
505024041	24	100	9	31	Clear		

HALOGEN

H2
X511
9 x 31mm



355

SCHIEFER

AUTO & FORKLIFT

HALOGEN

H3
PK22s
13 x 48mm



356

SCHIEFER

AUTO & FORKLIFT

Type No.	Volt	Watt	Ø	Length	Lumen	Finish	Filament	Life
500633614	6	55	13	48		Clear		
501233300	12	35	13	48		Clear		
501233614	12	55	13	48		Clear		
501233627 **	12	55	13	48		Clear		
501233814	12	100	13	48		Clear		
501331214	24	100	13	48		Clear		
501333614	24	70	13	48		Clear		
501333714 *	24	70	13	48		Clear		
501333814 **	24	70	13	48		Clear		
507002435	24	35	13	48		Clear		
507002445	24	40/45	13	48		Clear		
507002450	24	50	13	48		Clear		
507002455	24	55	13	48		Clear		
644224060	24	60	13	48		Clear		
507003645	36	45	13	48		Clear		
507004845	48	45	13	48		Clear		
507004860	48	60	13	48		Clear		
507008055	80/88	55	13	48		Clear		

Torch								
644206014	6	15	13	48	300	Clear		
644206025	6	25	13	48	300	Clear		
644206035	6	35	13	48	300	Clear		

(*) Heavy Duty
(**) Long Life / Heavy Duty

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
501131114	6	60/55	17	75			
501206314	12	35/35	17	75			
501234214	12	60/55	17	75			
501234286	12	60/55	17	75	Yellow		
501206154	12	100/55	17	75			
501206180	12	100/80	17	75			
501206139	12	130/90	17	75			
501334214	24	75/70	17	75			
501334204	24	75/70	17	75	Yellow		
501334244 *	24	75/70	17	75			

HALOGEN

H4
P43t
17 x 75mm



357

SCHIEFER

AUTO & FORKLIFT

(*) Long Life / Heavy Duty

HALOGEN

H7
PX26d
11.6 x 44mm

Type No.	Volt	Watt	∅	Length	Finish	Filament	Life
501206714	12	55	11.6	44	Clear		
505012067 *	12	55	11.6	44	Clear		
502406714	24	70	11.6	44	Clear		
505024067 *	24	70	11.6	44	Clear		



358

SCHIEFER

AUTO & FORKLIFT

(*) Long Life / Heavy Duty

Type No.	Volt	Watt	Ø	Length	Finish	Filament	Life
656224000	6	55	36	51	Clear		
656234900	12	55	36	51	Clear		
656231800	24	55	36	51	Clear		
656254700	48	60	36	51	Clear		

HALOGEN

P22s
36 x 51mm



359

SCHIEFER

AUTO & FORKLIFT

Clip and Ring Single Led	362
T1 Bi Pin Starled 4 x 10mm	363
T1¾ Bi Pin Starled 6 x 16mm	364
T1¾ Bi Pin Multi Chip 6 x 16mm	365
T1¾ Midget Grooved Starled 6 x 16mm	366
T1¾ Midget Grooved Multi Chip 6 x 16mm	367
T1¾ Midget Flanged Starled 6 x 16mm	368
T1¾ Midget Flanged Multi Chip 6 x 16mm	369
T1¾ E5/8 Starled 6 x 16mm	370
T1¾ Ba5s Starled 6 x 16mm	371
T5 Wedge Base Starled 5 x 17mm	372
T10 Wedge Base Starled 10 x 28mm	373
T4.5 Starled 4.5 x 16mm	374
T4.5 Multi Chip 4.5 x 16mm	375
T4.6 Starled 4.6 x 22mm	376
T4.6 Multi Chip 4.6 x 22mm	377
T5.5K Starled 5.4 x 22mm	378
T5.5K Multi Chip 5.4 x 22mm	379
T5.5 Starled 5.5 x 30mm	380
T5.5 Multi Chip 5.5 x 30mm	381
T6.8G Starled 6.8 x 44mm	382
T6.8G Multi Chip 6.8 x 44mm	383
Ba7s Multi Chip 7 x 20-23mm	384
Ba7s Starled 7 x 20mm	385
Ba9s Multi Chip 10 x 28mm	386
Ba9s Starled 5mm 10 x 23.5mm	387
Ba9s Single Led Water Clear 8.5 x 28mm	388
Ba9s Single Led Diffused 8.5 x 28mm	389
E10 Multi Chip 10 x 28mm	390
E10 Starled 5mm 10 x 23.5mm	391
E10 Single Led Water Clear 8.5 x 28mm	392
E10 Single Led Diffused 8.5 x 28mm	393
S8.5 6 Single Led 10 x 44mm	394
S8.5 2 x 5050 SMD Led 12 x 44mm	395
P13.5s Led Torch 11 x 30mm	396
E12 Single Led 13 x 33mm	397
E14 Single Led 16 x 35mm	398
Ba15d Single Led T16 x 35mm	399

E14 Single Led T18 x 45mm	400
Ba15d Single Led T18 x 45mm	401
E14 Stacked 24 Leds 20 x 46mm	402
E14 Stacked 15 x SMD 22 x 60mm	403
Ba15d Stacked 24 Leds 20 x 46mm	404
Led Cluster Ø65 8mm	405
G4 Led 5050 SMD Side-pins	406
GU4 MR11 Single Led 35 x 35mm	407
GU5.3 MR16 Single Led 47.5 x 50mm	408
GU5.3 Powered Cree Led 50 x 47.5mm	409
GU5.3 Powered Lumiled 50 x 47.5mm	410
GU5.3 MR16 Cree Hew 50 x 63mm	411
GU10 MR16 Single Led 52.5 x 50mm	412
GU10 Powered Kingluxeon 48 x 64mm	413
GU10 Powered SMD Cree Led 50 x 52.5mm	414
GU10 MR16 SMD Lumiled 50 x 52.5mm	415
GU10 MR16 Cree Hew 50 x 70mm	416
GU10 MR16 Sharp Dimmable 50 x 76mm	417
E27 Led Glass Shell 7 Leds 45 x 72mm	418
E27 Led PVC Shell 7/9 Leds 45 x 72mm	419
E27 GLS Semiled 60 x 108mm	420
E27 Elegant 60 x 107mm	421
E14 Candle 34 x 110-126mm	422


LEDS

Clip and Ring
Single Leds

362

SCHIEFER

LED LAMPS





Type No.	Volt	mA	Ø	Length	Color	Finish	Life
020102099	Clip & Ring for 3mm LED / Black						
020105099	Clip & Ring for 5mm LED / Black						
020310002	1.7	20	3		Red	Diffused	
020310003	1.7	20	3		Green	Diffused	
020310004	1.7	20	3		Yellow	Diffused	
020503002	1.7	20	5		Red	Diffused	
020503003	1.7	20	5		Green	Diffused	
020503004	1.7	20	5		Yellow	Diffused	
020399921	3	20	3		White	Clear	
020399922	3	20	3		Red	Clear	
020399923	3	20	3		Green	Clear	
020399924	3	20	3		Yellow	Clear	
020399926	3	20	3		Blue	Clear	
020599921	3	20	5		White	Clear	
020599922	3	20	5		Red	Clear	
020599923	3	20	5		Green	Clear	
020599924	3	20	5		Yellow	Clear	
020599926	3	20	5		Blue	Clear	

Type No.	Volt	mA	∅	Length	AC/DC	Finish	Filament	Life
840637701	24	5-10	4	10	DC	White	1 led	25.000
840637702	24	5-10	4	10	DC	Red	1 led	25.000
840637703	24	5-10	4	10	DC	Green	1 led	25.000
840637704	24	5-10	4	10	DC	Yellow	1 led	25.000
840637706	24	5-10	4	10	DC	Blue	1 led	25.000
840641601	28	5-10	4	10	DC	White	1 led	25.000
840641602	28	5-10	4	10	DC	Red	1 led	25.000
840641603	28	5-10	4	10	DC	Green	1 led	25.000
840641604	28	5-10	4	10	DC	Yellow	1 led	25.000
840641606	28	5-10	4	10	DC	Blue	1 led	25.000

LEDs

TI Bi Pin
Starled
4 x 10mm



363

SCHIEFER

LED LAMPS

LEDS

T1 3/4 Bi Pin



Starled

6 x 16mm

364

SCHIEFER

LED LAMPS





Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
970929111	12	5-10	6	16	DC	White	1 led	25.000
970929112	12	5-10	6	16	DC	Red	1 led	25.000
970929113	12	5-10	6	16	DC	Green	1 led	25.000
970929114	12	5-10	6	16	DC	Yellow	1 led	25.000
970929116	12	5-10	6	16	DC	Blue	1 led	25.000
970937301	24	5-10	6	16	DC	White	1 led	25.000
970937402	24	5-10	6	16	DC	Red	1 led	25.000
970937403	24	5-10	6	16	DC	Green	1 led	25.000
970937404	24	5-10	6	16	DC	Yellow	1 led	25.000
970937406	24	5-10	6	16	DC	Blue	1 led	25.000
970941601	28	5-10	6	16	DC	White	1 led	25.000
970941602	28	5-10	6	16	DC	Red	1 led	25.000
970941603	28	5-10	6	16	DC	Green	1 led	25.000
970941604	28	5-10	6	16	DC	Yellow	1 led	25.000
970941606	28	5-10	6	16	DC	Blue	1 led	25.000

Type No.	Volt	mA	∅	Length	AC/DC	Finish	Filament	Life
970929102	12	18	6	16	DC	Red	6 chips	40.000
970929103	12	18	6	16	DC	Green	6 chips	40.000
970929104	12	18	6	16	DC	Yellow	6 chips	40.000
970941702	28	18	6	16	DC	Red	4 chips	40.000
970941703	28	18	6	16	DC	Green	4 chips	40.000
970941704	28	18	6	16	DC	Yellow	4 chips	40.000

LEDs

T1 ¼ Bi Pin
Multi Chip
6 x 16mm




LEDS

T1 3/4 Midget Grooved
Starled
6 x 16mm

366

SCHIEFER

LED LAMPS




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
950920201	6	10	6	16	DC	White	1 led	25.000
950920202	6	10	6	16	DC	Red	1 led	25.000
950920203	6	10	6	16	DC	Green	1 led	25.000
950920204	6	10	6	16	DC	Yellow	1 led	25.000
950920206	6	10	6	16	DC	Blue	1 led	25.000
950928821	12	10	6	16	DC	White	1 led	25.000
950928812	12	10	6	16	DC	Red	1 led	25.000
950928813	12	10	6	16	DC	Green	1 led	25.000
950928814	12	10	6	16	DC	Yellow	1 led	25.000
950928816	12	10	6	16	DC	Blue	1 led	25.000
950937321	24	10	6	16	DC	White	1 led	25.000
950937402	24	10	6	16	DC	Red	1 led	25.000
950937403	24	10	6	16	DC	Green	1 led	25.000
950937404	24	10	6	16	DC	Yellow	1 led	25.000
950937406	24	10	6	16	DC	Blue	1 led	25.000
950941821	28	10	6	16	DC	White	1 led	25.000
950941602	28	10	6	16	DC	Red	1 led	25.000
950941603	28	10	6	16	DC	Green	1 led	25.000
950941604	28	10	6	16	DC	Yellow	1 led	25.000
950941606	28	10	6	16	DC	Blue	1 led	25.000

Type No.	Volt	mA	∅	Length	AC/DC	Finish	Filament	Life
950920202	6	18	6	16	DC	Red	6 chips	40.000
950920203	6	18	6	16	DC	Green	6 chips	40.000
950920204	6	18	6	16	DC	Yellow	6 chips	40.000
950928802	12	18	6	16	DC	Red	6 chips	40.000
950928803	12	18	6	16	DC	Green	6 chips	40.000
950928804	12	18	6	16	DC	Yellow	6 chips	40.000
950937302	24	18	6	16	DC	Red	6 chips	40.000
950937303	24	18	6	16	DC	Green	6 chips	40.000
950937304	24	18	6	16	DC	Yellow	6 chips	40.000
950941802	28	18	6	16	DC	Red	6 chips	40.000
950941803	28	18	6	16	DC	Green	6 chips	40.000
950941804	28	18	6	16	DC	Yellow	6 chips	40.000

LEDs

T1 3/4 Midget Grooved
Multi Chip
6 x 16mm




367

SCHIEFER

LED LAMPS

LEDS

T1 3/4 Midget Flanged
Starled
6 x 16mm



Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
940920611	6	18	6	16	DC	White	1 led	25.000
940920612	6	18	6	16	DC	Red	1 led	25.000
940920613	6	18	6	16	DC	Green	1 led	25.000
940920614	6	18	6	16	DC	Yellow	1 led	25.000
940920616	6	18	6	16	DC	Blue	1 led	25.000
940928821	12	18	6	16	DC	White	1 led	25.000
940928812	12	18	6	16	DC	Red	1 led	25.000
940928813	12	18	6	16	DC	Green	1 led	25.000
940928814	12	18	6	16	DC	Yellow	1 led	25.000
940928816	12	18	6	16	DC	Blue	1 led	25.000
940937321	24	18	6	16	DC	White	1 led	25.000
940937402	24	18	6	16	DC	Red	1 led	25.000
940937403	24	18	6	16	DC	Green	1 led	25.000
940937404	24	18	6	16	DC	Yellow	1 led	25.000
940937406	24	18	6	16	DC	Blue	1 led	25.000
940941821	28	18	6	16	DC	White	1 led	25.000
940941602	28	18	6	16	DC	Red	1 led	25.000
940941603	28	18	6	16	DC	Green	1 led	25.000
940941604	28	18	6	16	DC	Yellow	1 led	25.000
940941606	28	18	6	16	DC	Blue	1 led	25.000

368


SCHIEFER

LED LAMPS

Type No.	Volt	mA	∅	Length	AC/DC	Finish	Filament	Life
940920202	6	18	6	16	DC	Red	6 chips	40.000
940920203	6	18	6	16	DC	Green	6 chips	40.000
940920204	6	18	6	16	DC	Yellow	6 chips	40.000
940928802	12	18	6	16	DC	Red	6 chips	40.000
940928803	12	18	6	16	DC	Green	6 chips	40.000
940928804	12	18	6	16	DC	Yellow	6 chips	40.000
940937302	24	18	6	16	DC	Red	6 chips	40.000
940937303	24	18	6	16	DC	Green	6 chips	40.000
940937304	24	18	6	16	DC	Yellow	6 chips	40.000
940941802	28	18	6	16	DC	Red	6 chips	40.000
940941803	28	18	6	16	DC	Green	6 chips	40.000
940941804	28	18	6	16	DC	Yellow	6 chips	40.000

LED S

T1 ¼ Midget Flanged
Multi Chip
6 x 16mm



369

SCHIEFER

LED LAMPS


LEDS

T1 ¾ E5/8

Starled

6 × 16mm

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
080937321	24	20	6	16	DC	White	1 led	25.000
080937302	24	20	6	16	DC	Red	1 led	25.000
080937303	24	20	6	16	DC	Green	1 led	25.000
080937304	24	20	6	16	DC	Yellow	1 led	25.000
080937306	24	20	6	16	DC	Blue	1 led	25.000



370

SCHIEFER

LED LAMPS


Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
050937321	24	20	6	16	DC	White	1 led	25.000
050937302	24	20	6	16	DC	Red	1 led	25.000
050937303	24	20	6	16	DC	Green	1 led	25.000
050937304	24	20	6	16	DC	Yellow	1 led	25.000
050937306	24	20	6	16	DC	Blue	1 led	25.000

LEDs

T1 3/4 Ba5s

Starled

6 x 16mm



371


SCHIEFER

LED LAMPS

LEDS

T5 (W2x4.6d) Wedge Base
Starled
5 x 17mm

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
032037331	24	20	5	17	DC	White	1 led	25.000
032037302	24	20	5	17	DC	Red	1 led	25.000
032037303	24	20	5	17	DC	Green	1 led	25.000
032037304	24	20	5	17	DC	Yellow	1 led	25.000
032037306	24	20	5	17	DC	Blue	1 led	25.000



372


SCHIEFER

LED LAMPS

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
042736701	24	20	10	28	DC	White	1 led Water Clear	25.000
042736901	24	20	10	28	DC	White	1 led Diffused	25.000

LEDs

T10 (W2.1x9.5d) Wedge Base
Starled
10 x 28mm



373

SCHIEFER

LED LAMPS


LEDS

T4.5
Starled
4,5 x 16mm

374

SCHIEFER

LED LAMPS




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
451637321	24	17	4.5	16	DC	White	1 led	25.000
451637402	24	17	4.5	16	DC	Red	1 led	25.000
451637403	24	17	4.5	16	DC	Green	1 led	25.000
451637404	24	17	4.5	16	DC	Yellow	1 led	25.000
451637406	24	17	4.5	16	DC	Blue	1 led	25.000
451641601	28	17	4.5	16	DC	White	1 led	25.000
451641602	28	17	4.5	16	DC	Red	1 led	25.000
451641603	28	17	4.5	16	DC	Green	1 led	25.000
451641604	28	17	4.5	16	DC	Yellow	1 led	25.000
451641606	28	17	4.5	16	DC	Blue	1 led	25.000

Type No.	Volt	mA	∅	Length	AC/DC	Finish	Filament	Life
451629202	12	17	4.5	16	DC	Red	6 chips	40.000
451629203	12	17	4.5	16	DC	Green	6 chips	40.000
451629204	12	17	4.5	16	DC	Yellow	6 chips	40.000
451637302	24	17	4.5	16	DC	Red	6 chips	40.000
451637303	24	17	4.5	16	DC	Green	6 chips	40.000
451637304	24	17	4.5	16	DC	Yellow	6 chips	40.000

LEDs

T4.5
Multi Chip
4,5 x 16mm



375

SCHIEFER

LED LAMPS


LEDS

T4.6
Starled
4.6 x 22mm

376

SCHIEFER

LED LAMPS




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
462237321	24	17	4.6	22	DC	White	1 led	25.000
462237402	24	17	4.6	22	DC	Red	1 led	25.000
462237403	24	17	4.6	22	DC	Green	1 led	25.000
462237404	24	17	4.6	22	DC	Yellow	1 led	25.000
462237406	24	17	4.6	22	DC	Blue	1 led	25.000
462241601	28	17	4.6	22	DC	White	1 led	25.000
462241602	28	17	4.6	22	DC	Red	1 led	25.000
462241603	28	17	4.6	22	DC	Green	1 led	25.000
462241604	28	17	4.6	22	DC	Yellow	1 led	25.000
462241606	28	17	4.6	22	DC	Blue	1 led	25.000
462252601	48	17	4.6	22	DC	White	1 led	25.000
462252602	48	17	4.6	22	DC	Red	1 led	25.000
462252603	48	17	4.6	22	DC	Green	1 led	25.000
462252604	48	17	4.6	22	DC	Yellow	1 led	25.000
462252606	48	17	4.6	22	DC	Blue	1 led	25.000

Type No.	Volt	mA	∅	Length	AC/DC	Finish	Filament	Life
462237202	24	17	4.6	22	DC	Red	6 chips	40.000
462237203	24	17	4.6	22	DC	Green	6 chips	40.000
462237204	24	17	4.6	22	DC	Yellow	6 chips	40.000

LEDs

T4.6
Multi Chip
4.6 x 22mm



LED LAMPS

SCHIEFER

377

LEDS

T5.5K


Starled

5,4 x 22mm

378

SCHIEFER

LED LAMPS




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
542237321	24	17	5.4	22	DC	White	1 led	25.000
542237402	24	17	5.4	22	DC	Red	1 led	25.000
542237403	24	17	5.4	22	DC	Green	1 led	25.000
542237404	24	17	5.4	22	DC	Yellow	1 led	25.000
542237406	24	17	5.4	22	DC	Blue	1 led	25.000
542241601	28	17	5.4	22	DC	White	1 led	25.000
542241602	28	17	5.4	22	DC	Red	1 led	25.000
542241603	28	17	5.4	22	DC	Green	1 led	25.000
542241604	28	17	5.4	22	DC	Yellow	1 led	25.000
542241606	28	17	5.4	22	DC	Blue	1 led	25.000

Type No.	Volt	mA	∅	Length	AC/DC	Finish	Filament	Life
542237302	24	17	5.4	22	DC	Red	6 chips	40.000
542237303	24	17	5.4	22	DC	Green	6 chips	40.000
542237304	24	17	5.4	22	DC	Yellow	6 chips	40.000
542241802	28	17	5.4	22	DC	Red	6 chips	40.000
542241803	28	17	5.4	22	DC	Green	6 chips	40.000
542241804	28	17	5.4	22	DC	Yellow	6 chips	40.000

LEDs

T5.5K
Multi Chip
5.4 x 22mm



379

SCHIEFER

LED LAMPS


LEDS

T5.5
Starled
5.5 x 30mm

380

SCHIEFER

LED LAMPS




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
553037321	24	17	5.5	30	DC	White	1 led	25.000
553037402	24	17	5.5	30	DC	Red	1 led	25.000
553037403	24	17	5.5	30	DC	Green	1 led	25.000
553037404	24	17	5.5	30	DC	Yellow	1 led	25.000
553037406	24	17	5.5	30	DC	Blue	1 led	25.000
553041621	28	17	5.5	30	DC	White	1 led	25.000
553041602	28	17	5.5	30	DC	Red	1 led	25.000
553041603	28	17	5.5	30	DC	Green	1 led	25.000
553041604	28	17	5.5	30	DC	Yellow	1 led	25.000
553041606	28	17	5.5	30	DC	Blue	1 led	25.000
553052201	48	17	5.5	30	DC	White	1 led	25.000
553052212	48	17	5.5	30	DC	Red	1 led	25.000
553052213	48	17	5.5	30	DC	Green	1 led	25.000
553052214	48	17	5.5	30	DC	Yellow	1 led	25.000
553052216	48	17	5.5	30	DC	Blue	1 led	25.000
553056001	60	17	5.5	30	DC	White	1 led	25.000
553056012	60	17	5.5	30	DC	Red	1 led	25.000
553056013	60	17	5.5	30	DC	Green	1 led	25.000
553056014	60	17	5.5	30	DC	Yellow	1 led	25.000
553056016	60	17	5.5	30	DC	Blue	1 led	25.000

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
553028802	12	17	5.5	30	DC	Red	6 chips	40.000
553028803	12	17	5.5	30	DC	Green	6 chips	40.000
553028804	12	17	5.5	30	DC	Yellow	6 chips	40.000
553037302	24	17	5.5	30	DC	Red	6 chips	40.000
553037303	24	17	5.5	30	DC	Green	6 chips	40.000
553037304	24	17	5.5	30	DC	Yellow	6 chips	40.000
553041802	28	17	5.5	30	DC	Red	6 chips	40.000
553041803	28	17	5.5	30	DC	Green	6 chips	40.000
553041804	28	17	5.5	30	DC	Yellow	6 chips	40.000
553052202	48	17	5.5	30	DC	Red	6 chips	40.000
553052203	48	17	5.5	30	DC	Green	6 chips	40.000
553052204	48	17	5.5	30	DC	Yellow	6 chips	40.000

LED S

T5.5
Multi Chip
5,5 x 30mm



381

SCHIEFER

LED LAMPS


LEDS

T6.8G
Starled
6.8 x 44mm

382

SCHIEFER

LED LAMPS




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
684437321	24	17	6.8	44	DC	White	1 led	25.000
684437402	24	17	6.8	44	DC	Red	1 led	25.000
684437403	24	17	6.8	44	DC	Green	1 led	25.000
684437404	24	17	6.8	44	DC	Yellow	1 led	25.000
684437406	24	17	6.8	44	DC	Blue	1 led	25.000
684441921	28	17	6.8	44	DC	White	1 led	25.000
684441902	28	17	6.8	44	DC	Red	1 led	25.000
684441903	28	17	6.8	44	DC	Green	1 led	25.000
684441904	28	17	6.8	44	DC	Yellow	1 led	25.000
684441906	28	17	6.8	44	DC	Blue	1 led	25.000
684452601	48	17	6.8	44	DC	White	1 led	25.000
684456013	60	17	6.8	44	DC	Green	1 led	25.000
684456014	60	17	6.8	44	DC	Yellow	1 led	25.000
684466601	110	17	6.8	44	AC	White	1 led	25.000

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
684428802	12	17	6.8	44	DC	Red	6 chips	40.000
684428803	12	17	6.8	44	DC	Green	6 chips	40.000
684428804	12	17	6.8	44	DC	Yellow	6 chips	40.000
684437302	24	17	6.8	44	DC	Red	6 chips	40.000
684437303	24	17	6.8	44	DC	Green	6 chips	40.000
684437304	24	17	6.8	44	DC	Yellow	6 chips	40.000

LED S


T6.8G
Multi Chip
6.8 x 44mm



LEDs

Ba7s
Multi Chip
7 x 20-23mm

Type No.	Volt	mA	∅	Length	AC/DC	Finish	Filament	Life
072337302	24	17	7	23	DC	Red	6 chips	20.000
072337303	24	17	7	23	DC	Green	6 chips	20.000
072337304	24	17	7	23	DC	Yellow	6 chips	20.000
072052202	48	17	7	20	DC	Red	6 chips	20.000
072052203	48	17	7	20	DC	Green	6 chips	20.000
072052204	48	17	7	20	DC	Yellow	6 chips	20.000



384


SCHIEFER

LED LAMPS

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
072037321	24	17	7	20	DC	White	1 led	20.000
072037402	24	17	7	20	DC	Red	1 led	20.000
072037403	24	17	7	20	DC	Green	1 led	20.000
072037404	24	17	7	20	DC	Yellow	1 led	20.000

LEDs

Ba7s
Starled
7 x 20mm



385

SCHIEFER

LED LAMPS


LEDS

Ba9s
Multi Chip
10 x 28mm

386

SCHIEFER

LED LAMPS




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
092820602	6	18	10	28	AC/DC	Red	8 chips	40.000
092820603	6	18	10	28	AC/DC	Green	8 chips	40.000
092820604	6	18	10	28	AC/DC	Yellow	8 chips	40.000
092829202	12	18	10	28	AC/DC	Red	8 chips	40.000
092829203	12	18	10	28	AC/DC	Green	8 chips	40.000
092829204	12	18	10	28	AC/DC	Yellow	8 chips	40.000
092837702	24	18	10	28	AC/DC	Red	8 chips	40.000
092837703	24	18	10	28	AC/DC	Green	8 chips	40.000
092837704	24	18	10	28	AC/DC	Yellow	8 chips	40.000
092842202	28	18	10	28	AC/DC	Red	8 chips	40.000
092842203	28	18	10	28	AC/DC	Green	8 chips	40.000
092842204	28	18	10	28	AC/DC	Yellow	8 chips	40.000
092852602	48	18	10	28	AC/DC	Red	8 chips	40.000
092852603	48	18	10	28	AC/DC	Green	8 chips	40.000
092852604	48	18	10	28	AC/DC	Yellow	8 chips	40.000
092856002	60	18	10	28	AC/DC	Red	8 chips	40.000
092856003	60	18	10	28	AC/DC	Green	8 chips	40.000
092856004	60	18	10	28	AC/DC	Yellow	8 chips	40.000

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
092520601	6	20	10	23.5	AC/DC	White	1 led	25.000
092520602	6	20	10	23.5	AC/DC	Red	1 led	25.000
092520603	6	20	10	23.5	AC/DC	Green	1 led	25.000
092520604	6	20	10	23.5	AC/DC	Yellow	1 led	25.000
092520606	6	20	10	23.5	AC/DC	Blue	1 led	25.000
092535901	12	12	10	23.5	AC/DC	White	1 led	25.000
092535902	12	12	10	23.5	AC/DC	Red	1 led	25.000
092535903	12	12	10	23.5	AC/DC	Green	1 led	25.000
092535904	12	12	10	23.5	AC/DC	Yellow	1 led	25.000
092535906	12	12	10	23.5	AC/DC	Blue	1 led	25.000
092537701	24	20	10	23.5	AC/DC	White	1 led	25.000
092537702	24	20	10	23.5	AC/DC	Red	1 led	25.000
092537703	24	20	10	23.5	AC/DC	Green	1 led	25.000
092537704	24	20	10	23.5	AC/DC	Yellow	1 led	25.000
092537706	24	20	10	23.5	AC/DC	Blue	1 led	25.000
092541601	28	20	10	23.5	AC/DC	White	1 led	25.000
092541602	28	20	10	23.5	AC/DC	Red	1 led	25.000
092541603	28	20	10	23.5	AC/DC	Green	1 led	25.000
092541604	28	20	10	23.5	AC/DC	Yellow	1 led	25.000
092541606	28	20	10	23.5	AC/DC	Blue	1 led	25.000
092552601	48	20	10	23.5	AC/DC	White	1 led	25.000
092552602	48	20	10	23.5	AC/DC	Red	1 led	25.000
092552603	48	20	10	23.5	AC/DC	Green	1 led	25.000
092552604	48	20	10	23.5	AC/DC	Yellow	1 led	25.000
092552606	48	20	10	23.5	AC/DC	Blue	1 led	25.000
092566601	130	5	10	23.5	AC	White	1 led	25.000
092566602	130	5	10	23.5	AC	Red	1 led	25.000
092566603	130	5	10	23.5	AC	Green	1 led	25.000
092566604	130	5	10	23.5	AC	Yellow	1 led	25.000
092566606	130	5	10	23.5	AC	Blue	1 led	25.000
092576601	230	3	10	23.5	AC	White	1 led	25.000
092576602	230	3	10	23.5	AC	Red	1 led	25.000
092576603	230	3	10	23.5	AC	Green	1 led	25.000
092576604	230	3	10	23.5	AC	Yellow	1 led	25.000
092576606	230	3	10	23.5	AC	Blue	1 led	25.000

LEDs

Ba9s Starled 5mm
10 x 23.5mm



387

SCHIEFER


LED LAMPS

LEDS

Ba9s Single Led 8mm
Water Clear
8,5 x 28mm

388

SCHIEFER




LED LAMPS

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
092735701	12	20	8.5	28	AC/DC	White	1 led	20.000
092735702	12	20	8.5	28	AC/DC	Red	1 led	20.000
092735703	12	20	8.5	28	AC/DC	Green	1 led	20.000
092735704	12	20	8.5	28	AC/DC	Yellow	1 led	20.000
092735706	12	20	8.5	28	AC/DC	Blue	1 led	20.000
092736701	24	15	8.5	28	AC/DC	White	1 led	20.000
092736702	24	15	8.5	28	AC/DC	Red	1 led	20.000
092736703	24	15	8.5	28	AC/DC	Green	1 led	20.000
092736704	24	15	8.5	28	AC/DC	Yellow	1 led	20.000
092736706	24	15	8.5	28	AC/DC	Blue	1 led	20.000
092787701	130	5	8.5	28	AC	White	1 led	20.000
092787702	130	5	8.5	28	AC	Red	1 led	20.000
092787703	130	5	8.5	28	AC	Green	1 led	20.000
092787704	130	5	8.5	28	AC	Yellow	1 led	20.000
092787706	130	5	8.5	28	AC	Blue	1 led	20.000
092789901	230	3	8.5	28	AC	White	1 led	20.000
092789902	230	3	8.5	28	AC	Red	1 led	20.000
092789903	230	3	8.5	28	AC	Green	1 led	20.000
092789904	230	3	8.5	28	AC	Yellow	1 led	20.000
092789906	230	3	8.5	28	AC	Blue	1 led	20.000

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
092735901	12	20	8.5	28	AC/DC	White	1 led	20.000
092735902	12	20	8.5	28	AC/DC	Red	1 led	20.000
092735903	12	20	8.5	28	AC/DC	Green	1 led	20.000
092735904	12	20	8.5	28	AC/DC	Yellow	1 led	20.000
092735906	12	20	8.5	28	AC/DC	Blue	1 led	20.000
092736901	24	15	8.5	28	AC/DC	White	1 led	20.000
092736902	24	15	8.5	28	AC/DC	Red	1 led	20.000
092736903	24	15	8.5	28	AC/DC	Green	1 led	20.000
092736904	24	15	8.5	28	AC/DC	Yellow	1 led	20.000
092736906	24	15	8.5	28	AC/DC	Blue	1 led	20.000
092782601	48	15	8.5	28	AC/DC	White	1 led	20.000
092782602	48	15	8.5	28	AC/DC	Red	1 led	20.000
092782603	48	15	8.5	28	AC/DC	Green	1 led	20.000
092782604	48	15	8.5	28	AC/DC	Yellow	1 led	20.000
092782606	48	15	8.5	28	AC/DC	Blue	1 led	20.000
092766601	130	5	8.5	28	AC	White	1 led	20.000
092766602	130	5	8.5	28	AC	Red	1 led	20.000
092766603	130	5	8.5	28	AC	Green	1 led	20.000
092766604	130	5	8.5	28	AC	Yellow	1 led	20.000
092766606	130	5	8.5	28	AC	Blue	1 led	20.000
092776601	230	3	8.5	28	AC	White	1 led	20.000
092776602	230	3	8.5	28	AC	Red	1 led	20.000
092776603	230	3	8.5	28	AC	Green	1 led	20.000
092776604	230	3	8.5	28	AC	Yellow	1 led	20.000
092776606	230	3	8.5	28	AC	Blue	1 led	20.000

LEDs

Ba9s Single Led 8mm
Diffused
8,5 x 28mm



389

SCHIEFER

LED LAMPS


LEDS

E10
Multi Chip
10 x 28mm

390

SCHIEFER

LED LAMPS




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
102820602	6	18	10	28	AC/DC	Red	8 chips	40.000
102820603	6	18	10	28	AC/DC	Green	8 chips	40.000
102820604	6	18	10	28	AC/DC	Yellow	8 chips	40.000
102829202	12	18	10	28	AC/DC	Red	8 chips	40.000
102829203	12	18	10	28	AC/DC	Green	8 chips	40.000
102829204	12	18	10	28	AC/DC	Yellow	8 chips	40.000
102837702	24	18	10	28	AC/DC	Red	8 chips	40.000
102837703	24	18	10	28	AC/DC	Green	8 chips	40.000
102837704	24	18	10	28	AC/DC	Yellow	8 chips	40.000
102842202	28	18	10	28	AC/DC	Red	8 chips	40.000
102842203	28	18	10	28	AC/DC	Green	8 chips	40.000
102842204	28	18	10	28	AC/DC	Yellow	8 chips	40.000
102852602	48	18	10	28	AC/DC	Red	8 chips	40.000
102852603	48	18	10	28	AC/DC	Green	8 chips	40.000
102852604	48	18	10	28	AC/DC	Yellow	8 chips	40.000
102856002	60	18	10	28	AC/DC	Red	8 chips	40.000
102856003	60	18	10	28	AC/DC	Green	8 chips	40.000
102856004	60	18	10	28	AC/DC	Yellow	8 chips	40.000

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
102520601	6	20	10	23.5	AC/DC	White	1 led	25.000
102520602	6	20	10	23.5	AC/DC	Red	1 led	25.000
102520603	6	20	10	23.5	AC/DC	Green	1 led	25.000
102520604	6	20	10	23.5	AC/DC	Yellow	1 led	25.000
102520606	6	20	10	23.5	AC/DC	Blue	1 led	25.000
102535901	12	20	10	23.5	AC/DC	White	1 led	25.000
102535902	12	20	10	23.5	AC/DC	Red	1 led	25.000
102535903	12	20	10	23.5	AC/DC	Green	1 led	25.000
102535904	12	20	10	23.5	AC/DC	Yellow	1 led	25.000
102535906	12	20	10	23.5	AC/DC	Blue	1 led	25.000
102537701	24	20	10	23.5	AC/DC	White	1 led	25.000
102537702	24	20	10	23.5	AC/DC	Red	1 led	25.000
102537703	24	20	10	23.5	AC/DC	Green	1 led	25.000
102537704	24	20	10	23.5	AC/DC	Yellow	1 led	25.000
102537706	24	20	10	23.5	AC/DC	Blue	1 led	25.000
102541601	28	20	10	23.5	AC/DC	White	1 led	25.000
102541602	28	20	10	23.5	AC/DC	Red	1 led	25.000
102541603	28	20	10	23.5	AC/DC	Green	1 led	25.000
102541604	28	20	10	23.5	AC/DC	Yellow	1 led	25.000
102541606	28	20	10	23.5	AC/DC	Blue	1 led	25.000
102566601	130	5	10	23.5	AC	White	1 led	25.000
102566602	130	5	10	23.5	AC	Red	1 led	25.000
102566603	130	5	10	23.5	AC	Green	1 led	25.000
102566604	130	5	10	23.5	AC	Yellow	1 led	25.000
102566606	130	5	10	23.5	AC	Blue	1 led	25.000
102576601	230	3	10	23.5	AC	White	1 led	25.000
102576602	230	3	10	23.5	AC	Red	1 led	25.000
102576603	230	3	10	23.5	AC	Green	1 led	25.000
102576604	230	3	10	23.5	AC	Yellow	1 led	25.000
102576606	230	3	10	23.5	AC	Blue	1 led	25.000

LED S

E10 Starled 5mm
10 x 23.5mm




391

SCHIEFER

LED LAMPS

LEDS

E10 Single Led 8mm
Water Clear
8,5 x 28mm



392

SCHIEFER


LED LAMPS

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
102735701	12	20	8.5	28	AC/DC	White	1 led	20.000
102735702	12	20	8.5	28	AC/DC	Red	1 led	20.000
102735703	12	20	8.5	28	AC/DC	Green	1 led	20.000
102735704	12	20	8.5	28	AC/DC	Yellow	1 led	20.000
102735706	12	20	8.5	28	AC/DC	Blue	1 led	20.000
102736701	24	15	8.5	28	AC/DC	White	1 led	20.000
102736702	24	15	8.5	28	AC/DC	Red	1 led	20.000
102736703	24	15	8.5	28	AC/DC	Green	1 led	20.000
102736704	24	15	8.5	28	AC/DC	Yellow	1 led	20.000
102736706	24	15	8.5	28	AC/DC	Blue	1 led	20.000
102787701	130	5	8.5	28	AC	White	1 led	20.000
102787702	130	5	8.5	28	AC	Red	1 led	20.000
102787703	130	5	8.5	28	AC	Green	1 led	20.000
102787704	130	5	8.5	28	AC	Yellow	1 led	20.000
102787706	130	5	8.5	28	AC	Blue	1 led	20.000
102789901	230	3	8.5	28	AC	White	1 led	20.000
102789902	230	3	8.5	28	AC	Red	1 led	20.000
102789903	230	3	8.5	28	AC	Green	1 led	20.000
102789904	230	3	8.5	28	AC	Yellow	1 led	20.000
102789906	230	3	8.5	28	AC	Blue	1 led	20.000

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
102735901	12	20	8.5	28	AC/DC	White	1 led	20.000
102735902	12	20	8.5	28	AC/DC	Red	1 led	20.000
102735903	12	20	8.5	28	AC/DC	Green	1 led	20.000
102735904	12	20	8.5	28	AC/DC	Yellow	1 led	20.000
102735906	12	20	8.5	28	AC/DC	Blue	1 led	20.000
102736901	24	20	8.5	28	AC/DC	White	1 led	20.000
102736902	24	20	8.5	28	AC/DC	Red	1 led	20.000
102736903	24	20	8.5	28	AC/DC	Green	1 led	20.000
102736904	24	20	8.5	28	AC/DC	Yellow	1 led	20.000
102736906	24	20	8.5	28	AC/DC	Blue	1 led	20.000
102766601	130	5	8.5	28	AC	White	1 led	20.000
102766602	130	5	8.5	28	AC	Red	1 led	20.000
102766603	130	5	8.5	28	AC	Green	1 led	20.000
102766604	130	5	8.5	28	AC	Yellow	1 led	20.000
102766606	130	5	8.5	28	AC	Blue	1 led	20.000
102776601	230	3	8.5	28	AC	White	1 led	20.000
102776602	230	3	8.5	28	AC	Red	1 led	20.000
102776603	230	3	8.5	28	AC	Green	1 led	20.000
102776604	230	3	8.5	28	AC	Yellow	1 led	20.000
102776606	230	3	8.5	28	AC	Blue	1 led	20.000

LEDs

E10 Single Led 8mm
Diffused
8,5 x 28mm



393


SCHIEFER

LED LAMPS

LEDS

S8.5
6 Single Leds
10 x 44mm

Type No.	Volt	∅	Length	AC/DC	Finish	Lumen	Kelvin	Life
783935901	12	10	44	DC	White	6.8 / 6000	7000 - 9000	10.000
783937721	24	10	44	DC	White	15 / 9758	7000 - 9000	10.000



394


SCHIEFER

LED LAMPS

Type No.	Volt	Watt	Ø	Length	Finish	Lumen	Kelvin	Life
784312231	12	0.5	12	44	Extra Warm White	20 - 25	2300 - 2600	40.000
784312261	12	0.5	12	44	Warm White	26 - 34	2600 - 3000	40.000
784312501	12	0.5	12	44	White	32 - 40	5000 - 6300	40.000
784324231	24	0.5	12	44	Extra Warm White	20 - 25	2300 - 2600	40.000
784324261	24	0.5	12	44	Warm White	26 - 34	2600 - 3000	40.000
784324501	24	0.5	12	44	White	32 - 40	5000 - 6300	40.000

LEDs

S8.5
2 x 5050 SMD Led
12 x 44mm



Replacing for 5W Xenon Festoon lamp

Patented 100% DIY Festoon System
Saving ~ 10 times energy, economic and environmental friendly
Low temperature, offering better safety
No UV/IR and long life time (~ 40,000hrs)
Warm white, day white and various colors for choice
CE/RoHS Compliant
1 year warranty
110 ° viewing angle

All materials for new cable-mounting are available on request


LED S

P13,5s
Led Torch
11 x 30mm

396

SCHIEFER

LED LAMPS



Type No.	Volt	A / Watt	Ø	Length	Finish	Lumen	Kelvin	Life
024419011	1.2 - 9	220 - 400mA	11	30	White	80	6500	10.000
		± 30%						
		0,7 - 1,4 Watt						
		± 30%						

This LED replaces any P13,5s lamp from 1.2V until 9V. Can also be used for miner head light and emergency light with different colors (2900K warm white, 4100K neutral white, 5000K cool white and 6500K bright white). E10 base also available on request.


Reverse polarity protection built in with internally controller, in order to avoid destruction of the lamp if the battery is connected the wrong way round.

TACP (Temperature Auto Control Power) automatic control of the current output according to different temperatures enables the bulbs to perform in the best manner.

Type No.	Volt	mA	∅	Length	AC/DC	Finish	Filament	Life
123337801	24		13	33	AC/DC	White	5 Leds	20.000
123337802	24		13	33	AC/DC	Red	4 Leds	20.000
123337803	24		13	33	AC/DC	Green	4 Leds	20.000
123337804	24		13	33	AC/DC	Yellow	4 Leds	20.000

LEDs

E12
Single Led
13 x 33mm



397

SCHIEFER

LED LAMPS


LEDS

E14
Single Led
16 x 35mm

398

SCHIEFER

LED LAMPS




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
143536201	12	18	16	35	AC/DC	White	3 leds	20.000
143536202	12	18	16	35	AC/DC	Red	3 leds	20.000
143536203	12	18	16	35	AC/DC	Green	3 leds	20.000
143536204	12	18	16	35	AC/DC	Yellow	3 leds	20.000
143536206	12	18	16	35	AC/DC	Blue	3 leds	20.000
143542001	24	20	16	35	AC/DC	White	3 leds	20.000
143542002	24	20	16	35	AC/DC	Red	3 leds	20.000
143542003	24	20	16	35	AC/DC	Green	3 leds	20.000
143542004	24	20	16	35	AC/DC	Yellow	3 leds	20.000
143542006	24	20	16	35	AC/DC	Blue	3 leds	20.000

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
153536201	12	18	16	35	AC/DC	White	3 leds	20.000
153536202	12	18	16	35	AC/DC	Red	3 leds	20.000
153536203	12	18	16	35	AC/DC	Green	3 leds	20.000
153536204	12	18	16	35	AC/DC	Yellow	3 leds	20.000
153536206	12	18	16	35	AC/DC	Blue	3 leds	20.000
153542001	24	20	16	35	AC/DC	White	3 leds	20.000
153542002	24	20	16	35	AC/DC	Red	3 leds	20.000
153542003	24	20	16	35	AC/DC	Green	3 leds	20.000
153542004	24	20	16	35	AC/DC	Yellow	3 leds	20.000
153542006	24	20	16	35	AC/DC	Blue	3 leds	20.000
153552101	48	20	16	35	AC/DC	White	3 leds	20.000
153552102	48	20	16	35	AC/DC	Red	3 leds	20.000
153552103	48	20	16	35	AC/DC	Green	3 leds	20.000
153552104	48	20	16	35	AC/DC	Yellow	3 leds	20.000
153552106	48	20	16	35	AC/DC	Blue	3 leds	20.000

LEDs

Ba15d
Single Led
T16 x 35mm



399

SCHIEFER

LED LAMPS


LEDS

E14
Single Led
T18 x 45mm

400

SCHIEFER

LED LAMPS




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
024912081	12	20	18	45	AC/DC	White	8 leds	25.000
024912082	12	20	18	45	AC/DC	Red	8 leds	25.000
024912083	12	20	18	45	AC/DC	Green	8 leds	25.000
024912084	12	20	18	45	AC/DC	Yellow	8 leds	25.000
024912086	12	20	18	45	AC/DC	Blue	8 leds	25.000
024924081	24	20	18	45	AC/DC	White	8 leds	25.000
024924082	24	20	18	45	AC/DC	Red	8 leds	25.000
024924083	24	20	18	45	AC/DC	Green	8 leds	25.000
024924084	24	20	18	45	AC/DC	Yellow	8 leds	25.000
024924086	24	20	18	45	AC/DC	Blue	8 leds	25.000
024220081	220	10	18	45	AC	White	8 leds	25.000
024220082	220	10	18	45	AC	Red	8 leds	25.000
024220083	220	10	18	45	AC	Green	8 leds	25.000
024220084	220	10	18	45	AC	Yellow	8 leds	25.000
024220086	220	10	18	45	AC	Blue	8 leds	25.000

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
025022081	12	20	18	45	AC/DC	White	8 leds	25.000
025022082	12	20	18	45	AC/DC	Red	8 leds	25.000
025022083	12	20	18	45	AC/DC	Green	8 leds	25.000
025022084	12	20	18	45	AC/DC	Yellow	8 leds	25.000
025022086	12	20	18	45	AC/DC	Blue	8 leds	25.000
025024081	24	20	18	45	AC/DC	White	8 leds	25.000
025024082	24	20	18	45	AC/DC	Red	8 leds	25.000
025024083	24	20	18	45	AC/DC	Green	8 leds	25.000
025024084	24	20	18	45	AC/DC	Yellow	8 leds	25.000
025024086	24	20	18	45	AC/DC	Blue	8 leds	25.000
025220081	220	10	18	45	AC	White	8 leds	25.000
025220082	220	10	18	45	AC	Red	8 leds	25.000
025220083	220	10	18	45	AC	Green	8 leds	25.000
025220084	220	10	18	45	AC	Yellow	8 leds	25.000
025220086	220	10	18	45	AC	Blue	8 leds	25.000

LEDs

Ba15d
Single Led
T18 x 45mm



401

SCHIEFER

LED LAMPS


LEDS

E14
Stackled 24 Leds
20 x 46mm

402

SCHIEFER

LED LAMPS




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Lumen	Angle
144637701	24	90	20	46	AC/DC	White	35.2	17 - 20
144637702	24	90	20	46	AC/DC	Red	19.5	18 - 20
144637703	24	90	20	46	AC/DC	Green	32.1	14 - 18
144637704	24	90	20	46	AC/DC	Yellow	18.3	14 - 18
144637706	24	90	20	46	AC/DC	Blue	12.6	15 - 22
144666601	110	15	20	46	AC	White	37.2	17 - 20
144666602	110	15	20	46	AC	Red	14.5	18 - 20
144666603	110	15	20	46	AC	Green	31.1	14 - 18
144666604	110	15	20	46	AC	Yellow	14.3	14 - 18

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Kelvin	Life
146076611	220	4.5	22	60	AC/DC	White	3000K	20.000

LEDs

E14
Stackled 15 x SMD
22 x 60mm



403

SCHIEFER


LED LAMPS

LEDS

Ba15d
Stackled 24 Leds
20 x 46mm

404

SCHIEFER




Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Lumen	Angle
154637701	24	90	20	46	AC/DC	White	35.2	17 - 20
154637702	24	90	20	46	AC/DC	Red	19.5	18 - 20
154637703	24	90	20	46	AC/DC	Green	32.1	14 - 18
154637704	24	90	20	46	AC/DC	Yellow	18.3	14 - 18
154637706	24	90	20	46	AC/DC	Blue	12.6	15 - 22
154666601	110	15	20	46	AC	White	37.2	17 - 20
154666602	110	15	20	46	AC	Red	14.5	18 - 20
154666603	110	15	20	46	AC	Green	31.1	14 - 18
154666604	110	15	20	46	AC	Yellow	14.3	14 - 18
154666606	110	15	20	46	AC	Blue	9.6	15 - 22
154676601	220	10	20	46	AC	White	30.2	17 - 20
154676602	220	10	20	46	AC	Red	12.5	18 - 20
154676603	220	10	20	46	AC	Green	28.1	14 - 18
154676604	220	10	20	46	AC	Yellow	12.3	14 - 18
154676606	220	10	20	46	AC	Blue	9.6	15 - 22

Type No.	Volt	mA	Ø	Height	AC/DC	Finish	Leds	CD
657702021	20-32	92	65	15.5		Red	27 leds	24
659902020	24 ± 10%	85	65	15.5		Red	20 leds	20
659903020	24 ± 10%	45	65	15.5		Green	20 leds	20
659904020	24 ± 10%	85	65	15.5		Yellow	20 leds	20
659906020	24 ± 10%	45	65	15.5		Blue	20 leds	20
659900020	24 ± 10%	45	65	15.5		White	20 leds	20

LEDs

Led Cluster
 Ø65
 8mm



405

SCHIEFER

LED LAMPS

LEDS

G4 Led 5050
SMD Side-pins




Type No.	Volt	Watt	Ø	Length	Finish	Lumen	Kelvin	Life
022401207	10-15	1	24-25	7x5050 SMD	Warm white	70	3000K	20.000
022401212	10-15	1.1	28-30	12x5050 SMD	Warm white	140	3000K	20.000

Must be used together with special led drivers. Please contact our sales department.

406

SCHIEFER



LED LAMPS



Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
021199401	11-15	± 20/25	35	35	AC/DC	White	9 leds	20.000
021199511	11-15	± 20/25	35	35	AC/DC	Warm White	9 leds	
021199402	11-15	± 20/25	35	35	AC/DC	Red	9 leds	20.000
021199403	11-15	± 20/25	35	35	AC/DC	Green	9 leds	20.000
021199404	11-15	± 20/25	35	35	AC/DC	Yellow	9 leds	20.000
021199406	11-15	± 20/25	35	35	AC/DC	Blue	9 leds	20.000
021199501	24-28	± 20/25	35	35	AC/DC	Warm White	9 leds	20.000
021199502	24-28	± 20/25	35	35	AC/DC	Red	9 leds	20.000
021199503	24-28	± 20/25	35	35	AC/DC	Green	9 leds	20.000
021199504	24-28	± 20/25	35	35	AC/DC	Yellow	9 leds	20.000
021199506	24-28	± 20/25	35	35	AC/DC	Blue	9 leds	20.000

LEDs

GU4 MR11
Single Led
35 x 35mm



407

SCHIEFER



LED LAMPS

LED S

GU5.3 MRI 6
Single Led
47.5 x 50mm

408

SCHIEFER



LED LAMPS

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
022699401	12	1.4	47.5	50	AC/DC	White	20 leds	20.000
022699411	12	1.4	47.5	50	AC/DC	Warm White	20 leds	20.000
022699402	12	1	47.5	50	AC/DC	Red	20 leds	20.000
022699403	12	1.4	47.5	50	AC/DC	Green	20 leds	20.000
022699404	12	1	47.5	50	AC/DC	Yellow	20 leds	20.000
022699406	12	1.4	47.5	50	AC/DC	Blue	20 leds	20.000
022699501	24	1.4	47.5	50	AC/DC	White	20 leds	20.000
022699502	24	1	47.5	50	AC/DC	Red	20 leds	20.000
022699503	24	1.4	47.5	50	AC/DC	Green	20 leds	20.000
022699504	24	1	47.5	50	AC/DC	Yellow	20 leds	20.000
022699506	24	1.4	47.5	50	AC/DC	Blue	20 leds	20.000
022699601	28	1.4	47.5	50	AC/DC	White	20 leds	20.000
022699602	28	1	47.5	50	AC/DC	Red	20 leds	20.000
022699603	28	1.4	47.5	50	AC/DC	Green	20 leds	20.000
022699604	28	1	47.5	50	AC/DC	Yellow	20 leds	20.000
022699606	28	1.4	47.5	50	AC/DC	Blue	20 leds	20.000



Type No.	Volt	Watt	Ø	Length	AC/DC	Finish	Lumen	Kelvin
022633122	11 - 14	3x1	50	47.5	AC/DC	Extra warm white	140 - 160	2700K
022633123	11 - 14	3x1	50	47.5	AC/DC	Warm white	140 - 160	3000K
022633124	11 - 14	3x1	50	47.5	AC/DC	Neutral white	150 - 200	4200K
022633125	11 - 14	3x1	50	47.5	AC/DC	Cool white	150 - 200	5700K

LEDs

GU5.3 MR16

3 x 1W Powered Cree Led

50 x 47.5mm



409

SCHIEFER

LED LAMPS

Beam Angle 25°

Replacing 25W halogen MR16
Overheat protection
3-Year warranty



Life = 20.000h

LEDS

GU5.3 MR16
3 x 1W Powered Lumiled
50 x 47.5mm

410

SCHIEFER



Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Lumen	Kelvin
022733122	11 - 14	3x1	50	47.5	AC/DC	Extra warm white	140 - 160	2700K
022733123	11 - 14	3x1	50	47.5	AC/DC	Warm white	140 - 160	3000K
022733124	11 - 14	3x1	50	47.5	AC/DC	Neutral white	150 - 200	4200K
022733125	11 - 14	3x1	50	47.5	AC/DC	Cool white	150 - 200	5700K

Beam Angle 40°

Replacing 25W halogen MR16.
Overheat protection.
3-Year warranty.

Life = 20.000h


Type No.	Volt	Watt	Ø	Length	AC/DC	Finish	Lumen	Kelvin
022533122	12	5 (2 leds)	50	63	AC/DC	Warm White	240	2700K
022533123	12	5 (2 leds)	50	63	AC/DC	Nutral White	252	4000K
022533124	12	5 (2 leds)	50	63	AC/DC	Cool White	264	6000K

LEDs

GU5.3 MR16

Cree Hew Special PMMA Lens

50 x 63mm



411

SCHIEFER

LED LAMPS

Beam Angle 38°



3 Year warranty.

LEDS

GU10 MR16
Single Led
52.5 x 50mm

4/2

SCHIEFER



LED LAMPS

Type No.	Volt	mA	Ø	Length	AC/DC	Finish	Filament	Life
022799701	110	1.4	52.5	50	AC	White	20 leds	20.000
022799702	110	1	52.5	50	AC	Red	20 leds	20.000
022799703	110	1.4	52.5	50	AC	Green	20 leds	20.000
022799704	110	1	52.5	50	AC	Yellow	20 leds	20.000
022799706	110	1.4	52.5	50	AC	Blue	20 leds	20.000
022799801	220	1.4	52.5	50	AC	White	20 leds	20.000
022799811	220	1.4	52.5	50	AC	Warm White	20 leds	20.000
022799802	220	1	52.5	50	AC	Red	20 leds	20.000
022799803	220	1.4	52.5	50	AC	Green	20 leds	20.000
022799804	220	1	52.5	50	AC	Yellow	20 leds	20.000
022799806	220	1.4	52.5	50	AC	Blue	20 leds	20.000


Type No.	Volt	Watt	Ø	Length	AC/DC	Finish	Lumen	Kelvin
022811301	220-240V	3	48	63	AC	Warm white	110 - 120	3500K

LEDs

GUI0 MR16

1 x 3W Powered Kingluxeon

48 x 64mm



413

SCHIEFER

LED LAMPS

Beam Angle 60°

Kingluxeon LED

LED S

GU10 MR16



Powered SMD Cree Led

50 x 52.5mm

4 | 4

SCHIEFER

LED LAMPS



Type No.	Volt	Watt	Ø	Length	AC/DC	Finish	Lumen	Kelvin
022835222	85 - 264	5 (3 Leds)	50	52.5	AC	Extra warm white	140 - 180	2700K
022835223	85 - 264	5 (3 Leds)	50	52.5	AC	Warm white	140 - 180	3000K
022835224	85 - 264	5 (3 Leds)	50	52.5	AC	Neutral white	150 - 200	4200K
022835225	85 - 264	5 (3 Leds)	50	52.5	AC	Cool white	150 - 200	5700K

Beam Angle 25°

Replacing 25W halogen GU10.

Overheat protection.

3 Year warranty.



Type No.	Volt	Watt	Ø	Length	AC/DC	Finish	Lumen	Kelvin
022935222	85 - 264	5 (3 Leds)	50	52.5	AC	Extra warm white	140 - 180	2700K
022935223	85 - 264	5 (3 Leds)	50	52.5	AC	Warm white	140 - 180	3000K
022935224	85 - 264	5 (3 Leds)	50	52.5	AC	Neutral white	150 - 200	4200K
022935225	85 - 264	5 (3 Leds)	50	52.5	AC	Cool white	150 - 200	5700K

LEDs

GU10 MR16

Poweredled SMD Philips Lumiled

50 x 52,5mm



415

SCHIEFER

LED LAMPS

Beam Angle 40°

Replacing 25W halogen GU10.
Overheat protection.
3 Year warranty.

LEDS

GU10 MR16


Cree Hew Special PMMA Lens

50 x 70mm

416

SCHIEFER

LED LAMPS



Type No.	Volt	Watt	Ø	Length	AC/DC	Finish	Lumen	Kelvin
022735222	230	5 (2 Leds)	50	70	AC	Extra warm white	240	2700K ±250
022735223	230	5 (2 Leds)	50	70	AC	Nutral white	276	4000K ±250
022735224	230	5 (2 Leds)	50	70	AC	Cool white	264	6000K ±250

Beam Angle 38°

Overheat protection.
3 Year warranty.

Type No.	Volt	Watt	Ø	Length	AC/DC	Finish	Lumen	Kelvin
----------	------	------	---	--------	-------	--------	-------	--------

Sharp Dimmable; CRI > 95 (for 3000k)

022738222	230	5 (1 Led)	50	76	AC	Extra warm white	280	2700K ±250
022738223	230	5 (1 Led)	50	76	AC	Neutral white	308	4000K ±250
022738224	230	5 (1 Led)	50	76	AC	Cool white	307	6500K ±250


For recommended dimmers please contact our sales department.

LEDs

GUI0 MR16

Sharp Dimmable PMMA Lens

50 x 76mm



417

SCHIEFER

LED LAMPS

Beam Angle 38°

Overheat protection.
3 Year warranty.

LEDS

E27 Led Glass Shell

7 Leds

45 x 72mm



4/8

SCHIEFER

LED LAMPS

Type No.	Volt	mA	Watt	Temp	AC/DC	Finish	Lumen	Life
027240701	220	16	0.65	4200-6000K	AC	White	18	20.000
027240711	220	16	0.65	3000-3500K	AC	Warm White	15	20.000
027240702	220	14	0.60	640 nm	AC	Red	15	20.000
027240703	220	16	0.65	568 nm	AC	Green	15	20.000
027240704	220	14	0.60	593 nm	AC	Yellow	15	20.000
027240706	220	14	0.60	470 nm	AC	Blue	15	20.000

These leds are also available with plastic white shell. (color is indicated by a colored ring just above the base)

Type No.	Volt	mA	Watt	Temp	AC/DC	Finish	Lumen	Life
027240721 *	220	16	0.64	3000-3500K	AC	Warm White	15	20.000
027240921 **	220	16	0.70	3000-3500K	AC	Warm White	23	20.000

(*) Replaces 5W (**) Replaces 7W

LEDS

E27 Led PVC Shell
7/9 Leds
45 x 72mm



419

SCHIEFER


LED LAMPS

LEDS

E27 GLS
Semiled
60 x 108mm

420

SCHIEFER



Type No.	Volt	Watt	Ø	Length	Angle	Finish	Lumen	Kelvin
022700428	100-240V AC	4 (3 Leds)	60	108	140	Warm white	210	2800 ±250
022700728 *	100-240V AC	7 (3 Leds)	60	108	140	Warm white	490	2800 ±250
002701028	100-240V AC	10 (5 Leds)	70	135	140	Warm white	750	2800 ±250
022700455	100-240V AC	4 (3 Leds)	60	108	140	Cool white	220	6000 ±250
022700755 *	100-240V AC	7 (3 Leds)	60	108	140	Cool white	510	6000 ±250
022701055	100-240V AC	10 (5 Leds)	70	135	140	Cool white	780	6000 ±250

4W replaces a 25W frosted re-inforced construction filament lamp.
7W replaces a 40W frosted re-inforced construction filament lamp. (* Dimmable)
10W replaces a 100W frosted re-inforced construction filament lamp.

2 Year warranty

LED LAMPS

Type No.	Volt	Watt	∅	Length	Angle	Finish	Lumen	Kelvin
022708300 *	90-264V AC	8 (18 Leds)	60	107	140	Warm white	536	3000 ±250
022707270 **	90-264V AC	7 (3 Leds)	60	107	140	Extra warm white	450	2700 ±250
022707300 **	90-264V AC	7 (3 Leds)	60	107	140	Warm white	350	3000 ±250
022704200 **	90-264V AC	7 (3 Leds)	60	107	140	Neutral white	380	4200 ±250

7W replaces a 60W frosted re-inforced construction filament lamp. (25.000h with at least 70% lumen)
8W replaces a 60W frosted re-inforced construction filament lamp. (50.000h with at least 70% lumen)


2 Year warranty

LED S

E27 Elegant

* Seoul Led / ** Lumiled

60 x 107mm



421

SCHIEFER

LED LAMPS

LEDS


E14

Candle Regular / Twisted / Tip
34 x 110-126mm

422

SCHIEFER

LED LAMPS



Type No.	Volt	Watt	Ø	Length	Shape	Finish	Lumen	Kelvin
021413250	220	3	34	110	Regular	Clear	110	2500K
021423250	220	3	34	110	Twisted	Clear	110	2500K
021433250	220	3	34	126	Tip	Clear	110	2500K
021413300	220	3	34	110	Regular	Clear	120	3000K
021423300	220	3	34	110	Twisted	Clear	120	3000K
021433300	220	3	34	126	Tip	Clear	120	3000K

The 2500K replaces 100% the traditional filament lamp!
These lamps are TUV approved and have 25.000h life.
Powerfactor > 0.9 / CRI > 80

Great replacement for chandelier candelabras.

2U Sticks	425
3U Sticks	426
T2 Full Spiral	427
T3 Full Spiral	428
T2 Half Spiral	429
T3 Half Spiral	430
Candles	431
Globes	432
A-Lamps	433
Reflector R50	434
GU10	435

Type No.	Volt	Watt	Ø	Length	Lumen	Color	Base	Life
441405012	230	5	36	109	300	2700K	E14	10.000
442705012	230	5	36	110	300	2700K	E27	10.000
442205012	230	5	36	109	300	2700K	B22	10.000
441408012	230	8	36	119	450	2700K	E14	10.000
442708012	230	8	36	120	450	2700K	E27	10.000
442208012	230	8	36	119	450	2700K	B22	10.000
441411012	230	11	36	139	670	2700K	E14	10.000
442711012	230	11	36	140	670	2700K	E27	10.000
442211012	230	11	36	139	670	2700K	B22	10.000
442715012	230	15	41	160	810	2700K	E27	10.000
442215012	230	15	41	159	810	2700K	B22	10.000

CFL LAMPS

2U Sticks



425

SCHIEFER

CFL LAMPS

CFL LAMPS

3U Sticks

426

SCHIEFER

CFL LAMPS



Type No.	Volt	Watt	Ø	Length	Lumen	Color	Base	Life
441409022	230	9	38	109	510	2700K	E14	10.000
442709022	230	9	38	108	510	2700K	E27	10.000
442209022	230	9	38	110	510	2700K	B22	10.000
442711022	230	11	38	119	700	2700K	E27	10.000
442211022	230	11	38	118	700	2700K	B22	10.000
442713022	230	13	38	128	810	2700K	E27	10.000
442213022	230	13	38	128	810	2700K	B22	10.000
442715022	230	15	38	137	900	2700K	E27	10.000
442215022	230	15	38	136	900	2700K	B22	10.000
442720022	230	20	46	152	1240	2700K	E27	10.000
442220022	230	20	46	151	1240	2700K	B22	10.000
442723022	230	23	46	162	1380	2700K	E27	10.000
442223022	230	23	46	161	1380	2700K	B22	10.000

Type No.	Volt	Watt	Ø	Length	Lumen	Color	Base	Life
441405032	230	5	39	81	290	2700K	E14	10.000
442705032	230	5	39	82	290	2700K	E27	10.000
442205032	230	5	39	81	290	2700K	B22	10.000
441407032	230	7	39	88	480	2700K	E14	10.000
442707032	230	7	39	88	480	2700K	E27	10.000
442207032	230	7	39	87	480	2700K	B22	10.000
441409032	230	9	39	91	515	2700K	E14	10.000
442709032	230	9	39	91	515	2700K	E27	10.000
442209032	230	9	39	90	515	2700K	B22	10.000
441411032	230	11	39	92	630	2700K	E14	10.000
442711032	230	11	39	93	630	2700K	E27	10.000
442211032	230	11	39	92	630	2700K	B22	10.000
442715032	230	15	42	109	870	2700K	E27	10.000
442215032	230	15	42	109	870	2700K	B22	10.000
442720032	230	20	56	112	1200	2700K	E27	10.000
442220032	230	20	56	112	1200	2700K	B22	10.000
442723032	230	23	56	116	1450	2700K	E27	10.000
442223032	230	23	56	118	1450	2700K	B22	10.000

CFL LAMPS

T2 Full Spiral



427

SCHIEFER

CFL LAMPS

CFL LAMPS

T3 Full Spiral

428

SCHIEFER

CFL LAMPS



Type No.	Volt	Watt	Ø	Length	Lumen	Color	Base	Life
441405042	230	5	47	81	290	2700K	E14	10.000
442705042	230	5	47	81	290	2700K	E27	10.000
442205042	230	5	47	80	290	2700K	B22	10.000
441407042	230	7	47	92	450	2700K	E14	10.000
442707042	230	7	47	92	450	2700K	E27	10.000
442207042	230	7	47	91	450	2700K	B22	10.000
441409042	230	9	47	96	540	2700K	E14	10.000
442709042	230	9	47	96	540	2700K	E27	10.000
442209042	230	9	47	95	540	2700K	B22	10.000
441411042	230	11	47	98	770	2700K	E14	10.000
442711042	230	11	47	98	770	2700K	E27	10.000
442211042	230	11	47	97	770	2700K	B22	10.000
442714042	230	14	47	104	870	2700K	E27	10.000
442214042	230	14	47	103	870	2700K	B22	10.000
442718042	230	18	60	108	1350	2700K	E27	10.000
442218042	230	18	60	107	1350	2700K	B22	10.000
442723042	230	23	60	116	1500	2700K	E27	10.000
442223042	230	23	60	115	1500	2700K	B22	10.000

Type No.	Volt	Watt	Ø	Length	Lumen	Color	Base	Life
441405052	230	5	47	86	340	2700K	E14	10.000
442705052	230	5	47	81	340	2700K	E27	10.000
442205052	230	5	47	80	340	2700K	B22	10.000
441408052	230	8	47	92	540	2700K	E14	10.000
442708052	230	8	47	87	540	2700K	E27	10.000
442208052	230	8	47	86	540	2700K	B22	10.000
441411052	230	11	47	100	860	2700K	E14	10.000
442711052	230	11	47	95	860	2700K	E27	10.000
442211052	230	11	47	94	860	2700K	B22	10.000
442609052	120	9	46	102	5500	2700K	E26	10.000
442614052	120	14	46	112	900	2700K	E26	10.000
442619052	120	19	58	102	1200	2700K	E26	10.000
442623052	120	23	58	122	1600	2700K	E26	10.000

CFL LAMPS

T2 Half Spiral



429

SCHIEFER

CFL LAMPS

CFL LAMPS

T3 Half Spiral

430

SCHIEFER

CFL LAMPS



Type No.	Volt	Watt	Ø	Length	Lumen	Color	Base	Life
442715062	230	15	56	109	1040	2700K	E27	10
442215062	230	15	56	108	1040	2700K	B22	10
442720062	230	20	61	113	1230	2700K	E27	10
442220062	230	20	61	112	1230	2700K	B22	10
442723062	230	23	61	127	1500	2700K	E27	10
442223062	230	23	61	126	1500	2700K	B22	10
442740062	230	40	74	177	1040	2700K	E27	10
442240062	230	40	74	176	1040	2700K	B22	10

Type No.	Volt	Watt	Ø	Length	Lumen	Color	Base	Life
441405072	230	5	36	113	260	2700K	E14	10.000
442705072	230	5	36	111	260	2700K	E27	10.000
442205072	230	5	36	111	260	2700K	B22	10.000
441407072	230	7	41	115	300	2700K	E14	10.000
442707072	230	7	41	113	300	2700K	E27	10.000
442207072	230	7	41	113	300	2700K	B22	10.000
441409072	230	9	43	120	470	2700K	E14	10.000
442709072	230	9	43	118	470	2700K	E27	10.000
442209072	230	9	43	118	470	2700K	B22	10.000

CFL LAMPS

Candles



431

SCHIEFER

CFL LAMPS

CFL LAMPS

Globes

432

SCHIEFER

CFL LAMPS



Type No.	Volt	Watt	Ø	Length	Lumen	Color	Base	Life
441404082	230	4	64	89	165	2700K	E14	10.000
442704082	230	4	64	92	165	2700K	E27	10.000
442204082	230	4	64	92	165	2700K	B22	10.000
441408082	230	8	79	112	510	2700K	E14	10.000
442708082	230	8	79	111	510	2700K	E27	10.000
442208082	230	8	79	111	510	2700K	B22	10.000
441411082	230	11	79	112	650	2700K	E14	10.000
442711082	230	11	79	111	650	2700K	E27	10.000
442211082	230	11	79	111	650	2700K	B22	10.000
442715082	230	15	95	130	925	2700K	E27	10.000
442215082	230	15	95	129	925	2700K	B22	10.000
442720082	230	20	95	130	1170	2700K	E27	10.000
442220082	230	20	95	129	1170	2700K	B22	10.000

Type No.	Volt	Watt	Ø	Length	Lumen	Color	Base	Life
441405102	230	5	44	101	240	2700K	E14	10.000
442705102	230	5	44	101	240	2700K	E27	10.000
442205102	230	5	44	100	240	2700K	B22	10.000
441408102	230	8	49	94	450	2700K	E14	10.000
442708102	230	8	49	94	450	2700K	E27	10.000
442208102	230	8	49	93	450	2700K	B22	10.000
441411102	230	11	60	118	500	2700K	E14	10.000
442711102	230	11	60	118	500	2700K	E27	10.000
442211102	230	11	60	117	500	2700K	B22	10.000
442715102	230	15	61	120	830	2700K	E27	10.000
442215102	230	15	61	119	830	2700K	B22	10.000
442720102	230	20	70	152	1360	2700K	E27	10.000
442220102	230	20	70	151	1360	2700K	B22	10.000

CFL LAMPS

A-Lamps



433

SCHIEFER

CFL LAMPS

CFL LAMPS

Reflector R50

Type No.	Volt	Watt	Ø	Length	Lumen	Color	Base	Life
441407112	230	7	50	108	200	2700K	E14	10.000
442707112	230	7	50	108	200	2700K	E27	10.000
442207112	230	7	50	108	200	2700K	B22	10.000
441409112	230	9	64	112	365	2700K	E14	10.000
442709112	230	9	64	112	365	2700K	E27	10.000
442209112	230	9	64	111	365	2700K	B22	10.000

434

SCHIEFER



CFL LAMPS

Type No.	Volt	Watt	∅	Length	Lumen	Color	Base	Life
441007122	230	7	50	61	130	2700K	GU10	10.000
441011122	230	11	50	78	130	2700K	GU10	10.000

CFL LAMPS

GU10



435

SCHIEFER

CFL LAMPS

Projector / Beamer Lamps

437

Brands

3D PERCEPTION	EIZO	Mitsubishi	SAVILLE AV
3M	ELMO	NEC	SELECO
Acer	Epson	NOBO	Sharp
Anders+Kern	GEHA	Optoma	Smart
ASK	Hitachi	Panasonic	Sony
Ask Proxima	HP	Philips	Studio Experience
BARCO	IBM	Pioneer	TAXAN
BenQ	Infocus	Pioneer Elite	Toshiba
Boxlight	JVC	PLUS	TRIUMPH-ADLER
Canon	Kindermann	Polaroid	Vertex
Christie	Knoll Systems	ProjectionDesign	Viewsonic
DAVIS	KODAK	Projector Europe	Vizio
DELL	Lenovo	Proxima	YAMAHA
Delta	LG	RCA	Yokogawa
Dukane	Liesegang	Samsung	Zenith & LG
EIKI	LIGHTWARE	Sanyo	


- Replacement lamps for **>4.000 types of projectors**
- Competitive prices trough own import
- Fast delivery
- 3 months guarantee
- Extensive product knowledge
- Search engine can be found at: <http://www.schiefer.nl/beamer>

4000+ TYPES OF PROJECTOR LAMPS

WWW.SCHIEFER.NL/BEAMER

PROJECTOR LAMPS

Information



437

SCHIEFER

PROJECTOR LAMPS

Lamp holder Halogen	437
Lamp holder Miniature	438

604412331 Lamp holder GZ10 with transparent wire



604411222 Lamp holder universal G4 - G5.3 - G6.35 - GY6.35 with leads



LAMP HOLDERS

Miniature


Type No.

Description


440

SCHIEFER

VARIOUS



600995001 Lamp holder Ba9s - PCB 2 pins - Int. Code. BS 912



601095011 Lamp holder E10 - 2 downward lugs - Int. Code. ES 1001



601015200 Lamp holder E10 - Solder lug - 15mm single isolated - Int. Code. ES 1044/38-(02)

Lamp puller T1 - T16

441

Type No.

Description

LAMP PULLERS

T1 - T16

600999999

Detaching tubes set including T1 - T1 1/4 - T1 1/2 - T1 3/4 - T2 - T2 3/4 - T3 1/4 - T4 - T5
Set of 9 pieces.



443

SCHIEFER

VARIOUS

000501200	07	010733400	09	020503004	362	022799804	412	032038600	30
000721600	09	010733500	09	020599921	362	022799806	412	032038602	30
000725200	09	010733600	09	020599922	362	022799811	412	032038900	30
000727000	09	010734300	09	020599923	362	022811301	413	032038902	30
000727100	09	010738600	09	020599924	362	022835222	414	032042300	30
000728000	09	010741400	09	020599926	362	022835223	414	032042400	30
000728100	09	010741500	09	021199401	407	022835224	414	032042402	30
000728200	09	010742800	09	021199402	407	022835225	414	032044500	30
000821500	10	010743100	09	021199403	407	022935222	415	032044502	30
000826800	10	010747300	09	021199404	407	022935223	415	032048800	30
000926900	11	010753100	09	021199406	407	022935224	415	032095900	115
002701028	420	010762500	09	021199501	407	022935225	415	042736701	373
010238600	26	010800700	10	021199502	407	024220081	400	042736901	373
010309600	26	010815400	10	021199503	407	024220082	400	042822200	31
010322200	26	010820800	10	021199504	407	024220083	400	042822500	31
010518300	07	010821200	10	021199506	407	024220084	400	042825000	31
010518900	07	010822200	10	021199511	407	024220086	400	042825200	31
010519300	07	010825100	10	021413250	422	024419011	396	042830400	31
010530000	07	010828100	10	021413300	422	024912081	400	042832500	31
010538100	07	010828600	10	021423250	422	024912082	400	042833900	31
010600200	08	010829700	10	021423300	422	024912083	400	042834200	31
010603123	08	010830000	10	021433250	422	024912084	400	042836000	31
010608000	08	010830300	10	021433300	422	024912086	400	042836100	31
010609500	08	010830400	10	022401207	406	024924081	400	042836200	31
010617500	08	010841300	10	022401212	406	024924082	400	042838300	31
010617700	08	010843400	10	022533122	411	024924083	400	042838900	31
010618300	08	010844300	10	022533123	411	024924084	400	042839300	31
010618323	08	010844500	10	022533124	411	024924086	400	042843400	31
010618400	08	010906800	11	022633122	409	025022081	401	042843600	31
010618700	08	010908000	11	022633123	409	025022082	401	042844700	31
010618900	08	010918300	11	022633124	409	025022083	401	042844800	31
010619300	08	010921700	11	022633125	409	025022084	401	042855100	31
010619332	08	010922200	11	022699401	408	025022086	401	050934100	24
010619500	08	010924600	11	022699402	408	025024081	401	050934188	24
010621400	08	010924800	11	022699403	408	025024082	401	050934500	24
010621600	08	010925500	11	022699404	408	025024083	401	050937302	371
010626700	08	010927800	11	022699406	408	025024084	401	050937303	371
010627900	08	010928600	11	022699411	408	025024086	401	050937304	371
010629700	08	010930100	11	022699501	408	025220081	401	050937306	371
010630000	08	010930500	11	022699502	408	025220082	401	050937321	371
010630100	08	010933600	11	022699503	408	025220083	401	050938600	24
010633300	08	010933700	11	022699504	408	025220084	401	050943100	24
010633500	08	010934100	11	022699506	408	025220086	401	050945500	24
010635400	08	010935500	11	022699601	408	027240701	418	050945502	24
010638000	08	010938500	11	022699602	408	027240702	418	050945503	24
010642600	08	010938600	11	022699603	408	027240703	418	050947000	24
010642700	08	010942618	11	022699604	408	027240704	418	050947002	24
010642732	08	010943100	11	022699606	408	027240706	418	050947003	24
010695900	111	010943400	11	022700428	420	027240711	418	050956400	24
010695903	111	010944500	11	022700455	420	032022200	30	064731000	32
010701500	09	010944600	11	022701055	420	032024600	30	064731007	32
010703023	09	010956400	11	022733122	410	032025800	30	064731100	32
010703100	09	010995900	111	022733123	410	032025900	30	064731200	32
010706823	09	010995903	111	022733124	410	032026000	30	064731202	32
010708600	09	011095900	111	022733125	410	032030400	30	064731300	32
010715200	09	015497800	111	022735222	416	032030402	30	064739300	32
010718400	09	015497803	111	022735223	416	032030600	30	064739400	32
010719300	09	020102099	362	022735224	416	032030700	30	064739800	32
010721200	09	020105099	362	022738222	417	032032900	30	064746300	32
010721500	09	020310002	362	022738223	417	032033000	30	072037321	385
010721700	09	020310003	362	022738224	417	032033700	30	072037402	385
010722200	09	020310004	362	022799701	412	032034100	30	072037403	385
010727800	09	020399921	362	022799702	412	032037302	372	072037404	385
010729700	09	020399922	362	022799703	412	032037303	372	072052202	384
010729800	09	020399923	362	022799704	412	032037304	372	072052203	384
010729900	09	020399924	362	022799706	412	032037306	372	072052204	384
010730100	09	020399926	362	022799801	412	032037331	372	072097000	116
010730300	09	020503002	362	022799802	412	032038500	30	072098000	116
010730400	09	020503003	362	022799803	412	032038502	30	072337302	384

072337303	384	092339300	48	092443800	55	092776602	389	092835900	50
072337304	384	092343100	48	092445500	55	092776603	389	092836000	50
072397000	117	092343127	48	092446000	55	092776604	389	092837702	386
072398000	117	092343300	48	092520601	387	092776606	389	092837703	386
080900700	23	092343400	48	092520602	387	092782601	389	092837704	386
080901500	23	092343500	48	092520603	387	092782602	389	092838200	50
080906400	23	092343700	48	092520604	387	092782603	389	092838500	50
080906700	23	092345000	48	092520606	387	092782604	389	092838600	50
080906800	23	092345400	48	092535901	387	092782606	389	092838627	50
080908000	23	092345500	48	092535902	387	092787701	388	092838700	50
080908723	23	092345527	48	092535903	387	092787702	388	092838900	50
080909600	23	092345700	48	092535904	387	092787703	388	092838927	51
080918300	23	092345727	48	092535906	387	092787704	388	092838928	51
080919300	23	092345900	48	092537701	387	092787706	388	092839000	51
080921500	23	092346000	48	092537702	387	092789901	388	092839100	51
080921700	23	092346800	48	092537703	387	092789902	388	092839200	51
080922200	23	092347900	48	092537704	387	092789903	388	092839300	51
080925100	23	092348300	48	092537706	387	092789904	388	092842202	386
080925500	23	092349700	48	092541601	387	092789906	388	092842203	386
080925700	23	092350100	48	092541602	387	092802100	50	092842204	386
080926100	23	092353000	48	092541603	387	092802700	50	092843100	51
080926900	23	092353100	48	092541604	387	092806600	50	092843127	51
080927800	23	092353400	48	092541606	387	092807000	50	092843200	51
080928600	23	092353600	48	092552601	387	092808400	50	092843300	51
080930100	23	092353800	49	092552602	387	092809600	50	092843500	51
080930300	23	092356300	49	092552603	387	092813000	50	092843600	51
080930400	23	092356727	49	092552604	387	092813500	50	092843800	51
080930500	23	092356800	49	092552606	387	092818800	50	092844700	51
080933300	23	092357000	49	092566601	387	092819100	50	092844900	51
080933600	23	092361700	49	092566602	387	092820602	386	092845100	51
080937302	370	092387700	49	092566603	387	092820603	386	092845500	51
080937303	370	092387900	49	092566604	387	092820604	386	092845700	51
080937304	370	092388100	49	092566606	387	092820800	50	092845900	51
080937306	370	092388600	49	092576601	387	092821400	50	092846000	51
080937321	370	092393900	49	092576602	387	092821700	50	092846200	51
080938500	23	092394300	49	092576603	387	092822200	50	092846800	51
080938900	23	092396900	122	092576604	387	092822227	50	092847000	51
080940000	23	092397900	122	092576606	387	092822500	50	092847100	51
080943100	23	092398000	122	092632900	58	092822700	50	092847300	51
080944500	23	092399000	122	092639400	58	092822900	50	092847900	51
080956400	23	092405800	55	092656200	58	092823100	50	092848027	51
092320700	48	092406400	55	092665600	58	092825000	50	092848300	51
092321200	48	092406600	55	092675600	58	092825200	50	092848900	51
092321400	48	092413000	55	092735701	388	092825265	50	092849300	51
092321700	48	092413400	55	092735702	388	092825400	50	092849700	51
092322200	48	092420700	55	092735703	388	092825600	50	092851400	51
092322300	48	092421400	55	092735704	388	092826100	50	092852602	386
092322500	48	092421700	55	092735706	388	092826300	50	092852603	386
092322600	48	092422400	55	092735901	389	092826500	50	092852604	386
092322700	48	092422600	55	092735902	389	092827000	50	092853000	51
092322800	48	092422700	55	092735903	389	092827200	50	092853100	51
092323100	48	092422900	55	092735904	389	092827700	50	092853400	51
092325000	48	092423100	55	092735906	389	092828500	50	092853600	51
092325200	48	092425600	55	092736701	388	092829202	386	092853800	51
092330000	48	092426500	55	092736702	388	092829203	386	092854000	51
092330400	48	092427700	55	092736703	388	092829204	386	092854200	51
092330500	48	092428200	55	092736704	388	092830000	50	092855000	51
092330600	48	092430000	55	092736706	388	092830400	50	092855327	51
092330627	48	092430400	55	092736901	389	092830427	50	092855400	51
092330800	48	092430600	55	092736902	389	092830500	50	092856002	386
092330900	48	092430700	55	092736903	389	092830600	50	092856003	386
092331000	48	092430800	55	092736904	389	092830800	50	092856004	386
092335700	48	092433600	55	092736906	389	092830900	50	092856100	51
092338600	48	092438600	55	092766601	389	092831000	50	092856300	51
092338627	48	092438900	55	092766602	389	092832700	50	092856427	51
092338900	48	092439000	55	092766603	389	092833000	50	092856527	51
092339000	48	092439100	55	092766604	389	092833600	50	092856600	51
092339100	48	092443100	55	092766606	389	092833900	50	092856800	51
092339200	48	092443600	55	092776601	389	092835700	50	092857000	51

092857100	51	093057000	60	102330000	61	102428200	67	102736706	392
092857200	51	093062700	60	102330400	61	102428300	67	102736901	393
092860500	51	093065400	60	102330500	61	102430000	67	102736902	393
092860900	52	093069100	60	102330600	61	102430400	67	102736903	393
092861800	52	093405653	57	102330627	61	102430434	67	102736904	393
092863600	52	093405853	57	102330800	61	102430800	67	102736906	393
092864400	52	093410653	57	102334700	61	102430834	67	102766601	393
092887500	52	093410753	57	102335700	61	102431000	67	102766602	393
092887600	52	093410953	57	102336500	61	102431034	67	102766603	393
092887700	52	093411153	57	102338600	61	102432500	67	102766604	393
092887800	52	093411653	57	102338627	61	102433500	67	102766606	393
092887900	52	093411753	57	102338900	61	102435200	67	102776601	393
092888100	52	093413753	57	102339100	61	102435700	67	102776602	393
092888400	52	093414553	57	102339200	61	102436500	67	102776603	393
092888600	52	093416753	57	102339300	61	102438600	67	102776604	393
092893500	52	093422753	57	102343100	61	102438900	67	102776606	393
092893626	52	093423053	57	102343500	61	102439000	67	102787701	392
092893644	52	093424153	57	102345300	61	102439100	67	102787702	392
092893800	52	093430953	57	102345500	61	102439200	67	102787703	392
092893900	52	094039100	53	102345527	61	102439300	67	102787704	392
092894000	52	094046000	53	102345900	61	102520601	391	102787706	392
092894100	52	094057000	53	102346000	61	102520602	391	102789901	392
092894300	52	094063600	53	102347900	61	102520603	391	102789902	392
092894500	52	094063700	53	102348300	61	102520604	391	102789903	392
092894600	52	094066100	53	102353400	61	102520606	391	102789904	392
092894700	52	094070200	53	102353900	61	102535901	391	102789906	392
092894900	52	094544900	59	102356400	61	102535902	391	102802700	62
092895100	52	094559800	59	102356700	61	102535903	391	102803420	78
092895900	124	094568600	59	102356727	61	102535904	391	102803620	78
092896800	124	094580800	59	102357000	61	102535906	391	102803820	78
092896803	124	095039100	54	102361700	61	102537701	391	102805020	78
092896900	123	095046000	54	102388100	61	102537702	391	102806600	62
092897800	124	095057000	54	102388600	61	102537703	391	102807000	62
092897803	124	095066100	54	102393800	61	102537704	391	102808400	62
092898000	123	095070200	54	102393900	61	102537706	391	102809020	78
092898800	124	101705650	69	102394300	61	102541601	391	102809600	62
092899000	123	101707050	69	102396800	126	102541602	391	102811320	78
092905200	56	101707250	69	102396900	125	102541603	391	102812800	62
092905800	56	101714150	69	102397800	126	102541604	391	102813000	62
092906435	56	101714550	69	102398000	125	102541606	391	102813300	62
092907000	56	101714650	69	102399000	125	102566601	391	102813500	62
092907200	56	101723150	69	102401700	67	102566602	391	102819100	62
092922100	56	101729450	69	102402600	67	102566603	391	102820602	390
092922600	56	101737950	69	102406200	67	102566604	391	102820603	390
092922700	56	102100318	77	102406234	67	102566606	391	102820604	390
092922800	56	102103418	77	102406400	67	102576601	391	102820800	62
092922900	56	102103618	77	102406600	67	102576602	391	102821400	62
092923100	56	102103818	77	102406632	67	102576603	391	102821700	62
092926600	56	102104418	77	102409600	67	102576604	391	102822000	62
092930600	56	102106418	77	102409634	67	102576606	391	102822200	62
092930800	56	102106618	77	102410100	67	102632900	71	102822400	62
092931000	56	102109618	77	102411800	67	102639400	71	102822500	62
092931100	56	102111318	77	102412200	67	102656200	71	102822700	62
092932900	56	102116400	77	102412234	67	102665600	71	102822900	62
092933900	56	102300300	61	102413400	67	102675600	71	102823100	62
092934065	56	102302300	61	102416400	67	102735701	392	102824300	62
092938500	56	102303600	61	102420700	67	102735702	392	102824900	62
092938600	56	102306400	61	102421400	67	102735703	392	102825000	62
092938900	56	102306600	61	102421434	67	102735704	392	102825200	62
092939100	56	102310100	61	102421500	67	102735706	392	102825227	62
092939200	56	102311300	61	102421700	67	102735901	393	102825265	62
092939300	56	102313000	61	102421734	67	102735902	393	102825400	62
092946200	56	102320700	61	102422200	67	102735903	393	102825600	62
092954200	56	102321400	61	102422600	67	102735904	393	102826300	62
092957200	56	102321700	61	102422700	67	102735906	393	102826500	62
093030700	60	102322200	61	102422900	67	102736701	392	102826900	62
093038800	60	102322600	61	102425000	67	102736702	392	102827000	62
093045500	60	102322700	61	102425600	67	102736703	392	102828200	62
093053700	60	102329500	61	102426100	67	102736704	392	102828300	62

102828500	62	102854200	63	102946200	68	123343500	87	133132800	79
102829202	390	102855000	63	102950100	68	123343600	87	134405220	80
102829203	390	102855400	63	102954200	68	123345900	87	134405550	80
102829204	390	102856002	390	102957200	68	123346000	87	134405570	80
102830000	62	102856003	390	103405653	70	123346200	87	134405660	80
102830400	62	102856004	390	103405853	70	123353400	87	134405670	80
102830427	62	102856300	63	103410653	70	123354200	87	134405770	80
102830500	62	102856427	63	103410753	70	123356600	87	134405870	80
102830600	62	102856600	63	103410953	70	123357000	87	134405880	80
102830800	62	102856700	63	103411153	70	123366500	87	134405990	80
102830827	62	102856800	63	103411653	70	123370400	87	134406000	80
102830900	62	102857000	63	103411753	70	123375400	87	134413350	80
102831000	62	102857100	63	103413753	70	123388100	87	134414650	80
102832700	62	102857200	63	103414553	70	123393800	87	134428500	80
102833600	62	102860500	63	103416753	70	124522700	88	135310020	81
102833900	62	102861800	64	103422753	70	124522900	88	135320021	81
102835200	62	102861900	64	103423053	70	124530800	88	135330030	81
102835700	62	102864200	64	103424153	70	124531000	88	135340040	81
102835900	62	102866000	64	103430953	70	124539000	88	135350041	81
102837702	390	102875400	64	103519400	72	124539300	88	135360050	81
102837703	390	102887500	64	103534800	72	124546200	88	135370051	81
102837704	390	102887900	64	103547200	72	124554200	88	135380060	81
102838200	62	102888100	64	103555500	72	124557200	88	135390018	81
102838500	63	102888600	64	103568600	72	124566500	88	135395024	81
102838600	63	102893626	64	103575600	72	124568600	88	142031400	140
102838627	63	102893800	64	104039100	65	124571000	88	142039600	140
102838628	63	102893900	64	104046000	65	124580600	88	142039800	138
102838900	63	102894100	64	104055300	65	124580800	88	142039800	140
102838927	63	102894200	64	104057000	65	124639400	90	142071900	140
102838928	63	102894300	64	104066100	65	124665600	90	143020700	91
102838985	63	102894600	64	104066400	65	124680800	90	143022700	91
102839000	63	102894700	64	104070200	65	125266800	146	143022900	91
102839100	63	102894900	64	104070300	65	125266900	146	143030500	91
102839127	63	102895100	64	104251800	328	125271300	146	143030600	91
102839200	63	102895900	127	104251802	328	125271301	146	143030800	91
102839300	63	102896800	128	104261300	328	125439300	89	143031000	91
102840000	63	102896900	127	104261302	328	125444900	89	143038500	91
102842202	390	102897800	128	104527300	73	125457200	89	143038900	91
102842203	390	102897803	128	104535000	73	125466500	89	143039100	91
102842204	390	102898000	127	104544900	73	125468600	89	143039300	91
102843100	63	102898800	128	104559800	73	125468600	89	143045700	91
102843127	63	102899000	127	104568600	73	125480600	89	143045900	91
102843500	63	102905200	68	104580800	73	125480800	89	143046000	91
102843600	63	102905600	68	105039100	66	125481000	89	143048000	91
102843800	63	102905800	68	105046000	66	132803620	82	143048200	91
102843822	63	102909600	68	105057000	66	132803820	82	143050300	91
102843827	63	102910400	68	105066100	66	132804020	82	143053500	91
102845500	63	102912450	68	105070200	66	132805020	82	143053800	91
102845700	63	102913500	68	106655385	74	132805120	82	143054200	91
102845900	63	102917000	68	106657185	74	132805220	82	143056300	91
102846000	63	102919700	68	122330800	182	132811320	82	143057000	91
102846200	63	102924200	68	122376100	182	133102400	79	143060800	91
102847900	63	102922700	68	122376102	182	133104400	79	143066000	91
102848027	63	102922734	68	122376103	182	133104900	79	143066500	91
102848300	63	102922900	68	122376104	182	133105200	79	143070200	91
102848400	63	102923100	68	122376106	182	133106600	79	143070400	91
102848900	63	102923134	68	122583900	182	133107700	79	143080600	91
102849300	63	102923394	68	122584000	182	133109600	79	143088100	91
102849700	63	102924100	68	123325400	87	133110800	79	143093800	91
102850100	63	102924200	68	123330600	87	133110832	79	143096800	130
102850300	63	102925200	68	123331000	87	133112200	79	143096900	129
102852602	390	102927400	68	123335700	87	133116200	79	143097800	130
102852603	390	102930800	68	123337801	397	133116600	79	143097803	130
102852604	390	102931000	68	123337802	397	133116632	79	143097900	129
102853000	63	102932900	68	123337803	397	133117000	79	143097910	129
102853400	63	102932934	68	123337804	397	133122700	79	143098800	129
102853600	63	102936300	68	123338900	87	133126200	79	143522700	92
102853800	63	102939100	68	123339000	87	133127600	79	143522900	92
102854000	63	102939300	68	123339100	87	133128500	79	143530600	92

143530800	92	144566700	93	145457000	94	146333700	157	147283921	166
143531000	92	144568500	93	145457100	94	146339600	157	147284000	165
143536201	398	144568600	93	145457200	94	146339800	157	147284001	165
143536202	398	144571300	93	145457400	94	146342600	157	147284008	166
143536203	398	144580600	93	145458700	94	146342700	157	147284021	165
143536204	398	144580800	93	145459800	94	146342800	157	147284100	166
143536206	398	144581000	93	145461200	94	146342900	157	147284101	165
143538900	92	144585700	93	145464400	94	146343000	157	147284108	166
143539100	92	144637701	402	145466500	94	146354400	156	148539600	138
143539300	92	144637702	402	145466700	94	146354400	157	148539800	138
143542001	398	144637703	402	145466800	94	146366800	157	148540200	138
143542002	398	144637704	402	145468600	94	146367000	157	148562200	157
143542003	398	144637706	402	145468700	94	146371300	157	148566800	138
143542004	398	144666601	402	145469100	94	146371301	157	148567000	138
143542006	398	144666602	402	145469300	94	146371900	157	148571300	138
143546000	92	144666603	402	145471000	94	146371901	157	148571301	138
143546200	92	144666604	402	145471300	94	146372600	157	148571900	138
143548200	92	144831100	155	145480400	94	146376401	157	148572600	138
143550100	92	144831000	155	145480600	94	146373100	138	149067000	139
143550300	92	144831200	155	145480800	94	147231000	165	149067001	139
143553900	92	144831400	155	145481000	94	147231001	165	149067200	139
143554200	92	144839300	155	145485700	94	147231100	165	149067201	139
143556700	92	144839500	155	145491000	318	147231101	165	149071900	139
143557000	92	144839600	155	145491100	318	147231200	165	149071901	139
143557200	92	144839800	155	145491200	318	147231201	165	149072600	139
143564400	92	144843812	155	145491300	318	147231400	165	149072601	139
143566500	92	144843912	155	145491400	318	147231401	165	149183800	183
143569300	92	144844012	155	145491500	318	147231700	165	149183801	183
143580400	92	144844112	156	145491600	318	147231701	165	149183808	183
143580600	92	144844212	156	145491700	318	147234000	165	149183821	183
143580800	92	144857500	155	145491800	318	147234001	165	149183900	183
143582200	92	144864600	155	145491900	318	147236200	165	149183901	183
143814300	95	144866500	155	145492000	318	147236201	165	149183908	183
143822700	95	144866700	155	145496900	131	147236202	165	149183921	183
143827300	95	144866800	155	145497800	132	147236203	165	149184000	183
143830800	95	144871300	155	145497803	132	147236204	165	149184001	183
143831000	95	144880600	155	145497900	131	147236205	165	149184008	183
143831100	95	144881000	155	145498900	131	147236206	165	149184021	183
143833800	95	144883800	155	145631000	96	147236239	165	149184100	183
143839100	95	144883800	216	145639300	96	147239300	165	149184101	183
143857000	95	144883801	216	145657200	96	147239301	165	149184108	183
143866100	95	144883900	155	145666500	96	147239500	165	149283800	185
144131100	97	144883900	216	145670400	96	147239501	165	149283801	185
144139500	97	145039800	211	145671392	156	147239600	165	149283900	185
144157400	97	145040200	211	145683914	216	147239601	165	149283901	185
144166700	97	145422700	94	145771301	137	147239655	223	149284000	185
144171000	97	145422900	94	145771414	156	147239800	165	149284001	185
144522700	93	145430900	94	145772014	156	147239801	165	149571900	140
144522900	93	145431000	94	145784800	156	147240200	165	149571901	140
144530900	93	145431100	94	145882600	156	147240201	165	149671300	191
144531000	93	145431200	94	146076611	403	147257500	165	149671400	191
144531200	93	145438900	94	146231400	137	147257501	165	149671900	191
144539100	93	145439100	94	146239600	137	147257600	165	149672000	191
144539300	93	145439200	94	146239800	137	147257601	165	149680100	191
144539400	93	145439300	94	146266800	137	147266800	165	149680200	191
144539500	93	145439500	94	146267000	137	147266801	165	153020700	100
144539600	93	145439600	94	146267200	137	147267000	165	153022700	100
144544900	93	145444800	94	146271300	137	147267001	165	153030500	100
144546200	93	145444900	94	146271301	137	147267200	165	153030600	100
144550300	93	145446000	94	146271600	137	147267201	165	153030800	100
144554200	93	145446200	94	146271601	137	147283500	165	153037100	100
144554300	93	145446400	94	146271900	137	147283501	165	153038900	100
144557100	93	145448400	94	146271901	137	147283800	165	153039100	100
144557200	93	145450300	94	146272600	137	147283801	165	153039300	100
144557300	93	145450400	94	146331200	157	147283808	166	153046000	100
144557400	93	145451500	94	146333300	157	147283821	166	153048200	100
144559800	93	145454200	94	146333400	157	147283900	165	153053500	100
144564400	93	145454300	94	146333500	157	147283901	165	153053800	100
144566500	93	145455200	94	146333600	157	147283908	166	153056300	100

153057000	100	154559800	102	155457400	103	157064800	142	222739300	151
153060800	100	154564400	102	155458700	103	157231100	169	222739500	151
153062200	100	154566500	102	155459800	103	157231101	169	222739600	151
153066000	100	154568600	102	155461200	103	157231200	169	222739800	151
153066500	100	154569300	102	155464400	103	157231201	169	222748600	151
153070200	100	154580600	102	155466500	103	157231400	169	222757200	151
153070400	100	154580800	102	155466700	103	157231401	169	222757400	151
153097900	134	154581000	102	155466800	103	157239500	169	222757500	151
153522700	101	154585700	102	155468600	103	157239501	169	222766700	151
153522900	101	154637701	404	155469300	103	157239600	169	222766800	151
153530600	101	154637702	404	155469500	103	157239601	169	222768600	151
153530800	101	154637703	404	155471000	103	157239800	169	222771000	151
153531000	101	154637704	404	155471300	103	157239801	169	222771300	151
153531100	101	154637706	404	155480400	103	157240200	169	222772600	151
153536201	399	154666601	404	155480600	103	157240201	169	222780600	151
153536202	399	154666602	404	155480800	103	157254601	169	222780800	151
153536203	399	154666603	404	155481000	103	157257500	169	222783900	151
153536204	399	154666604	404	155485700	103	157257501	169	224539300	329
153536206	399	154666606	404	155491000	317	157257600	169	226031200	176
153538900	101	154676601	404	155491100	317	157257601	169	226031201	176
153539000	101	154676602	404	155491200	317	157283800	169	226031400	176
153539100	101	154676603	404	155491300	317	157283801	169	226031401	176
153539200	101	154676604	404	155491400	317	157283900	169	226031700	176
153539300	101	154676606	404	155491500	317	157283901	169	226031701	176
153542001	399	154831000	158	155491600	317	157284000	169	226031900	176
153542002	399	154831100	158	155491700	317	157284001	169	226031901	176
153542003	399	154831200	158	155491800	317	158539800	142	226039501	176
153542004	399	154839300	158	155491900	317	158540200	142	226039600	176
153542006	399	154839500	158	155492000	317	158566800	142	226039601	176
153546000	101	154839600	158	155496900	134	158567000	142	226039800	176
153546200	101	154843812	158	155497900	134	158571300	142	226039801	176
153548200	101	154843912	158	155731100	141	158571301	142	226040200	176
153548400	101	154844012	158	155731200	141	158571900	142	226040201	176
153550100	101	154844112	159	155731400	141	158572600	142	226040500	176
153552101	399	154844212	159	155739500	141	159067000	143	226040501	176
153552102	399	154848600	158	155739600	141	159067001	143	226040600	176
153552103	399	154857500	158	155739800	141	159067200	143	226040601	176
153552104	399	154864600	158	155766800	141	159067201	143	226040700	176
153552106	399	154866700	158	155771300	141	159071900	143	226040701	176
153553900	101	154866800	158	155771301	141	159071901	143	226050600	176
153554200	101	154871900	158	155771600	141	159072600	143	226050601	176
153556700	101	154880600	158	155771601	141	159072601	143	226050700	176
153557000	101	154880800	158	155771900	141	159571900	144	226050701	176
153557200	101	154881000	158	155771901	141	159571901	144	226050800	176
153564400	101	154883800	158	156271600	141	175766700	99	226050801	176
153566500	101	154883801	158	156271601	141	175767000	99	226054500	176
153568700	101	155422700	103	156271900	141	175771000	98	226054501	176
153569300	101	155422900	103	156271901	141	175771300	98	226054600	176
153580400	101	155430900	103	156331200	160	175771600	98	226054601	176
153580600	101	155431000	103	156333300	160	175771900	98	226054700	176
153580800	101	155431100	103	156333400	160	192820700	47	226054701	176
153582200	101	155431200	103	156333500	160	192822400	47	226054901	176
154522700	102	155438900	103	156333600	160	192830500	47	226058800	176
154522900	102	155439100	103	156333700	160	192839100	47	226058801	176
154530900	102	155439200	103	156339600	160	192845900	47	226058900	176
154531000	102	155439300	103	156339800	160	192846000	47	226058901	176
154531100	102	155439500	103	156342600	160	192853900	47	226059000	176
154531200	102	155439600	103	156342700	160	192856600	47	226059001	176
154539100	102	155439800	103	156342800	160	192858300	47	226064600	177
154539300	102	155444900	103	156342900	160	192858400	47	226064601	177
154539500	102	155446000	103	156343000	160	192888100	47	226064700	177
154539600	102	155446200	103	156354400	160	220083900	188	226064701	177
154544900	102	155448400	103	156366800	160	220083901	188	226064800	177
154546200	102	155450300	103	156367000	160	220084000	188	226064801	177
154550300	102	155450400	103	156371300	160	220084001	188	226064900	177
154554200	102	155454200	103	156371301	160	220084100	188	226064901	177
154554300	102	155454300	103	156371900	160	220084101	188	226065000	177
154557100	102	155457100	103	156371901	160	222731200	151	226065001	177
154557200	102	155457200	103	156372600	160	222731400	151	226065100	177

226065101	177	228840000	330	267039932	312	276040500	173	276084105	196
226067700	177	229067000	153	267046600	312	276040501	173	276084108	175
226067701	177	229067001	153	267047700	312	276040600	173	276084121	175
226067800	177	229067200	153	267048800	312	276040601	173	276084144	207
226067801	177	229067201	153	267064700	312	276040700	173	276084155	225
226083800	177	229077000	153	267067000	312	276040701	173	276084168	197
226083801	177	229077001	153	267071900	312	276050600	173	276084192	225
226083900	177	229077700	153	267088800	312	276050601	173	276084208	175
226083901	177	229077701	153	267688800	312	276050700	173	276084221	175
226084000	177	229331200	161	267688900	312	276050701	173	276084255	225
226084001	177	229331400	161	267689200	312	276050800	173	276084292	225
226084044	208	229339500	161	270083900	186	276050801	173	276084308	175
226084100	177	229339600	161	270083901	186	276050827	173	276084321	175
226084101	177	229339800	161	270084000	186	276054500	173	276084355	225
226084142	208	229353200	161	270084001	186	276054501	173	276084392	225
226084144	208	229356800	161	270084100	186	276054600	173	276084400	174
226084200	177	229367000	161	270084101	186	276054601	173	276084401	174
226084201	177	229371300	161	271183901	202	276054700	173	276084500	174
226084300	177	229371900	161	271184001	202	276054701	173	276084501	174
226084301	177	229523060	193	271184101	202	276054900	173	276424040	198
226084400	177	229677700	152	271184701	202	276058800	173	276424060	198
226084401	177	229677701	152	271283900	202	276058801	173	276424100	198
226084500	177	229831400	314	271283901	202	276058900	173	277231101	167
226084501	177	229889000	314	271284000	202	276058901	173	277231100	167
226424040	199	229889100	314	271284001	202	276059000	173	277231101	167
226424060	199	229889200	314	271284100	202	276059001	173	277231200	167
226424100	199	229889300	314	271284300	202	276059500	173	277231201	167
227231100	170	229889500	314	271284301	202	276059501	173	277231400	167
227231101	170	229889600	314	271483900	202	276064600	174	277231401	167
227231200	170	229889700	314	271483901	202	276064601	174	277231701	167
227231201	170	229889800	314	271484000	202	276064700	174	277236200	167
227231400	170	229889900	314	271484001	202	276064701	174	277239301	167
227231401	170	229890100	314	271484100	202	276064800	174	277239500	167
227231700	170	229890200	314	271484101	202	276064801	174	277239501	167
227231701	170	229890232	314	271484300	202	276064900	174	277239600	167
227239301	170	229890300	314	271484301	202	276064901	174	277239601	167
227239500	170	229890400	314	272731200	147	276065000	174	277239800	167
227239501	170	229890500	314	272739300	147	276065001	174	277239801	167
227239600	170	229890600	314	272739500	147	276065100	174	277240200	167
227239601	170	229890700	314	272739600	147	276065101	174	277240201	167
227239800	170	241284101	202	272739800	147	276067700	174	277240500	167
227239801	170	254568695	145	272748500	147	276067701	174	277257500	167
227240035	170	254580695	145	272757200	147	276067800	174	277257501	167
227240200	170	254596900	133	272757400	147	276067801	174	277257600	167
227240201	170	254597900	133	272757500	147	276073800	174	277257601	167
227264801	170	255771900	145	272766700	147	276076400	174	277281501	167
227266808	170	265689400	312	272767000	147	276076401	174	277283500	167
227267001	170	265831100	311	272768600	147	276077000	174	277283501	167
227276339	170	265831200	311	272771000	147	276077001	174	277283800	167
227276400	170	265831400	311	272771300	147	276077700	174	277283801	167
227276401	170	265831500	311	272771900	147	276077701	174	277283808	167
227276403	170	265839500	311	272780600	147	276078000	174	277283821	167
227276404	170	265839600	311	272780800	147	276078001	174	277283900	167
227276405	170	265839800	311	274972600	187	276078300	174	277283901	167
227276408	170	265839900	311	276031200	173	276078301	174	277283908	167
227283800	170	265846600	311	276031201	173	276078400	174	277283921	167
227283801	170	265847700	311	276031400	173	276078401	174	277284000	167
227283900	170	265864700	311	276031401	173	276083808	175	277284001	167
227283901	170	265867132	311	276031700	173	276083821	175	277284008	167
227284000	170	265871900	311	276031701	173	276083905	196	277284021	167
227284001	170	265888600	311	276031900	173	276083908	175	277284100	167
228339600	150	266490000	312	276031901	173	276083921	175	277284101	167
228366700	150	266623300	312	276032101	173	276084005	196	277284108	167
228366800	150	266623600	312	276039600	173	276084008	175	277284700	167
228371000	150	267031100	312	276039601	173	276084021	175	277284701	167
228371300	150	267031200	312	276039800	173	276084055	225	278366800	147
228839500	330	267031400	312	276039801	173	276084068	197	279036200	148
228839600	330	267039500	312	276040200	173	276084092	225	279067001	149
228839800	330	267039800	312	276040201	173	276084102	207	279067201	149

279071300	148	304842073	333	414068133	178	419951434	175	441411032	427
279077000	149	372020800	33	414068200	178	419951450	166	441411042	428
279077001	149	372021200	33	414078933	178	419951451	166	441411052	429
279077700	149	372021400	33	414079133	178	419951452	166	441411082	432
279077701	149	372021700	33	414079300	178	419951453	166	441411102	433
279078001	149	372022200	33	416541700	152	419951454	166	442204082	430
279183950	227	372022500	33	416541701	152	419951455	166	442205012	425
279184050	227	372026300	33	416543000	152	419951456	166	442205032	427
279184150	227	372029400	33	416543001	152	419951457	166	442205042	428
279184250	227	372030400	33	416552101	148	419951458	166	442205052	429
279184350	227	372030700	33	416553401	148	419951459	166	442205072	431
279184450	227	372030900	33	416559000	152	419951470	167	442205102	433
279331200	162	372033600	33	416559800	152	419951471	167	442207032	427
279331400	162	372033700	33	416566401	148	419951472	167	442207042	428
279339600	162	372038100	33	416566700	148	419951473	167	442207072	431
279339800	162	372038200	33	416566701	148	419951474	167	442207112	434
279353200	162	372038500	33	417228601	183	419951475	168	442208012	425
279366800	162	372038600	33	417229201	183	419951476	168	442208052	429
279367000	162	372038900	33	418830300	320	419951477	168	442208082	432
279371300	162	372039000	33	418831600	320	419951478	168	442208102	433
279371900	162	372039100	33	418832900	320	419951479	168	442209022	426
279523025	192	372042600	33	418834200	320	419951480	183	442209032	427
279523040	192	372043400	33	418835500	320	419951481	183	442209042	428
279523060	192	372043500	33	418836800	320	419951482	183	442209072	431
279523240	192	372043600	33	418838100	320	419951483	183	442209112	434
279523260	192	372044200	33	418840700	320	419951484	183	442211012	425
279840400	315	372045100	33	418841000	320	419952005	211	442211022	426
279889000	315	372045500	33	418855900	319	419952006	211	442211032	427
279889300	315	372045700	33	418856900	319	419952009	212	442211042	428
279889500	315	372045900	33	418858300	319	419952010	212	442211052	429
279889600	315	372046000	33	418861800	319	419952011	212	442211082	432
279889800	315	372047300	33	418862000	319	419952021	212	442211102	433
279889900	315	372047800	33	418891500	320	419952022	212	442213022	426
279890100	315	372047900	33	419678800	217	419954020	223	442214042	428
279890200	315	372053100	33	419678900	219	419954021	223	442215012	425
279890300	315	372053200	33	419679014	218	419954025	224	442215022	426
279890400	315	372053400	33	419801211	242	419954026	224	442215032	427
279890500	315	372056400	33	419801212	242	419954030	223	442215062	430
279890700	315	372056500	33	419904842	184	419954031	223	442215082	432
289804865	313	372321000	34	419905196	156	419954034	224	442215102	433
289889800	313	372321200	34	419905197	156	419954035	224	442218042	428
289890100	313	372321400	34	419951024	215	419955699	183	442220022	426
289890200	313	372321700	34	419951025	215	419955700	183	442220032	427
289890300	313	372322200	34	419951030	217	419955701	183	442220062	430
289890400	313	372329300	34	419951031	217	419955770	178	442220082	432
289890500	313	372329400	34	419951032	217	419956110	241	442220102	433
289890700	313	372330400	34	419951250	205	441007122	435	442223022	426
304842001	334	372330700	34	419951251	205	441011122	435	442223032	427
304842002	334	372338100	34	419951252	205	441404082	432	442223042	428
304842003	334	372338200	34	419951253	205	441405012	425	442223062	430
304842004	334	372338600	34	419951400	175	441405032	427	442240062	430
304842005	334	372338900	34	419951401	175	441405042	428	442609052	429
304842006	334	372339000	34	419951402	175	441405052	429	442614052	429
304842007	334	372339100	34	419951403	175	441405072	431	442619052	429
304842058	332	372342600	34	419951404	175	441405102	433	442623052	429
304842059	332	372343400	34	419951410	175	441407032	427	442704082	432
304842060	332	372343500	34	419951411	175	441407042	428	442705012	425
304842061	332	372345500	34	419951412	175	441407072	431	442705032	427
304842062	332	372345700	34	419951413	175	441407112	434	442705042	428
304842063	332	372345900	34	419951414	175	441408012	425	442705052	429
304842064	332	372347300	34	419951420	175	441408052	429	442705072	431
304842065	332	372347600	34	419951421	175	441408082	432	442705102	433
304842066	332	372347800	34	419951422	175	441408102	433	442707032	427
304842067	332	372347900	34	419951423	175	441409022	426	442707042	428
304842068	332	372353100	34	419951424	175	441409032	427	442707072	431
304842069	332	372353600	34	419951430	175	441409042	428	442707112	434
304842070	332	372356400	34	419951431	175	441409072	431	442708012	425
304842071	332	372360500	34	419951432	175	441409112	434	442708052	429
304842072	332	414068033	178	419951433	175	441411012	425	442708082	432

442708102	433	451698000	118	500121025	346	501233814	356	501348914	342
442709022	426	462221000	37	500122110	339	501234214	357	501349804	342
442709032	427	462221200	37	500502421	339	501234286	357	501349914	345
442709042	428	462221400	37	500623114	346	501240014	341	501352514	345
442709072	431	462222200	37	500623214	347	501240114	342	501362014	350
442709112	434	462229600	37	500623714	348	501240414	343	501362114	350
442711012	425	462229900	37	500624114	346	501240514	341	501372425	349
442711022	426	462230000	37	500624214	347	501241314	340	501373704	349
442711032	427	462230400	37	500624714	348	501241804	342	501373714	349
442711042	428	462237202	377	500625614	31	501241814	342	501373804	349
442711052	429	462237203	377	500625714	348	501242014	342	501373814	349
442711082	432	462237204	377	500625814	354	501242114	342	501374814	349
442711102	433	462237321	376	500626014	355	501242214	343	501381414	340
442713022	426	462237402	376	500633614	356	501244514	342	501381514	341
442714042	428	462237403	376	500640114	342	501249804	342	501382114	340
442715012	425	462237404	376	500640214	343	501249805	342	501382214	341
442715022	426	462237406	376	500640414	343	501249814	342	501384214	339
442715032	427	462238100	37	500640614	343	501249914	345	501384314	339
442715062	430	462238300	37	500640814	343	501250214	343	501384414	339
442715082	432	462238500	37	500641314	340	501250314	343	501384914	339
442715102	433	462238600	37	500641414	340	501251714	345	501385014	339
442718042	428	462241601	376	500641500	341	501262004	350	501385414	339
442720022	426	462241602	376	500641814	342	501262014	350	501386400	339
442720032	427	462241603	376	500644514	342	501272814	349	501386514	339
442720062	430	462241604	376	500649814	342	501274814	349	501431114	355
442720082	432	462241606	376	500649914	345	501280314	339	501567500	340
442720102	433	462243100	37	500651714	345	501280714	339	502401814	351
442723022	426	462245100	37	500662014	350	501281114	340	502403114	354
442723032	427	462245300	37	500672814	349	501281214	341	502406714	358
442723042	428	462245400	37	500674814	349	501281414	340	502410354	342
442723062	430	462247000	37	500680714	339	501282114	340	502427094	339
442740062	430	462247300	37	500681114	340	501282214	341	502428094	339
451621000	35	462252601	376	500681214	341	501284214	339	502503610	340
451621200	35	462252602	376	500681414	340	501284314	339	502504808	340
451621400	35	462252603	376	500681714	341	501284414	339	502504810	340
451622200	35	462252604	376	500682114	340	501284914	339	502804808	341
451629202	375	462252606	376	500682214	341	501285014	339	502804810	341
451629203	375	462253000	37	500685014	339	501285414	339	502808503	341
451629204	375	462253200	37	500685414	339	501286414	339	503003610	342
451629600	35	462253400	37	500686614	339	501286614	339	503003625	342
451629900	35	462256400	37	501124314	351	501322514	346	503004808	342
451630000	35	462297000	119	501124614	351	501322714	348	503004810	342
451630400	35	462298000	119	501131114	357	501323514	346	503004815	342
451637302	375	473342700	323	501172714	351	501323714	348	503004825	342
451637303	375	474429900	42	501172814	351	501324114	346	503004835	342
451637304	375	474429902	42	501172914	351	501324214	343	503004845	342
451637321	374	474438500	42	501202350	353	501324214	347	503504825	343
451637402	374	474438502	42	501203114	354	501324314	347	503504835	343
451637403	374	474438600	42	501206139	357	501324614	346	503504840	343
451637404	374	474438602	42	501206154	357	501324714	348	504003608	344
451637406	374	474453400	42	501206180	357	501325500	354	504004808	344
451638100	35	474453402	42	501206314	357	501325814	354	504004810	344
451638300	35	474456800	42	501206714	358	501331114	355	504004825	344
451638500	35	474456802	42	501214314	345	501331214	356	504504808	345
451638600	35	475338900	44	501221514	347	501332414	342	504504810	345
451641601	374	475339100	44	501222114	346	501333614	356	504504825	345
451641602	374	475343600	44	501222714	348	501334204	357	504524823	345
451641603	374	475345900	44	501224014	347	501334214	357	504524825	345
451641604	374	475346000	44	501224114	346	501340014	341	505004840	345
451641606	374	475353500	44	501224214	347	501340114	342	505012210	339
451642700	35	475353900	44	501224714	348	501340214	343	505024041	355
451645100	35	475356700	44	501225814	354	501340514	343	505112114	340
451645500	35	475357500	44	501225914	354	501340614	343	505204825	351
451647000	35	484621300	43	501227094	339	501341314	340	505204845	351
451647300	35	484629500	43	501228094	339	501341914	345	505504825	348
451653000	35	484635000	43	501231114	355	501342114	342	505504835	348
451653400	35	484638600	43	501232436	347	501342314	343	505508010	348
451656400	35	484639000	43	501233300	356	501343414	347	505508025	348
451697000	118	484651700	43	501233614	356	501344514	342	505508035	348

506061515	349	553028803	381	553098000	120	640020720	282	640042950	275
506061818	349	553028804	381	566717900	45	640025050	305	640050050	305
506062020	349	553029600	38	566721200	45	640025100	280	640050100	280
506062525	349	553029900	38	566729900	45	640025340	307	640052070	299
506121515	349	553030000	38	566734500	45	640028070	299	640052090	291
506122020	349	553030300	38	566735500	45	640028090	281	640052130	285
506402525	353	553030400	38	566738500	45	640028091	281	640052150	297
506403535	353	553033100	38	566744500	45	640028100	280	640052190	301
506404540	353	553035300	38	566753400	45	640028130	295	640052210	303
506422525	353	553035600	38	576821900	46	640028150	297	640052300	289
506424540	353	553037302	381	576830700	46	640028190	301	640052310	288
506504825	349	553037303	381	576838800	46	640028210	303	640052540	263
506504835	349	553037304	381	576844500	46	640028300	289	640052550	262
506504848	349	553037321	380	576847300	46	640028310	288	640052570	291
506508010	349	553037402	380	576853700	46	640028350	264	640052580	293
506508025	349	553037403	380	576857000	46	640028351	264	640052800	274
506508035	349	553037404	380	576865400	46	640028360	265	640052810	279
507002435	356	553037406	380	576868900	46	640028365	270	640052950	275
507002445	356	553038100	38	584221200	41	640028370	266	640053050	305
507002450	356	553038200	38	584229600	41	640028380	267	640053551	262
507002455	356	553038300	38	584230000	41	640028390	268	640060720	282
507003645	356	553038500	38	584238100	41	640028400	269	640070070	299
507004845	356	553038600	38	584238500	41	640028410	270	640070130	295
507004860	356	553038900	38	584238600	41	640028450	271	640070150	297
507008055	356	553041602	380	584243200	41	640028460	272	640070160	276
542221000	36	553041603	380	584247300	41	640028470	273	640070190	301
542221200	36	553041604	380	584247700	41	640028500	277	640070191	301
542222100	36	553041606	380	584247900	41	640028540	263	640070210	303
542229600	36	553041621	380	584253000	41	640028550	262	640070300	289
542229900	36	553041802	381	584253200	41	640028551	262	640070310	288
542230000	36	553041803	381	584256400	41	640028570	291	640070311	288
542230400	36	553041804	381	584256800	41	640028580	293	640070540	263
542237302	379	553042600	38	600995001	440	640028630	278	640070550	262
542237303	379	553043100	38	600999999	443	640028800	274	640070570	291
542237304	379	553043300	38	601015200	440	640028950	275	640070580	293
542237321	378	553045100	38	601095011	440	640033090	281	640070730	283
542237402	378	553045300	38	604411222	439	640035050	305	640070800	274
542237403	378	553045500	38	604412331	439	640035100	280	640070810	279
542237404	378	553045700	38	640014040	304	640035340	307	640070830	285
542237406	378	553047000	38	640014050	305	640040100	280	640070950	275
542238100	36	553047300	38	640014340	307	640042070	299	640080720	282
542238500	36	553047600	38	640018070	299	640042090	281	640080820	284
542238600	36	553047800	38	640018090	281	640042091	281	640100070	299
542241601	378	553047900	38	640018091	281	640042130	295	640100130	295
542241602	378	553052201	380	640018130	295	640042150	297	640100150	297
542241603	378	553052202	381	640018150	297	640042160	276	640100190	301
542241604	378	553052203	381	640018190	301	640042190	301	640100210	303
542241606	378	553052204	381	640018210	303	640042210	303	640100300	289
542241802	379	553052212	380	640018300	289	640042300	289	640100310	288
542241803	379	553052213	380	640018310	288	640042310	288	640100311	288
542241804	379	553052214	380	640018350	264	640042350	264	640100540	263
542243300	36	553052216	380	640018360	265	640042360	265	640100550	262
542245100	36	553053000	38	640018370	266	640042370	266	640100570	291
542245500	36	553053100	38	640018380	267	640042380	267	640100580	293
542245700	36	553053200	38	640018390	268	640042390	268	640100730	283
542247000	36	553053400	38	640018400	269	640042400	269	640100830	285
542247300	36	553056001	380	640018410	270	640042410	270	640120060	298
542253000	36	553056012	380	640018450	271	640042450	271	640120120	294
542253100	36	553056013	380	640018460	272	640042460	272	640120140	296
542253200	36	553056014	380	640018470	273	640042470	273	640120180	300
542256400	36	553056016	380	640018500	277	640042500	277	640120200	302
542260500	36	553056400	38	640018540	263	640042540	263	640120320	286
542298003	120	553056600	38	640018550	262	640042550	262	640120330	287
553021000	38	553056800	38	640018570	291	640042551	262	640120590	290
553021200	38	553057000	38	640018580	293	640042570	291	640120600	292
553021400	38	553060500	38	640018630	278	640042580	293	640120820	284
553021700	38	553060900	38	640018800	274	640042630	278	640130070	299
553022200	38	553097900	120	640018950	275	640042800	274	640130130	295
553028802	381	553097903	120	640020351	264	640042810	279	640130150	297

640130190	301	640330830	285	641131010	241	642131030	241	642972405	230
640130210	303	640350070	299	641131317	241	642131107	241	642972408	230
640130300	289	640350130	295	641231107	241	642131112	241	642972410	230
640130310	288	640350150	297	641231207	241	642131207	241	642991210	230
640130570	291	640350190	301	641231330	241	642131310	241	642991215	230
640130580	293	640350210	303	641231636	241	642131317	241	642991220	230
640130730	283	640350300	289	641307588	83	642131330	241	642992410	230
640130830	285	640350310	288	641307888	83	642131392	241	642992415	230
640143000	255	640400060	298	641311188	83	642131393	241	642992420	230
640160060	298	640400120	294	641311588	83	642131394	241	642992810	230
640160120	294	640400140	296	641314488	83	642131396	241	642992820	230
640160140	296	640400180	300	641315588	83	642131607	241	643022900	229
640160180	300	640400200	302	641316688	83	642131620	241	643022901	229
640160200	302	640400320	286	641319088	83	642131630	241	643023100	229
640160320	286	640400330	287	641319588	83	642131636	241	643023300	229
640160330	287	640400590	290	641320588	83	642131830	241	643023301	229
640160590	290	640400600	292	641321488	83	642139730	241	643023400	229
640160600	292	640400820	284	641325188	83	642140030	241	643023401	229
640160720	282	640531424	308	641325588	83	642143930	241	643023500	229
640160820	284	640531436	308	641326688	83	642144030	241	643023501	229
640171900	255	640532524	308	641327888	83	642323330	241	643023800	229
640171901	255	640532536	308	641343588	83	642472338	244	643023801	229
640172600	255	640533524	308	641346688	83	642472738	244	643031044	229
640172601	255	640533536	308	641363314	83	642531000	249	643031055	229
640172900	255	640602024	306	641371188	83	642531100	249	643031138	229
640172901	255	640602036	306	641531000	248	642531200	249	643031144	229
640173200	255	640602060	306	641531100	248	642531300	249	643031155	229
640173201	255	640603524	306	641531200	248	642531800	249	643031300	229
640175070	299	640603536	306	641531300	248	642543944	249	643031322	229
640175130	295	640603550	306	641531800	248	642544044	249	643031325	229
640175150	297	640603560	306	641672700	242	642731138	243	643031344	229
640175190	301	640605024	306	641672700	245	642731306	243	643031355	229
640175210	303	640605060	306	641731338	243	642731312	243	643031525	229
640175300	289	640842496	246	641731838	243	642731324	243	643031601	229
640175310	288	640922700	246	641771636	245	642731338	243	643031644	229
640175570	291	640922900	246	641772636	245	642731360	243	643031800	229
640175580	293	640923300	246	641772702	245	642731392	244	643039300	229
640200040	296	640923400	246	641772703	245	642731393	244	643039500	229
640200060	298	640923500	246	641772704	245	642731394	244	643039700	229
640200120	294	640931000	246	641772706	245	642731396	244	643039744	229
640200180	300	640931100	246	641772736	245	642731613	243	643040000	229
640200200	302	640931200	246	641832175	251	642731624	243	643043844	229
640200320	286	640931300	246	641840775	251	642731638	243	643043855	229
640200330	287	640939300	246	641840875	251	642731812	243	643043944	229
640200590	290	640939500	246	641840975	251	642731824	243	643043955	229
640200600	292	640939700	246	641841075	251	642731830	243	643044044	229
640200720	282	640943844	246	641841175	251	642731838	243	643044055	229
640200730	283	640943900	246	641851175	251	642731860	243	643379375	254
640200820	284	640943944	246	641851475	251	642731892	244	643479375	254
640200830	285	640944044	246	641851575	251	642731893	244	643631638	244
640210070	299	641007814	247	641851675	251	642731894	244	643631838	244
640210130	295	641013500	247	641867775	251	642731896	244	643731338	244
640210150	297	641014488	247	641867875	251	642732038	243	643731638	244
640210190	301	641016688	247	641867975	251	642739712	243	643731838	244
640210210	303	641019088	247	641868075	251	642739738	243	643868000	239
640210300	289	641019688	247	641868175	251	642740036	243	643868100	239
640210310	288	641022500	247	641878075	251	642740338	243	643868200	239
640210570	291	641022700	247	641878475	251	642743938	243	643878900	239
640210580	293	641022900	247	641878575	251	642744038	243	643879100	239
640230060	298	641023100	247	641878775	251	642744338	243	643979300	239
640230120	294	641023300	247	641878875	251	642877700	235	644079500	239
640230140	296	641031000	247	641878975	251	642877701	235	644206014	356
640230180	300	641031100	247	641879175	251	642878000	235	644206015	84
640230200	302	641031300	247	641931126	240	642878001	235	644206025	84
640230320	286	641039300	247	641931326	240	642878400	235	644206035	356
640230330	287	641039500	247	641931638	240	642878401	235	644206035	84
640230590	290	641039700	247	642122910	241	642971205	230	644206035	356
640230600	292	641122910	241	642122912	241	642971208	230	644224060	356
640230820	284	641123310	241	642131010	241	642971210	230	644523500	231

644523735	231	648078345	259	649078800	236	656031400	331	684460900	39
644523800	231	648078347	259	649078801	236	656040581	331	684461700	39
644523835	231	648078445	259	649178500	237	656224000	359	684466601	382
644524000	231	648078447	259	649178800	237	656231800	359	684496900	121
644531000	231	648078545	259	649378558	238	656234900	359	684497900	121
644531100	231	648078547	259	649378800	238	656254700	359	694621000	40
644531300	231	648167500	232	649774000	234	657702021	405	694621200	40
644531301	231	648167600	232	649928451	217	659900020	405	694622200	40
644531338	231	648167700	232	649928451	272	659902020	405	694629600	40
644531344	231	648167900	232	650128024	327	659903020	405	694629900	40
644531600	231	648168100	232	650128040	327	659904020	405	694630000	40
644531601	231	648172700	232	650921718	25	659906020	405	694630400	40
644531800	231	648173200	232	650921718	324	669084700	183	694635300	40
644531801	231	648173201	232	650925500	25	669084701	183	694638100	40
644531838	231	648173300	232	650930018	25	670091524	211	694638200	40
644532000	231	648173301	232	650930018	324	684421000	39	694638500	40
644532100	231	648173400	232	650933400	25	684421200	39	694638600	40
644532138	231	648173401	232	650933400	324	684421400	39	694639000	40
644539700	231	648173600	232	650934100	25	684422200	39	694643200	40
644540000	231	648173700	232	650934100	324	684428802	383	694645100	40
644540300	231	648173701	232	650935418	25	684428803	383	694645500	40
644540301	231	648174000	232	650935418	324	684428804	383	694647300	40
644540600	231	648273300	233	650935600	25	684429600	39	694653100	40
644540700	231	648273301	233	650935600	324	684429700	39	694653400	40
644540800	231	648273400	233	650938218	25	684429900	39	694653600	40
644541000	231	648273401	233	650938218	324	684430000	39	694656400	40
644543300	231	648273600	233	650938600	25	684430400	39	694656800	40
644543944	231	648273601	233	650938600	324	684435700	39	694660500	40
644544044	231	648273700	233	650942600	25	684437302	383	710121694	229
644551100	231	648273701	233	650942600	324	684437303	383	712403722	335
644564800	231	648273800	233	650942618	25	684437304	383	712403723	335
644573400	231	648274000	233	650942618	324	684437321	382	712403724	335
644578000	231	648372300	234	650944500	25	684437402	382	712403725	335
644578100	231	648372500	234	650944500	324	684437403	382	712705566	336
644578200	231	648372501	234	650956400	25	684437404	382	712705577	336
644578300	231	648372700	234	650956400	324	684437406	382	734131033	326
644578400	231	648372701	234	651422500	195	684438100	39	734331000	108
645077448	257	648373000	234	651422505	195	684438200	39	734331001	108
645077848	257	648373001	234	651471958	138	684438400	39	734331100	108
645078348	257	648373200	234	651472658	138	684438500	39	734331101	108
645177447	256	648373201	234	651508510	343	684438600	39	734337800	108
645177847	256	648673300	234	651530003	341	684438900	39	734337801	108
645178347	256	648673301	234	651735200	325	684439000	39	734339300	108
645468275	253	648673400	234	651745300	325	684441902	382	734339301	108
645468375	253	648673401	234	651756600	325	684441903	382	734431126	326
645479375	253	648673600	234	652222703	75	684441904	382	734439526	326
645479475	253	648673700	234	652228010	343	684441906	382	754746000	104
646367347	258	648673701	234	652228035	170	684441921	382	761121700	104
646377445	258	648673800	234	652228120	170	684442800	39	761122100	104
646377447	258	648801210	220	652231203	75	684443100	39	761130400	104
646377845	258	648801220	220	652232403	75	684443200	39	761130800	104
646377847	258	648968275	252	652232803	75	684445100	39	761138600	104
646378345	258	648968375	252	652233003	75	684445500	39	761139100	104
646378347	258	648979175	252	652285035	170	684445700	39	761143500	104
646440975	250	648979275	252	652384107	209	684446800	39	761145000	104
647472300	233	648979375	252	652526010	342	684447300	39	761322700	104
647472700	233	649067900	236	652585003	340	684447600	39	761330800	104
647472701	233	649077700	236	652703000	200	684447800	39	761338600	104
647473200	233	649077701	236	652703100	200	684447900	39	761339100	104
647473201	233	649078000	236	652714000	201	684452601	382	761422700	104
647864700	250	649078001	236	652714100	201	684453000	39	761430800	104
647867675	250	649078300	236	653966801	213	684453100	39	761438600	104
647867775	250	649078301	236	653971301	213	684453400	39	761438900	104
647867875	250	649078400	236	654427313	181	684456013	382	761439100	104
647878075	250	649078401	236	654435113	181	684456014	382	761453900	104
647878475	250	649078500	236	654439113	181	684456400	39	761457000	104
647878575	250	649078501	236	654447113	181	684456800	39	764922700	104
647878775	250	649078700	236	654455313	181	684457000	39	764930400	104
647878875	250	649078701	236	656028481	331	684460500	39	764936100	104

764939100	104	784339102	106	820630100	14	870743100	21	940943600	16
764948200	104	784339103	106	820630400	14	870743133	21	940944200	16
764951900	104	784339153	106	820638100	14	870747300	21	940944500	16
771435700	105	784339300	106	820642600	14	870753100	21	940944600	16
771522700	105	784339302	106	820642700	14	870756300	21	940947000	16
771522900	105	784339303	106	820642800	14	940900700	16	940947300	16
771527200	105	784339353	106	820643100	14	940906800	16	940947800	16
771530800	105	784343900	106	830606400	18	940908600	16	940948800	16
771531000	105	784346000	106	830618300	18	940917300	16	940953100	16
771535900	105	784346200	106	830618700	18	940917700	16	940953200	16
771538900	105	784346300	106	830619300	18	940918300	16	940953400	16
771539100	105	784350200	106	830630100	18	940919300	16	940956400	16
771539300	105	784353900	106	830633500	18	940920202	369	940956600	16
771546000	105	784354300	106	830642700	18	940920203	369	940995900	112
771548200	105	784357000	106	830643100	18	940920204	369	940996000	112
771553900	105	784357200	106	840618300	19	940920611	368	940997000	112
771554200	105	784522900	106	840618700	19	940920612	368	940998000	112
771557000	105	784523300	106	840619300	19	940920613	368	950900700	17
771634700	105	784523400	106	840620900	19	940920614	368	950906800	17
773722700	105	784531100	106	840629500	19	940920616	368	950908000	17
773722900	105	784531200	106	840630100	19	940921200	16	950908600	17
773730800	105	784531300	106	840633300	19	940921600	16	950911200	17
773731000	105	784539100	106	840633500	19	940921700	16	950917300	17
773739100	105	784539500	107	840634300	19	940922200	16	950917700	17
773739300	105	784539600	107	840635400	19	940924600	16	950918300	17
773743600	105	784539700	107	840637701	363	940924800	16	950920201	366
773753900	105	784542000	107	840637702	363	940925100	16	950920202	366
773754300	105	784546200	107	840637703	363	940925500	16	950920202	367
773757000	105	784546300	107	840637704	363	940927800	16	950920203	366
773922900	105	784548200	107	840637706	363	940928100	16	950920203	367
773930800	105	784550300	107	840638000	19	940928500	16	950920204	366
773939100	105	784554300	107	840641601	363	940928600	16	950920204	367
773946000	105	784557000	107	840641602	363	940928802	369	950920206	366
773948200	105	784557200	107	840641603	363	940928803	369	950921200	17
783922900	106	784557400	107	840641604	363	940928804	369	950921800	17
783930600	106	800502500	12	840641606	363	940928812	368	950922200	17
783930800	106	800518300	12	840642700	19	940928813	368	950924600	17
783931000	106	800519300	12	840643100	19	940928814	368	950924800	17
783931100	106	800521400	12	840647300	19	940928816	368	950925100	17
783935901	394	800529400	12	850618300	20	940928821	368	950925500	17
783937721	394	800529500	12	850618700	20	940930100	16	950927800	17
783938600	106	800533200	12	850628600	20	940930200	16	950928100	17
783938900	106	800534300	12	850630100	20	940930400	16	950928500	17
783939100	106	800534400	12	850635400	20	940933300	16	950928600	17
783939300	106	800538100	12	850638100	20	940933600	16	950928802	367
783943900	106	800538200	12	850642700	20	940933700	16	950928803	367
783946000	106	800542600	12	860700700	15	940934100	16	950928804	367
783946200	106	810617500	13	860708600	15	940935500	16	950928812	366
783953800	106	810618300	13	860718300	15	940937302	369	950928813	366
783954300	106	810618700	13	860719300	15	940937303	369	950928814	366
783957000	106	810619300	13	860721200	15	940937304	369	950928816	366
783957200	106	810621200	13	860722200	15	940937321	368	950928821	366
784312231	395	810621600	13	860725100	15	940937402	368	950930100	17
784312261	395	810629700	13	860727800	15	940937403	368	950930200	17
784312501	395	810630100	13	860733600	15	940937404	368	950930400	17
784322900	106	810633300	13	860742700	15	940937406	368	950933600	17
784324231	395	810633500	13	860743100	15	940938400	16	950934100	17
784324261	395	810635400	13	870718400	21	940938500	16	950935500	17
784324501	395	810638100	13	870721500	21	940938700	16	950937302	367
784330800	106	810642600	13	870721533	21	940941602	368	950937303	367
784330802	106	810642700	13	870725100	21	940941603	368	950937304	367
784330803	106	810643100	13	870728600	21	940941604	368	950937321	366
784331000	106	810647300	13	870729900	21	940941606	368	950937402	366
784331053	106	820618300	14	870730000	21	940941802	369	950937403	366
784331100	106	820619300	14	870733600	21	940941803	369	950937404	366
784331153	106	820621600	14	870734300	21	940941804	369	950937406	366
784336900	106	820622200	14	870738400	21	940941821	368	950938200	17
784338600	106	820628500	14	870742700	21	940942800	16	950938400	17
784339100	106	820629600	14	870742800	21	940943400	16	950938600	17

950941602	366	970956400	22	642731853	244
950941603	366	970995900	114		
950941604	366	971928688	22		
950941606	366	971944588	22		
950941802	367	971947088	22		
950941803	367	022700728	420		
950941804	367	022700755	420		
950941821	366	022704200	421		
950942800	17	022707270	421		
950942900	17	022707300	421		
950943400	17	022708300	421		
950944200	17	027240721	419		
950944500	17	027240921	419		
950944600	17	102830853	62		
950947300	17	223831000	329		
950948800	17	223831100	329		
950953000	17	223839300	329		
950953100	17	223839500	329		
950956400	17	227266802	170		
950956600	17	227266803	170		
950995900	113	227266804	170		
950997000	113	227266806	170		
950998000	113	276083800	174		
970906400	22	276083801	174		
970906600	22	276083900	174		
970908000	22	276083901	174		
970908600	22	276084000	174		
970913600	22	276084001	174		
970918300	22	276084100	174		
970921200	22	276084101	174		
970922200	22	276084200	174		
970924600	22	276084201	174		
970924800	22	276084300	174		
970925000	22	276084301	174		
970925100	22	419904855	185		
970928100	22	419904856	185		
970928600	22	419924845	185		
970929102	365	419934845	185		
970929103	365	419944845	185		
970929104	365	419950044	183		
970929111	364	419950045	183		
970929112	364	419954845	185		
970929113	364	419964845	185		
970929114	364	419974845	185		
970929116	364	419984845	185		
970930100	22	500502816	340		
970933600	22	501214244	345		
970934100	22	501233627	356		
970935500	22	501281101	340		
970937301	364	501325848	354		
970937402	364	501328214	343		
970937403	364	501333714	356		
970937404	364	501333814	356		
970937406	364	501334244	357		
970938600	22	501342414	343		
970941601	364	501349714	342		
970941602	364	501349855	342		
970941603	364	501349958	345		
970941604	364	501381424	340		
970941606	364	501382158	340		
970941702	365	501382200	340		
970941703	365	501382300	341		
970941704	365	501382314	341		
970942700	22	501382414	340		
970943000	22	505012030	354		
970943100	22	505012067	358		
970944500	22	505024067	358		
970947000	22	640842497	246		
970953100	22	642731353	244		

BEAMER PROJECTOR

MODULES **LAMPS**



For more information on projector and beamer lamps
see **page 436** or visit <http://www.schiefer.nl/beamer>

NOTES

NOTES

NOTES

